



# Spare parts



## Cerbos

küttesüsteemid • müük • paigaldus • hooldus  
tel +372 442 0222 / +372 434 1000 • info@cerbos.ee  
Paide mnt 7, Pärnu 80042, Eesti • www.cerbos.ee



# ATMOS

**Jaroslav Cankař a syn ATMOS**  
Velenského 487, CZ 294 21 Bělá pod Bezdězem  
Česká republika  
Tel.: +420 326 701 404, 701 414, 701 302  
Fax: +420 326 701 492

**www.atmos.cz**  
e-mail: **atmos@atmos.cz**

# Order spare parts under correct spare part codes


## Contens

<b>1. General spare parts</b>	<b>2</b>
<b>2. Wood gasification DCxxS, GS, wood burning Dxx, pellet DxxP or natural gas or LFO boilers typ EP(L), SP(L), GSP(L)</b>	<b>34</b>
<b>3. Gasification boilers for coal and wood CxxS(T), lignite briquets AC/KCxxS and wooden briquets DCxxRS</b>	<b>43</b>
<b>4. Accessories</b>	<b>48</b>
<b>5. Pellet tanks</b>	<b>58</b>
<b>6. Acumulation tanks - DH / DZ</b>	<b>61</b>
<b>7. ATMOS A25 pellet burner</b>	<b>64</b>
Special parts for A25 pellet burner	
- in a version for DCxxGSP boiler	72
- in a version for DCxxSP, CxxSP boilers - Model 2018	72
Parts for pneumatic cleaning of the ATMOS A25 pellet burner	74
<b>8. ATMOS A45 pellet burner</b>	<b>76</b>
Parts for pneumatic cleaning of the ATMOS A45 pellet burner	84
<b>9. ATMOS A85 pellet burner with pneumatic cleaning</b>	<b>86</b>
<b>10. IWABO pellet burner</b>	<b>95</b>
<b>11. ERATO GP20 pellet burner</b>	<b>98</b>
<b>12. ATMOS A50 pellet burner</b>	<b>101</b>
<b>13. Automatic ash removal for DxxP boilers</b>	<b>106</b>
<b>14. Pneumatic pellet feeding APS 250 (S) (SPX) / APS 500</b>	<b>107</b>
<b>15. LFO and Natural gas burners</b>	<b>110</b>
<b>16. Textile pellet silos ATZ</b>	<b>111</b>

# 1. General spare parts



## Regulating boiler thermostat – controls fan



Without black knob

<b>Code: S0021</b> 40 - 95°C – all boilers - standard type	<i>Price:</i>
	<i>Weight: 0,10 kg</i>
<b>Code: S0024</b> 40 - 95°C – for DC75SE with a longer capillary	<i>Price:</i>
	<i>Weight: 0,10 kg</i>
<b>Code: S0022</b> to 110°C – suitable for fitting boilers with buffer tanks	<i>Price:</i>
	<i>Weight: 0,10 kg</i>
<b>Code: S0025</b> to 110°C - for DC75SE - longer capillary (Swedish performance)	<i>Price:</i>
	<i>Weight: 0,10 kg</i>

## Regulating boiler pump thermostat



Without knob

<b>Code: S0023</b> twith three pins with shaft for knob 0 - 95 °C - for boilers DC15E, D15, D20, D30, D15P, D20P, D30P, D40P, D50P, P15, P20, P30, P40, P50, DC15EP(L), DC14R	<i>Price:</i>
	<i>Weight: 0,10 kg</i>
<b>Code: S0062</b> with three pins without shaft (controlled by screw driver) 0 - 95 °C - for boilers DC18SP(L), DC25SP(L), DC32SP(L), CxxSP(L), KCxxSP(L)	<i>Price:</i>
	<i>Weight: 0,10 kg</i>

## Waste gas thermostat



<b>Code: S0031</b> -15 to 300°C - switches off ventilator after fuel has been burned out	<i>Price:</i>
	<i>Weight: 0,10 kg</i>
<b>Code: S0019</b> -15 to 300°C – for DC75SE – with a longer capillary	<i>Price:</i>
	<i>Weight: 0,10 kg</i>
<b>Code: S0034</b> tool kit for upgrading old boiler and installing waste gas thermostat	<i>Price:</i>
	<i>Weight: 0,10 kg</i>
<b>Code: S0078</b> double-circuit from 2012 (from sn 242400) DCxxSP(L), DCxxGSP(L), CxxSP(L), AC/KCxxSP(L), boilers with modification for burner - model 2017 (AC03)	<i>Price:</i>
	<i>Weight: 0,10 kg</i>

## Waste gas thermostat without shaft (0 - 300°C)



<b>Code: S0020</b> it serves to close the servomotor Belimo when exceeding the set temperature of waste gas - for DC18GSE - DC50GSE, DCxxGD, DCxxGSP(L)	<i>Price:</i>
	<i>Weight: 0,08 kg</i>

### Safety irreversible thermostat



**Code: S0061** 90 - 110 °C **one-circuit** - standard  
- built in the main control panel of the boiler

*Price:*  
*Weight:* 0,12 kg

**Code: S0068** 90 - 110 °C - **dual-circuit**  
- built in the main control panel of the pellets boilers DxxP, DCxxSP(L)/EP(L) from serial number 168800, DCxxGSP(L), CxxSP(L), KCxxSP(L), DxxPX, PXXx, boilers with modification for burner - model 2017 (AC03)

*Cena:* 296,70  
*Váha:* 0,12 kg


### Black Knob



**Code: S0032** black knob for boiler thermostats in the main control panel

*Price:*  
*Weight:* 0,02 kg

### Thermometer



**Code: S0041** For all ATMOS boilers

*Price:*  
*Weight:* 0,06 kg

**Code: S0056** for DC75SE with a longer capillary

*Price:*  
*Weight:* 0,12 kg

### Manometer - DC100



**Code: S0044** manometer to the boiler panel  
DC100, DC105S, DC150S

*Price:*  
*Weight:* 0,10 kg

### Safety reversible thermostat TH480RB



**Code: S0051** 98°C – built in boiler – for old boiler types

*Price:*  
*Weight:* 0,10 kg

### Boiler pump thermostat



**Code: S0052** 70 °C – preset

*Price:*  
*Weight:* 0,10 kg


- old types of boilers  
- and for boilers DC100, DC105S, DC150, DC75SE  
DxxPX, PXXx, boilers with modification for burner - model 2017 (AC03)  
- **switching thermostat**

**Code: S0053** 90°C (95°C) – preset

*Price:*  
*Weight:* 0,10 kg


- for EU boilers  
- and for boilers DC100, DC105S, DC150S, DC75SE  
- recommended accessories for boilers  
- **safety thermostat**

### Grommets



<b>Code: S0185</b> round grommet	<i>Price:</i>
	<i>Weight: 0,04 kg</i>
<b>Code: S0186</b> flat grommet	<i>Price:</i>
	<i>Weight: 0,04 kg</i>

### Terminal block – new type




<b>Code: S0182</b> plastic terminal block	<i>Price:</i>
	<i>Weight: 0,08 kg</i>

### Set for controlling pump in the primary circuit



<b>Code: S0516</b> the set is for controlling pump in the primary boiler circuit by waste gas thermostat built in the dash board of the boiler. The set consists of incoming cable with connector and safety thermostat for pump 95°C	<i>Price:</i>
	<i>Weight: 0,28 kg</i>

### Electrical equipment



Shown in table no. 1 page 28	
Connecting cabling with terminal box for all types of currently produced types of boilers including cable to the fan	
<b>Code: S0631</b> Flexa wire 2,8 m – incoming cable	<i>Price:</i>
	<i>Weight: 0,17 kg</i>
<b>Code: S0715</b> 2.5 m power cord with <b>3-pin connector</b> for connection of the boiler or pump - <b>new version</b>	<i>Price:</i>
	<i>Weight: 0,15 kg</i>
<b>Code: S0611</b> 2.5 m power cord without connector	<i>Price:</i>
	<i>Weight: 0,13 kg</i>
<b>Code: S0612</b> 2.5 m power cord for pump without connector	<i>Price:</i>
	<i>Weight: 0,10 kg</i>

### End switch with a reversible button




<b>Code: S0094</b> for DC15EP(L), DCxxSP(L), DCxxGSP(L), CxxSP(L), KCxxSP(L)	<i>Price:</i>
	<i>Weight: 0,10 kg</i>

### End switch – DC100




<b>Code: S0075</b> only for DC100 boilers , DC105S, DC150S	<i>Price:</i>
	<i>Weight: 0,22 kg</i>

### Connectors for electricity income from 1.2.2008




<b>Code: S0641</b> A) male connector with bushing	<i>Price:</i>
	<i>Weight: 0,01 kg</i>
<b>Code: S0640</b> B) female connector for cable	<i>Price:</i>
	<i>Weight: 0,01 kg</i>
<b>Code: S0715</b> incoming cable 2,5 m with connector type B) (S0640)	<i>Price:</i>
	<i>Weight: 0,15 kg</i>

### Cable with connector for the fan UCJ4Cxx




<b>Code: S0132</b> cable with connector for the fan UCJ4Cxx - for connecting from side hood in to the terminal board (except D80P, P80)	<i>Price:</i>
	<i>Weight: 0,10 kg</i>

### Connector for pump in boiler circuit - white




<b>Code: S0642</b> A) female connector with bushing into the boiler side hood for pump connection in boiler circuit - white - 3 pin	<i>Price:</i>
	<i>Weight: 0,01 kg</i>
<b>Code: S0644</b> B) male connector for cable - 3 pin	<i>Price:</i>
	<i>Weight: 0,01 kg</i>
<b>Code: S0716</b> B) male connector with cable - cable length 2,5 m	<i>Price:</i>
	<i>Weight: 0,14 kg</i>

### Connector for automatic ash remover - red



<b>Code: S1102</b> A) female connector with bushing into the boiler side hood for automatic ash remover - red - 3 pin - pellet boilers DxxP, Pxx	<i>Price:</i>
	<i>Weight: 0,01 kg</i>
<b>Code: S1103</b> B) male connector for cable - 3 pin	<i>Price:</i>
	<i>Weight: 0,01 kg</i>

### Connector for boilers DCxxGSP(L)




<b>Code: S1092</b> A) male connector with bushing - in boiler side hood for R3 and R4 support outputs of ventilator - 2 pin - for boilers DCxxGSP(L)	<i>Price:</i>
	<i>Weight: 0,01 kg</i>
<b>Code: S1093</b> B) female connector for cable - 2 pin	<i>Price:</i>
	<i>Weight: 0,01 kg</i>

### R3 and R4 connecting cable for boilers DCxxGSP




<b>Code: S1084</b> additional connecting cable with 2-pin connectors (S1091 and S1093) R3 and R4 between boiler and burner	<i>Price:</i>
	<i>Weight: 0,16 kg</i>

**Connectors for boilers with burner - pellet, heating oil or gas - into the boiler side hood**




<b>Code: S0633</b> A) male connector - 4-pin	Price:
	Weight: 0,02 kg
<b>Code: S0632</b> B) female connector - 4-pin	Price:
	Weight: 0,02 kg
<b>Code: S0901</b> A) male connector - 5-pin	Price:
	Weight: 0,02 kg
<b>Code: S0913</b> B) female connector - 5-pin	Price:
	Weight: 0,02 kg

**Connector - bypass for pellet boilers**




<b>Code: S0648</b> A) male - connector with bypass (jumper) - 3 pin	Price:
	Weight: 0,01 kg
<b>Code: S0646</b> B) female with bushing in to the side hood - 3 pin	Price:
	Weight: 0,01 kg

**Connector for boilers with burner - into side hood**




<b>Code: S0985</b> A) male with lid - 6-pin connector	Price:
	Weight: 0,02 kg
<b>Code: S0986</b> B) female with bushing - 6-pin connector	Price:
	Weight: 0,02 kg
<b>Code: S0739</b> connecting cable between boiler and burner - 2,5 m - complete with connectors type S0985 and S0991	Price:
	Weight: 0,52 kg
<b>Code: S0994</b> B) female with bushing - 6-pin connector for cable - for boilers without hole in side hood - (alternative for code: S0986)	Price:
	Weight: 0,02 kg
<b>Code: S1262</b> connecting cable between boiler and burner - 0,6 m - complete with connectors type S0985 and S0991 - for DxxPX, PXxx	Price:
	Weight: 0,20 kg

**Compressor connector for burner pneumatic cleaning**



<b>Code: S1092</b> A) male connector with bushing - in boiler side hood for connecting of pneu. cleaning compressor - 2 pin - pellet boilers D80P, P80	Price:
	Weight: 0,01 kg
<b>Code: S1093</b> B) female connector for cable - 2 pin	Price:
	Weight: 0,01 kg

### Connectors for conveyor - for boilers DxxPX, PXxx




<b>Code: S0641</b> A) male connector with bushing	<i>Price:</i>
	<i>Weight: 0,01 kg</i>
<b>Code: S0640</b> B) female connector for cable	<i>Price:</i>
	<i>Weight: 0,01 kg</i>
<b>Code: S1263</b> connecting cable between boiler and burner DxxPX, PXxx with connector type B) (S0640) for bushing A) (S0640)	<i>Price:</i>
	<i>Weight: 0,14 kg</i>

### Pocket and fuse for boilers



<b>Code: S0184</b> pocket for fuse in the control panel of the pellet boiler DxxP, DCxxSP(L), DCxxGSP(L), CxxSP(L), AC/KCxxSP(L), DxxPX, PXxx, boilers with in-built burner - model 2017 (AC03) boilers with control unit ACD01	<i>Price:</i>
	<i>Weight: 0,01 kg</i>
<b>Code: S0200</b> fuse T6,3A/1500-type H	<i>Price:</i>
	<i>Weight: 0,01 kg</i>

### Old switch



<b>Code: S0081</b> old switch	<i>Price:</i>
	<i>Weight: 0,06 kg</i>
<b>Code: S0082</b> fitting spring	<i>Price:</i>
	<i>Weight: 0,01 kg</i>


### New switch



<b>Code: S0091</b> main switch for boilers new version – green (I-O)	<i>Price:</i>
	<i>Weight: 0,04 kg</i>
<b>Code: S0092</b> switch – red (I-O)	<i>Price:</i>
	<i>Weight: 0,04 kg</i>
<b>Code: S0102</b> switch – black (I-O)	<i>Price:</i>
	<i>Weight: 0,04 kg</i>
<b>Code: S0093</b> orange – D20P, DC15EP(L)	<i>Price:</i>
	<i>Weight: 0,04 kg</i>
<b>Code: S0096</b> changeover switch (I-O-II) DCxxSP(L), CxxSP(L), KCxxSP(L), DCxxGSP(L)	<i>Price:</i>
	<i>Weight: 0,04 kg</i>
<b>Code: S0098</b> double switch blaf for pellets boilers DxxP	<i>Price:</i>
	<i>Weight: 0,04 kg</i>




### Capacitor of the extraction fan




<b>Code: S0171</b> for fan UCJ4C52 - 1 $\mu$ F	<i>Price:</i>
	<i>Weight: 0,06 kg</i>
<b>Code: S0173</b> for fan UCJ4C82 - 2 $\mu$ F	<i>Price:</i>
	<i>Weight: 0,06 kg</i>
<b>Code: S0175</b> for fan UCJ4C52A - 4 $\mu$ F – 120V	<i>Price:</i>
	<i>Weight: 0,06 kg</i>

### Bearing for fan



<b>Code: S0142</b> spare bearing for exhaust fan UCJ4Cxx - not for ordinary user - can not be easily replaced	<i>Price:</i>
	<i>Weight: 0,02 kg</i>

### Fan – Mezaxial



<b>Code: S0111</b> for old types of boilers - fan without capacitor	<i>Price:</i>
	<i>Weight: 0,96 kg</i>

### Capacitor for radial fans 3 $\mu$ F



<b>Code: S0101</b> for all radial blowing fans KORA	<i>Price:</i>
	<i>Weight: 0,06 kg</i>

### Pressure fan RATAS 3132




<b>Code: S0121</b> - for boilers DC40G, DC50, C30, C40 old version - supersede 120/35 Kora	<i>Price:</i>
	<i>Weight: 2,90 kg</i>

### Radial fan – Kora



<b>Code: S0121</b> 120/35 – 120/35 – substitutes radial ventilator RATAS – for boilers DC40G, DC50, C30, C40 old versions	Price:
	Weight: 2,90 kg
<b>Code: S0122</b> 120/45 – for DC70S (DC80)	Price:
	Weight: 2,16 kg
<b>Code: S0123</b> 120/55 – for DC100	Price:
	Weight: 2,22 kg

### Exhaust fan UCJ4C52 / UCJ4C52A-USA



<b>UCJ4C52 fan</b> – delivered with capacitor 1µF	
<b>Code: S0131</b> detached motor 230V/50Hz - for DCxxS, CxxS, ACxxS, KCxxS, DCxxSP(L), CxxSP(L), AC/KCxxSP(L), DCxxGSE, DCxxGD, DCxxSX, DxxP, Pxx, DCxxRS, DC50GSX, DC60GSX, GSX50, GSX60, DCxxGS, GSxx, DxxPX, Pxxx	Price:
	Weight: 2,64 kg
120V/60Hz (USA) motor – delivered with capacitor 4µF	
<b>Code: S0135</b> detached motor for America 120V/60Hz – for DCxxS, CxxS, ACxxS, KCxxS, DCxxSP(L), C18SP(L), KC25SP(L), DCxxGSE, DCxxGD, DCxxSX, DxxP, Pxx, DCxxRS, DC50GSX, DC60GSX, GSX50, GSX60, DCxxGS, GSxx	Price:
	Weight: 4,00 kg
- 230V/50Hz fan with capacitor, plate and gaskets	
<b>Code: S0133</b> motor with impeller Ø 150 mm, plate and gaskets	Price:
	Weight: 3,98 kg
<b>Code: S0134</b> motor with impeller Ø 175 mm, plate and gaskets	Price:
	Váha: 4,10 kg
<b>Code: S0139</b> motor with close impeller Ø 175 mm, plate and gaskets - (DC50SE, DC50S, DC50GSX, DC60GSX, DC50GSE, C40S, C50S)	Price:
	Weight: 4,30 kg

### Exhaust fan UCJ4C82 / UCJ4C82B



<b>UCJ4C82 fan is only for boilers DC75SE and DC70GSX</b> – delivered with capacitor 2µF	
<b>Code: S0136</b> detached motor for DC75SE, DC70GSX	Price:
	Weight: 3,28 kg
<b>Code: S0138</b> motor with impeller diameter Ø 200 mm and a plate	Price:
	Weight: 5,42 kg
<b>UCJ4C82B fan with a speed sensor for boilers D80P, P80</b> – delivered with capacitor 2µF	
<b>Code: S0148</b> detached motor for D80P, P80	Price:
	Weight: 3,36 kg
<b>Code: S0149</b> motor with impeller diameter Ø 200 mm and a plate	Price:
	Weight: 5,50 kg


### Exhaust fan UCJ4C102 (J22RR552)



<b>UCJ4C82 fan</b> – delivered with capacitor 2µF	
<b>Code: S0150</b> motor with impeller Ø 200/65 and a plate - for boilers DC105S, DC150S	Price:
	Weight: 5,78 kg
<b>Code: S0153</b> detached motor for fan - for boilers DC105S, DC150S	Price:
	Weight: 3,52 kg


**Impeller – small – Ø 150 mm - opened**

<b>Code: S0141</b> for boilers ATMOS: DC18S, DC22S, DC25S, DC30SE, DC22SX, DC30SX, DC20GS, DC25GS, GS20, GS25, C18S, AC(KC)16S, AC(KC)25S, DC18GSE, DC22GSE, DC25GSE, D31P, P31, DC18SP(L), DC25SP(L), DC25GSP(L), CxxSP(L), KCxxSP(L)	<i>Price:</i> <i>Weight: 0,10 kg</i>
--	---


**Impeller Ø 175 mm, Ø 200 mm – closed**

<b>Code: S0154</b> closed impeller Ø 175 mm for boilers DC50SE, DC50S, C40S, C50S, DC50GSE, DC50GD, DC50GSX, DC60GSX, D50P (D45P), P50, AC45S, KC45S	<i>Price:</i> <i>Weight: 0,38 kg</i>
---	---

<b>Code: S0190</b> closed impeller Ø 200/52 mm - fan UCJ4C82 / UCJ4C82B for boilers - DC75SE, DC70GSX, D80P, P80	<i>Price:</i> <i>Weight: 0,72 kg</i>
---	---

**Impeller – big - Ø 175 mm - opened**

<b>Code: S0151</b> for boilers ATMOS: DC32S, DC50S, DC40SX, DC32GS, DC40GS, GS32, GS40, C20S, C30S, C80S, AC35S, KC35S DC24RS, DC30RS, DC30GSE, DC40GSE, DC30GD, DC40GD, D20P, D30P, D40P, D50P, P20, P30, P40, P50, DC32SP(L), DC30GSP(L), C25SP(L), KC32SP(L)	<i>Price:</i> <i>Weight: 0,18 kg</i>
--	---

**Impeller Ø 200/65 mm – closed**

<b>Code: S0166</b> closed impeller Ø 200/65 mm - for DC105S, DC150S fan UCJ4C102 (J22RR552)	<i>Price:</i> <i>Weight: 0,82 kg</i>
---	---

**Small sealing of the exhaust fan**




<b>Code: S0161</b> between motor and a exhaust fan	<i>Price:</i>
	<i>Weight: 0,02 kg</i>

**Board for exhaust fan**




<b>Code: S0959</b> board for both types of exhaust fan - type UCJ4C52	<i>Price:</i>
	<i>Weight: 1,00 kg</i>
<b>Code: S0961</b> board for both types of exhaust fan - type UCJ4C82, UCJ4C102	<i>Price:</i>
	<i>Weight: 1,10 kg</i>

**Big gasket of the exhaust fan - old**



<b>Code: S0162</b> grey/red (exhaust fan UCJ4C52)	<i>Price:</i>
	<i>Weight: 0,06 kg</i>
<b>Code: S0163</b> sibral paper – white (exhaust fan UCJ4C52)	<i>Price:</i>
	<i>Weight: 0,06 kg</i>
<b>Code: S0167</b> grey/red for boiles DC75SE, DC70GSX, D80P, P80, (fan UCJ4C82(B)) DC105S, DC150S - (fan UCJ4C102)	<i>Price:</i>
	<i>Weight: 0,06 kg</i>
<b>Code: S0168</b> sibral paper - white for DC75SE, DC70GSX, D80P, P80 (UCJ4C82(B)) DC105S, DC150S - (fan UCJ4C102)	<i>Price:</i>
	<i>Weight: 0,06 kg</i>

**Big gasket of the exhaust fan - NEW**



<b>NEW VERSION - PROOFER VERSION</b>	
<b>- it is enough 1 pieces for boiler when changing</b>	
<b>Code: S1139</b> NEW gasket of the exhaust fan UCJ4C52 - from 1.3.2017	<i>Price:</i>
Sibral paper with vermikulit - thickness 4 mm	<i>Weight: 0,06 kg</i>
<b>Code: S1140</b> NEW gasket of the exhaust fan - from 1.3.2017	<i>Price:</i>
DC75SE, DC70GSX, D80P, P80, (fan UCJ4C82(B)) DC105S, DC150S - (fan UCJ4C102)	<i>Weight: 0,06 kg</i>
Sibral paper with vermikulit - thickness 4 mm	


### Small gasket of the air (regulating) flap



**Code: S0161** gasket that sticks to air flap  
for pellet boilers, boilers with modification  
for burner and boilers SP((X)L)

<i>Price:</i>
<i>Weight:</i> 0,02 kg

### Lid (under regulating flap)



**Code: S0271** for all ATMOS boilers except  
DC70S and DC100

<i>Price:</i>
<i>Weight:</i> 0,06 kg

**Code: S0956** for all types of ATMOS with  
bulit-in burner in upper door of  
gasification boiler - metal

<i>Price:</i>
<i>Weight:</i> 0,32 kg

### FR 124 Draught regulator



**Code: S0011** for boiler 15kW - 80kW

<i>Price:</i>
<i>Weight:</i> 0,40 kg

**Code: S0012** Spare thermal cartridge for  
FR 124

<i>Price:</i>
<i>Weight:</i> 0,04 kg

### Closing mechanism - slide valve



For gasification boilers with an in-built burner in the upper doors  
and pneumatic burner cleaner


**Code: H0535** for boilers: DC18S, DC22S,  
DC25S, DC30SX, C18S, C20S, C25ST,  
C30S, C32ST, C40S, AC25S, AC35S, KC25S, KC35S,  
DC30RS

<i>Price:</i>
<i>Weight:</i> 0,34 kg

**Code: H0537** for boilers: DC30SE, DC32S,  
DC40SX, DC50S

<i>Price:</i>
<i>Weight:</i> 0,36 kg

### Regulating flap



**Code: S0281** for all types of ATMOS  
boilers – except DC100, DC50SE (new)

<i>Price:</i>
<i>Weight:</i> 0,32 kg

**Code: S1141** with arm - for boilers DxxP  
a Pxx

<i>Price:</i>
<i>Weight:</i> 0,38 kg


### Throttle branch - diameter 70 mm under regulating flap



**Code: S0287** for boilers  
DC18S, C18S,  
DC15GS, DC20GS, GS15, GS20

<i>Price:</i>
<i>Weight:</i> 0,68 kg

**Silicone sealing for regulating flap - GSP(L), SP(L)**




<b>Code: S1050</b> silicone sealing for regulating flap controlled with actuator Belimo - for boilers DC25GSP(L), DC30GSP(L), DCxxSP(X)L, CxxSP(L), ACxxSP(L), KCxxSP(L)	Price:
	Weight: 0,01 kg
<b>Code: S1236</b> silicone sealing for regulating flap controlled with actuator Belimo - for boilers DC18GSP(L)	Price:
	Weight: 0,01 kg

**Belimo actuator with spring - DC105S, DC150S**



<b>Code: P0083</b> Belimo actuator with spring for DC105S, DC150S	Price:
	Weight: 1,72 kg

**Regulating flap with actuator GSE, GSX, GSP(L), SP((X)L)**




<b>Code: P0086</b> Belimo actuator (except DCxxGSP(L))	Price:
	Weight: 0,54 kg
<b>Code: P0072</b> Belimo actuator for boilers DCxxGSP(L) (LM230A-S-C10/200.1)	Price:
	Weight: 0,55 kg
<b>Code: S0257</b> mechanical flap with shift - old type DC22GSE, DC25GSE, DC30GSE, DC40GSE, DC50GSE, DCxxGSX, GSXxx	Price:
	Weight: 1,32 kg
<b>Code: S0268</b> mechanical flap with Shift - new integrated performance DC22GSE, DC25GSE, DC30GSE, DC40GSE, DC50GSE, DCxxGSX, GSXxx	Price:
	Weight: 1,40 kg
<b>Code: S0294</b> mechanical flap with shift and silicone sealing - integrated performance - for boilers DC25GSP(L), DC30GSP(L), DCxxSP(X)L, CxxSP(L), ACxxSP(L), KCxxSP(L)	Price:
	Weight: 1,50 kg
<b>Code: S1264</b> mechanical flap with shift and silicone sealing - integrated performance - for boilers DC18GSP(L)	Price:
	Weight: 1,08 kg
<b>Code: S0272</b> mechanical flap with shift - integrated performance for DC18GSE	Price:
	Weight: 2,20 kg

**Servocontrolled flap with spring – for DC50SE**



<b>Code: P0085</b> for DC50SE – replaces draught regulator FR124 with flap - complete	Price:
	Weight: 4,08 kg
<b>Code: P0083</b> servomotor Belimo with spring – detached	Price:
	Weight: 1,72 kg
<b>Code: S0256</b> detached mechanical flap	Price:
	Weight: 2,30 kg

### Hinges complete and accessories



<b>Code: S0221</b> 2x bolt a 2x pin - set	<i>Price:</i>
	<i>Weight:</i> 0,20 kg
<b>Code: S0222</b> A) 1x separate pin kolík Ø 8x40 (8x43)	<i>Price:</i>
	<i>Weight:</i> 0,02 kg
<b>Code: S0223</b> B) 1x separate hinges bolt	<i>Price:</i>
	<i>Weight:</i> 0,08 kg
<b>Code: S1109</b> BX) 1x separate hinges bolt eccentric - service version	<i>Price:</i>
	<i>Weight:</i> 0,08 kg

### Small door complete - without frame



Complete with handle and sleeve, with two hinges and two pins - without sealing cord and Sibral insulation

<b>Code: S0201</b> upper right	<i>Price:</i>
	<i>Weight:</i> 12,44 kg
<b>Code: S0202</b> upper left	<i>Price:</i>
	<i>Weight:</i> 12,44 kg
<b>Code: S0203</b> lower right	<i>Price:</i>
	<i>Weight:</i> 12,44 kg
<b>Code: S0204</b> lower left	<i>Price:</i>
	<i>Weight:</i> 12,44 kg

### Large door complete (without frame)



Upper door DC100, DC105S, DC150S, D14P - D31P, P14, P21, P25, P31, DCxxGSX, GSXxx, D21, DC75SE – new version	
<b>Code: S0461</b> upper right	<i>Price:</i>
	<i>Weight:</i> 14,24 kg
<b>Code: S0460</b> upper left	<i>Price:</i>
	<i>Weight:</i> 14,24 kg
<b>Code: S1143</b> bottom right DC105S, DC150S	<i>Price:</i>
	<i>Weight:</i> 14,24 kg
<b>Code: S1142</b> bottom left DC105S, DC150S	<i>Price:</i>
	<i>Weight:</i> 14,24 kg
<b>Code: S1207</b> upper right - boilers with front cover (doors) - nut closure D14P, D21P, D25P, D31P, P14, P21, P25, P31	<i>Price:</i>
	<i>Weight:</i> 14,24 kg

### Big door complete (without frame) with hole for pellet burner, LFO or natural gas



<b>Code: S0458</b> big - lower left ACxxSP(L), KCxxSP(L), CxxSP(L), DCxxSP(L), EP(L), DCxxGSP(L)	<i>Price:</i>
	<i>Weight:</i> 14,38 kg
<b>Code: S0459</b> big - lower right ACxxSP(L), KCxxSP(L), CxxSP(L), DCxxSP(L), EP(L), DCxxGSP(L), DxxPX	<i>Price:</i>
	<i>Weight:</i> 14,38 kg
<b>Code: S0417</b> small – upper left for burner A25	<i>Price:</i>
	<i>Weight:</i> 11,30 kg
<b>Code: S0416</b> small – upper right for burner hořák A25	<i>Price:</i>
	<i>Weight:</i> 11,30 kg
<b>Code: S0419</b> small – upper left for burner A45	<i>Price:</i>
	<i>Weight:</i> 11,92 kg
<b>Code: S0420</b> small – upper right for burner hořák A45	<i>Price:</i>
	<i>Weight:</i> 11,92 kg

**Sealing cord 14x14 – for old door version**



<b>Code: S0231</b> sealing cord for old type of complete door with cast iron frame	<i>Price:</i>
	<i>Weight: 0,22 kg</i>

**Sealing cord 18x18 – for new door version**




<b>Code: S0241</b> for <b>small</b> door complete without frame	<i>Price:</i>
	<i>Weight: 0,40 kg</i>
<b>Code: S0240</b> for <b>big</b> door complete with cast iron frame	<i>Price:</i>
	<i>Weight: 0,40 kg</i>

**Cleaning door closure for pellet boilers**



<b>Code: S1088</b> complete closure of cleaning door for pellet boilers	<i>Price:</i>
	<i>Weight: 0,32 kg</i>

**Assembled closure (wheel, pin, puller, sleeve. nuts 2xM12)**



<b>Code: S0211</b> left-hand type - complete	<i>Price:</i>
	<i>Weight: 0,58 kg</i>
<b>Code: S0212</b> right-hand type – complete – default	<i>Price:</i>
	<i>Weight: 0,58 kg</i>
<b>Code: C0020</b> cam - excenter - right	<i>Price:</i>
	<i>Weight: 0,14 kg</i>
<b>Code: C0025</b> cam - excenter - left	<i>Price:</i>
	<i>Weight: 0,14 kg</i>
<b>Code: S0213</b> handle sleeve	<i>Price:</i>
	<i>Weight: 0,22 kg</i>
<b>Code: S0218</b> pin Ø 4x25	<i>Price:</i>
	<i>Weight: 0,01 kg</i>
<b>Code: S0220</b> wheel	<i>Price:</i>
	<i>Weight: 0,14 kg</i>
<b>Code: S0169</b> lenticular	<i>Price:</i>
	<i>Weight: 0,08 kg</i>
<b>Code: S1108</b> X) closure lenticular with bushing - servise version (new bushing)	<i>Price:</i>
	<i>Weight: 0,08 kg</i>


**Closure for boilers SP(L), GSP(L), DxxPX, Pxxx, D14P, D21P, D25P, P14, P21, P25 - with front cover**



<b>Code: S1047</b> complete closure for right big door DCxxSP(L), CxxSP(L) DCxxGSP(L), ACxxSP(L), KCxxSP(L), DxxPX, Pxxx, D14P, D21P, D25P, P14, P21, P25 - s předním krytem	<i>Cena: 398,30</i>
	<i>Váha: 0,60 kg</i>
<b>Code: S1046</b> complete closure for left big door DCxxSP(L), CxxSP(L) DCxxGSP(L), ACxxSP(L), KCxxSP(L),	<i>Cena: 398,30</i>
	<i>Váha: 0,60 kg</i>



**Sibral – door insulation – big - thick**



**Code: S0264** sibral for upper door without hole – DC100, DC105S, DC150S , DC75SE, DCxxGSX, GSXxx, D14P - D31P, P14 - P31, D21 thickness 42 mm with screws M6 x 48 + 2 washers

*Price:*  
*Weight: 1,66 kg*

**Code: S0263** detached sibral for upper door without hole, thickness 42 mm - DC100, DC105S, DC150S DC75SE, DCxxGSX, GSXxx, D14P - D31P, P14 - P31, D21

*Price:*  
*Weight: 1,65 kg*

**Code: S1185** sibral for bottom door without hole thickness 42 mm – DC105S, DC150S with screws M6x80 (S0729) + 2x washers (S0782)

*Price:*  
*Weight: 1,67 kg*

**Sibral – door insulation – small - thick**



**Code: S0261** thickness 42 mm – as an accessories delivered with screws 2x M6x45 (S0728) + 2x washers (S0782)

*Price:*  
*Weight: 1,48 kg*

**Code: S0262** detached sibral thickness 42 mm

*Price:*  
*Weight: 1,38 kg*

**Sibral – door insulation – small - thin**



**Code: S0251** thickness 32mm – sibral delivered include screws M6x65 + 2 washers - for boilers with spherical chamber and door screen (halfmoon - DC0021)

*Price:*  
*Weight: 1,10 kg*

**Code: S1147** thick. 32 mm - screws M6x35 for upper door for boilers CxxS/ST

*Price:*  
*Weight: 1,09 kg*

**Code: S0252** detached sibral thickness 32 mm

*Price:*  
*Weight: 1,08 kg*

**Sibral door insulation – thick with hole for pellet burner**



**Code: S0266** big – into big lower door of the boiler DCxxSP(X), EP, CxxSP, ACxxSP, KCxxSP, DCxxGSP, DxxPX, PXXx

*Price:*  
*Weight: 1,32 kg*

**Code: S0517** small – into small upper doors of the gasification boiler with modification for pellet burner - burner A25

*Price:*  
*Weight: 0,90 kg*

**Code: S1087** (2 pcs - halfmoon) into small upper doors of the gasification boiler with modification for pellet burner - burner A45

*Price:*  
*Weight: 0,60 kg*

**Code: S0938** stainless screen into small upper doors of the gasification boiler with modification for pellet burner - burner A45

*Price:*  
*Weight: 0,56 kg*


**Sibral door insulation - big - thick DCxxSPL (EPL), CxxSPL, ACxxSPL, KCxxSPL, DCxxGSPL**



**Code: S0265** with hole prepared for LFO or natural gas burner


*Price:*  
*Weight: 1,54 kg*

**Plate for fitting burner for natural gas or LFO**




**Code: S0457** for DC15EPL, CxxSPL, AC/KCxxSPL, DCxxSPL, DCxxGSPL  
*Price:*  
*Weight:* 1,40 kg

**Blind flange for blinding the hole after burner**



**Code: S0491** for DC15EPL, CxxSPL, AC/KCxxSPL, DCxxSPL, DCxxGSPL  
*Price:*  
*Weight:* 0,70 kg

**Insulation under a plate for fitting the natural gas or LFO burner to the boiler**



**Code: S0253** soft sibral  
*Price:*  
*Weight:* 0,25 kg

**Sibral burning chamber for heating with oil in boilers DxxP**



**Code: S0291** sibral cube with stainless steel frame rámečkem - set  
*Price:*  
*Weight:* 0,36 kg

**Insulation under pellet burner for DCxxSP (EP) and for boilers with burner in upper doors**



**Code: S0164** insulation between burner and boiler – sibral – for SP(EP), GSP and for old model gasification boilers with burners of pellet A25 in upper doors  
*Price:*  
*Weight:* 0,18 kg

**Code: S0140** insulation between burner and boiler – sibral – for gasification boilers with burners of pellet A45 in upper doors  
*Price:*  
*Weight:* 0,10 kg

**Tube exchanger cleaning doors for pellet boilers D15P - D80P, P15 - P80**




**Code: S1104** tube exchanger doors for boilers D15P - D50P, P15 - P50  
*Price:*  
*Weight:* 8,33 kg

**Code: S1112** sealing cord for cleaning doors - boilers D15P - D50P, P15 - P50  
*Price:*  
*Weight:* 0,36 kg

**Code: S1105** tube exchanger doors for boilers D80P, P80  
*Price:*  
*Weight:* 9,65 kg

**Code: S1113** sealing cord for cleaning doors - boilers D80P, P80  
*Price:*  
*Weight:* 0,42 kg

### Sealing cord for burner into the frame DxxP, Pxx




<b>Code: S0165</b> sealing cord 18x32 - into the boiler frame - D15P, D20P, P15, P20, D14-25P, P14-25	<i>Price:</i>
	<i>Weight: 0,38 kg</i>
<b>Code: S0174</b> sealing cord 18 x 32 - into the boiler frame - D30P, D40P, D50P, P30, P40, P50, D31P, P31	<i>Price:</i>
	<i>Weight: 0,42 kg</i>
<b>Code: S0152</b> ealing cord 18 x 32 - into the boiler frame - D80P, P80	<i>Price:</i>
	<i>Weight: 0,54 kg</i>
<b>Code: S0177</b> sealing cord 16 x 16 into upper door for gasification boilers with change for pellets burner	<i>Price:</i>
	<i>Weight: 0,24 kg</i>

### Blinding lid for boilers with burner in upper door when burning wood



<b>Code: S0525</b> complet lid for blinding the hole after burner A25	<i>Price:</i>
	<i>Weight: 3,10 kg</i>
<b>Code: S0278</b> sibral block for small door and burner A25	<i>Price:</i>
	<i>Weight: 0,76 kg</i>
<b>Code: S0518</b> blinding - cover plate thickness 4 mm - burner A25	<i>Price:</i>
	<i>Weight: 1,64 kg</i>
<b>Code: S0496</b> cover plate thickness 1 mm - burner A25	<i>Price:</i>
	<i>Weight: 0,45 kg</i>
<b>Code: S0526</b> complet lid for blinding the hole after burner A45	<i>Price:</i>
	<i>Weight: 4,30 kg</i>
<b>Code: S0290</b> sibral block for small door and burner A45	<i>Price:</i>
	<i>Weight: 1,30 kg</i>
<b>Code: S0543</b> blinding - cover plate thickness 5 mm - burner A45	<i>Price:</i>
	<i>Weight: 3,90 kg</i>
<b>Code: S0499</b> cover plate thickness 1 mm - burner A45	<i>Price:</i>
	<i>Weight: 0,99 kg</i>
<b>Code: S0875</b> M6 x 65 bolt with large washer for fixing insulation block	<i>Price:</i>
	<i>Weight: 0,05 kg</i>

### Side lid - new model



<b>Code: S0503</b> side lid - new model - when burning wood - with sibral block - for D14P - D25P, P14 - P25, D15P, D20P, P15, P20 from serial number 120000	<i>Price:</i>
	<i>Weight: 4,30 kg</i>
<b>Code: S0504</b> side lid - new model - when burning wood - with sibral block - for D30P, D40P, D50P, P30, P40, P50, D31P, P31	<i>Price:</i>
	<i>Weight: 4,84 kg</i>
<b>Code: S0465</b> side lid for boiler D80P, P80 (lid - S0534, cube - S0293)	<i>Price:</i>
	<i>Weight: 5,32 kg</i>
<b>Code: S0275</b> sibral block - for D14P, D21P, D25P, P14, P21, P25, D15P, D20P, P15, P20	<i>Price:</i>
	<i>Weight: 0,78 kg</i>
<b>Code: S0277</b> sibral block - for D30P, D40P, D50P, P30, P40, P50, D31P, P31	<i>Price:</i>
	<i>Weight: 1,16 kg</i>
<b>Code: S0293</b> sibral block for D80P, P80	<i>Price:</i>
	<i>Weight: 2,75 kg</i>








### Insulation under cleaning lid D14 - 31P and P14 - 31



<b>Code: S0120</b> sibral gasket with hole	<i>Price:</i>
	<i>Weight: 0,01 kg</i>
<b>Code: S0124</b> klingerit gasket without hole	<i>Price:</i>
	<i>Weight: 0,01 kg</i>
<b>Code: S0292</b> cover lid for cleaning hole	<i>Price:</i>
	<i>Weight: 0,05 kg</i>

### Lids + sealing cords



<b>Code: S0284</b> small – dimension: 105x260		<i>Price:</i>
		<i>Weight:</i> 1,66 kg
<b>Code: S0285</b> middle – dimension: 105x295		<i>Price:</i>
		<i>Weight:</i> 1,98 kg
<b>Code: S0286</b> big – dimension: 105x360		<i>Price:</i>
		<i>Weight:</i> 2,10 kg
<b>Code: S0301</b> DC18_22_25_30GSE (GD), GSP(L) - dimension 340x112		<i>Price:</i>
		<i>Weight:</i> 3,54 kg
<b>Code: S0302</b> DC40_50GSE (GD) - dimension 395x205		<i>Price:</i>
		<i>Weight:</i> 2,06 kg
<b>Code: S0507</b> DCxxGSX, GSXxx, DC30RS - dimension 185x345		<i>Price:</i>
		<i>Weight:</i> 3,10 kg
<b>Code: S0300</b> C50S - dimension 320x205		<i>Price:</i>
		<i>Weight:</i> 3,22 kg
<b>Sealing cord for:</b>		
<b>Code: S0242</b> for small lid - (12x12)		<i>Price:</i>
		<i>Weight:</i> 0,08 kg
<b>Code: S0243</b> for middle lid - (12x12)		<i>Price:</i>
		<i>Weight:</i> 0,09 kg
<b>Code: S0244</b> for big lid - (12x12)		<i>Price:</i>
		<i>Weight:</i> 0,10 kg
<b>Code: S0303</b> for lid 340x112 GSP(L), DC18_22_25_30GSE (GD) - (12x14)		<i>Price:</i>
		<i>Weight:</i> 0,10 kg
<b>Code: S0304</b> for lid 395x205 DC40_50GSE (GD) (12x14)		<i>Price:</i>
		<i>Weight:</i> 0,10 kg
<b>Code: S0317</b> for lid 185x345 DCxxGSX, GSXxx, DC30RS – (18x18)		<i>Price:</i>
		<i>Weight:</i> 0,26 kg
<b>Code: S0267</b> for lid 320x205 – C50S – (12x14)		<i>Price:</i>
		<i>Weight:</i> 0,12 kg

### Insulation of lid for DC100



<b>Code: S0145</b> insulation of lid (S0286) on the flue gas duct - sibral - DC100	<i>Price:</i>
	<i>Weight:</i> 0,10 kg

### Lid for DxxP a D30




<b>Code: S0955</b> lid for the three-tube heat exchanger - D15P - D50P, P15 - P50	<i>Price:</i>
	<i>Weight:</i> 6,26 kg
<b>Code: S0960</b> sealing cord for lid of heat exchanger - D15P - D50P, P15 - P50	<i>Price:</i>
	<i>Weight:</i> 0,22 kg
<b>Code: S0498</b> lid D30 - metal with sact iron ring and sealing cord	<i>Price:</i>
	<i>Weight:</i> 4,24 kg

### Tube exchanger lid for DC100 - front




<b>Code: S0403</b> tube exchanger lid for DC100 - front - without sealing cord	<i>Price:</i>
	<i>Weight:</i> 2,76 kg
<b>Code: S0319</b> sealing cord for tube exchanger lid - DC100 - 12 x 12 x 940	<i>Price:</i>
	<i>Weight:</i> 0,12 kg

### Tube exchanger lid for DC105S, DC150S - front




<b>Code: S1148</b> tube exchanger lid for DC105S, DC150S - front - without sealing cord	<i>Price:</i>
	<i>Weight:</i> 3,99 kg
<b>Code: S1149</b> sealing cord for tube exchanger lid - DC105S, DC150S - 12 x 12	<i>Price:</i>
	<i>Weight:</i> 0,20 kg

### Lid and insulation for cleaning hole D80P, P80




<b>Code: S1089</b> cleaning lid for waste gas duct - D80P, P80 (R + L)	<i>Price:</i>
	<i>Weight:</i> 1,60 kg
<b>Code: S1056</b> sibril gasket with hole	<i>Price:</i>
	<i>Weight:</i> 0,01 kg
<b>Code: S1055</b> klingerit gasket without hole	<i>Price:</i>
	<i>Weight:</i> 0,01 kg

### Lid for cleaning hole DC105S, DC150S - side




<b>Code: S1186</b> complete lid for cleaning hole - side - sealing, insulation and hood	<i>Price:</i>
	<i>Weight:</i> 6,73 kg
<b>Code: S1187</b> set of sealing cords for cleaning hole lid (2 ks)	<i>Price:</i>
	<i>Weight:</i> 0,10 kg

### Cover for tube heat exchanger lid - DxxPX, PXxx




<b>Code: S1292</b> cover for tube heat exchanger lid - DxxPX, PXxx - complete with insulation and handle	<i>Price:</i>
	<i>Weight:</i> 1,37 kg

### Pellet tank cover for DxxPX, PXxx




<b>Code: H0301</b> pellet tank cover for DxxPX, PXxx	<i>Price:</i>
	<i>Weight:</i> 3,31 kg
<b>Code: S1134</b> cover prop - mechanical stop	<i>Price:</i>
	<i>Weight:</i> 0,15 kg
<b>Code: S1293</b> cover holder - hinge - left for cover prop	<i>Price:</i>
	<i>Weight:</i> 0,05 kg
<b>Code: S1294</b> cover holder - hinge - right	<i>Price:</i>
	<i>Weight:</i> 0,03 kg
<b>Code: S1295</b> pad under the cover holder (under hinge)	<i>Price:</i>
	<i>Weight:</i> 0,02 kg
<b>Code: S1296</b> hood for cover holders (hinge)	<i>Price:</i>
	<i>Weight:</i> 0,29 kg
<b>Code: S1079</b> handle for pellet tank cover - DxxPX, PXxx	<i>Price:</i>
	<i>Weight:</i> 0,04 kg

### Tube heat exchanger lid for DxxPX, PXxx



<b>Code: S1297</b> a) cover for lid insulation	<i>Price:</i>
	<i>Weight:</i> 0,74 kg
<b>Code: S1213</b> b) upper lid insulation	<i>Price:</i>
	<i>Weight:</i> 0,10 kg
<b>Code: S1298</b> c) lid - alone	<i>Price:</i>
	<i>Weight:</i> 2,21 kg
<b>Code: S1299</b> d) sealing cord for tube heat exchanger lid	<i>Price:</i>
	<i>Weight:</i> 0,11 kg
<b>Code: S1214</b> gasket under the sealing cord of the lid	<i>Price:</i>
	<i>Weight:</i> 0,02 kg
<b>Code: V0926</b> rod for flue way air-break	<i>Price:</i>
	<i>Weight:</i> 0,21 kg
<b>Code: S0279</b> handle for rod	<i>Price:</i>
	<i>Weight:</i> 0,06 kg
<b>Code: S0411</b> plastic nut M8	<i>Price:</i>
	<i>Weight:</i> 0,06 kg

### Lid and gasket for D15 - 50P, P15 - 50



<b>Code: S0129</b> gasekt - Sibrál	<i>Price:</i>
	<i>Weight:</i> 0,01 kg
<b>Code: S1305</b> lid - secondary air cover for D15 - 50P, P15 - 50	<i>Price:</i>
	<i>Weight:</i> 0,09 kg
<b>Code: S0824</b> grooved metal nut M8	<i>Price:</i>
	<i>Weight:</i> 0,04 kg

### Firing up rod






Table No. 2 on page 28	
<b>Code: S0188</b> rubber sleeve for pull rod	<i>Price:</i>
	<i>Weight:</i> 0,01 kg
<b>Code: S0784</b> washer	<i>Price:</i>
	<i>Weight:</i> 0,01 kg
<b>Code: S0761</b> split pin	<i>Price:</i>
	<i>Weight:</i> 0,01 kg

### Firing flap with a rod – air-break D30



<b>Code: S0428</b> a) firing up flap without rod – air break	<i>Price:</i>
	<i>Weight:</i> 2,70 kg
<b>Code: V0512</b> b) rod	<i>Price:</i>
	<i>Weight:</i> 0,25 kg

### Firing up flap - complete




<b>Code: S0224</b> flap, shoulder, pin, screw, shaft – standard version	<i>Price:</i>
	<i>Weight:</i> 1,64 kg
<b>Code: S1176</b> flap, shoulder, pin, screw, shaft - DCxxGSX, GSXxx	<i>Price:</i>
	<i>Weight:</i> 1,69 kg
<b>Code: S0232</b> flap, shoulder, pin, screw, shaft – for – DC100, DC105S, DC150S – with longer shaft	<i>Price:</i>
	<i>Weight:</i> 1,70 kg
<b>Code: S0229</b> milled flap, shoulder, pin, screw, shaft - DCxxGSE, DCxxGSP(L), DCxxGD	<i>Price:</i>
	<i>Weight:</i> 1,64 kg

### Handle M10



<b>Code: S0279</b> for the rod of the cleaning grate D15P, D20P, D30P, D40P, D50P (D45P), D15, D20, D21 and for firing up flap for D30 for flue way air-break rod for boilers DxxPX, PXxx	<i>Price:</i>
	<i>Weight:</i> 0,06 kg

### Handels




<b>Code: S0230</b> A) handle for pellet tanks and ash trays	<i>Price:</i>
	<i>Weight: 0,04 kg</i>
<b>Code: S1079</b> B) handle for pneumatic feeding system APSS, boilers DxxPX, Pxxx, for front cover of pellet boilers D14-25P, P14-25	<i>Price:</i>
	<i>Weight: 0,04 kg</i>

### Nut



<b>Code: S0776</b> wing nut M8	<i>Price:</i>
	<i>Weight: 0,01 kg</i>
<b>Code: S0824</b> grooved metal nut M8	<i>Price:</i>
	<i>Weight: 0,04 kg</i>
<b>Code: S0411</b> plastic nut M8	<i>Price:</i>
	<i>Weight: 0,06 kg</i>
<b>Code: S0413</b> plastic nut M10	<i>Price:</i>
	<i>Weight: 0,23 kg</i>
<b>Code: S0412</b> plastic nut M12	<i>Price:</i>
	<i>Weight: 0,22 kg</i>

### Plastic cover – round



<b>Code: S0187</b> for all boiler with cooling loop	<i>Price:</i>
	<i>Weight: 0,04 kg</i>

### Instrument board label





Table No. 3 on page 28 - 29

### Dash board – with holes for cooling loop



Without label and electronic  
Table No. 4 on page 29 – new version

### Side hood




Table No. 5 on page 30

**Front boiler hood – for DC and C boilers**



Table No. 6 on page 31

**Rear boiler hood – for D**





Table No. 7 on page 32

**Door cover**



<b>Code: S0381</b> for small dor – without hole	<i>Price:</i>
	<i>Weight:</i> 1,44 kg
<b>Code: S1265</b> for big door - without hole DC105S, DC150S,	<i>Price:</i>
	<i>Weight:</i> 1,62 kg
<b>Code: S0391</b> for big door - without hole DC100, DC75SE, DCxxGSX, GSXxx, D14P, D21P, D25P, D31P, P14, P21, P25, P31, D21	<i>Price:</i>
	<i>Weight:</i> 1,60 kg
<b>Code: S0393</b> for big door with hole D15EP(L), DCxxSP(L), DCxxGSP(L), CxxSP(L), ACxxSP(L), KCxxSP(L), DxxPX, PXxx	<i>Price:</i>
	<i>Weight:</i> 1,02 kg
<b>Code: S0415</b> for small door with hole for burner A25	<i>Price:</i>
	<i>Weight:</i> 0,88 kg
<b>Code: S0984</b> for small door with hole for burner A45	<i>Price:</i>
	<i>Weight:</i> 0,90 kg
<b>Code: S1106</b> for tube exchanger doors for boilers D15P - D50P, P15 - P50	<i>Price:</i>
	<i>Weight:</i> 1,04 kg
<b>Code: S1107</b> for tube exchanger doors for boilers D80P, P80	<i>Price:</i>
	<i>Weight:</i> 1,40 kg

**Front hood for boilers DxxP**



<b>Code: S0343</b> for boiler D15P – one tube type	<i>Price:</i>
	<i>Weight:</i> 1,38 kg
<b>Code: S0344</b> for boilers D15P, D20P, D30P, D40P, D50P, P15, P20, P30, P40, P50	<i>Price:</i>
	<i>Weight:</i> 1,38 kg
<b>Code: S0497</b> upeer hood of cover D30 - with hole	<i>Price:</i>
	<i>Weight:</i> 1,56 kg


**Front cover (door) for pellet boilers D14-25P, P14-25**



<b>Code: S1252</b> front cover (door) for pellet boilers - complete	<i>Price:</i>
	<i>Weight:</i> 11,50 kg
<b>Code: S1137</b> hinge	<i>Price:</i>
	<i>Weight:</i> 0,14 kg
<b>Code: S1198</b> magnet - with screw, washer and nut	<i>Price:</i>
	<i>Weight:</i> 0,02 kg
<b>Code: S1079</b> handle for front cover (door) for pellet boilers D14-25P, P14-25	<i>Price:</i>
	<i>Weight:</i> 0,04 kg




**Cover of front lid for tube heat exchange - for DC100, DC105S, DC150S**



<b>Code: S0958</b> for boiler DC100 – cover of lid for tube heat exchanger	<i>Price:</i>
	<i>Weight: 0,90 kg</i>
<b>Code: S0964</b> for boilers DC105S, DC150S – cover of lid for tube heat exchanger	<i>Price:</i>
	<i>Weight: 1,25 kg</i>

**Rear screen**



<b>Code: S0449</b> for boilers DC40SE, DC50SE, DC75SE	<i>Price:</i>
	<i>Weight: 2,27 kg</i>

**Front vertical hood for boiler DC100, DC105S, DC150S**



<b>Code: S0957</b> hood for boiler DC100, DC105S, DC150S front vertical	<i>Price:</i>
	<i>Weight: 1,98 kg</i>

**Frame screens**




Table No. 9 on page 33

**Flue way heating insulation cover**




Table No. 8 on page 32

**Lining of gasifying chamber DC50SE – 1 pc**




<b>Code: S0448</b> 2 pcs in 1 boiler	<i>Price:</i>
	<i>Weight: 8,28 kg</i>

**Shield – front stainless D14P, D21P, D25P, P14, P21, P25**




<b>Code: S0937</b> for boilers D21P, D25P, P21, P25, D31P, P31	<i>Price:</i>
	<i>Weight: 0,96 kg</i>
<b>Code: S0936</b> for boilers D14P, P14	<i>Price:</i>
	<i>Weight: 0,94 kg</i>

**Waste gas brake along the spherical chamber**




<b>Code: S0430</b> air brake – left + right (2 pcs) for DC22GSE, DC25GSE - old version, GS20, DC18GSP - pellets, AC25S, AC35S, AC45S, KC25S, KC35S, KC45S – lenght 290 mm	<i>Price:</i>
	<i>Weight: 1,74 kg</i>
<b>Code: S0429</b> air brake – left + right (2 pcs) for DC30GSE, DC50GSX, DC60GSX – lenght 470 mm	<i>Price:</i>
	<i>Weight: 2,78 kg</i>

**Waste gas brake for rear flue way duct - 4 arm**




<b>Code: S0421</b> fourarm - for DC25SF, DC30SF, DC30SX, ACxxS - lenght 370 mm	<i>Price:</i>
	<i>Weight: 0,74 kg</i>

**Waste gas brake for rear flue way duct - 5 arm**




<b>Code: S0422</b> fivearm – for DC32GS, DC40GS, DC40SX, DC50S, DC70S, DC35SF, DCxxSE – lenght 365 mm	<i>Price:</i>
	<i>Weight: 0,92 kg</i>
<b>Code: S0965</b> fivearm – for DC105S, DC150S - 2x for boiler - lenght 475 mm	<i>Price:</i>
	<i>Weight: 1,31 kg</i>

**Waste gas brake into the lower chamber - under roof**




<b>Code: S0990</b> – lenght 300 mm for DC22SX, DC25SFSX	<i>Price:</i>
	<i>Weight: 1,30 kg</i>
<b>Code: S0427</b> small – lenght 500 mm for DC40SE, DC30SX, DC40SX, DC40SE	<i>Price:</i>
	<i>Weight: 2,06 kg</i>
<b>Code: S0425</b> middle – lenght 600 mm for DC50SE, DC50S	<i>Price:</i>
	<i>Weight: 2,02 kg</i>
<b>Code: S0426</b> long – lenght 860 mm for DC75SE	<i>Price:</i>
	<i>Weight: 2,78 kg</i>

**Waste gas brake for tube heat exchanger - GSE, GD, GSP(L), AC, KC**



<b>Code: S0305</b> for DC18GSE - DC30GSE (GD), AC(KC)35S – lenght 330 mm	<i>Price:</i>
	<i>Weight: 0,28 kg</i>
<b>Code: S0308</b> for boilers DC40GSE, GD – lenght 430 mm	<i>Price:</i>
	<i>Weight: 0,34 kg</i>
<b>Code: S0309</b> for boilers DC50GSE – lenght 710 mm	<i>Price:</i>
	<i>Weight: 0,56 kg</i>
<b>Code: S0310</b> for boilers C50S – lenght 630 mm	<i>Price:</i>
	<i>Weight: 0,48 kg</i>

**Flue way air-break**




<b>Code: P0098</b> for D14P, D21P, P14, P21 – 490 mm - Ø 93 mm	<i>Price:</i>
	<i>Weight: 0,70 kg</i>
<b>Code: P0210</b> for D25P, D31P, P25, P31 – 590 mm - Ø 93 mm	<i>Price:</i>
	<i>Weight: 0,88 kg</i>
<b>Code: P0099</b> for DC50-60GSX, GSX50-60 – 830 mm - Ø 118 mm	<i>Price:</i>
	<i>Weight: 1,36 kg</i>
<b>Code: P0221</b> for DC70GSX, GSX70 – 930 mm - Ø 118 mm	<i>Price:</i>
	<i>Weight: 1,50 kg</i>
<b>Code: P0087</b> for DC30RS – 596 mm - Ø 118 mm	<i>Price:</i>
	<i>Weight: 0,92 kg</i>
<b>Code: P0217</b> for D30P, D40P, P30, P40 – outer – 678 mm Ø 118 mm	<i>Price:</i>
	<i>Weight: 1,05 kg</i>
<b>Code: P0218</b> for D50P, P50 – outer – 884 mm - Ø 118 mm	<i>Price:</i>
	<i>Weight: 1,36 kg</i>
<b>Code: P0084</b> for D21 – 410 mm - Ø 93 mm	<i>Price:</i>
	<i>Weight: 0,53 kg</i>
<b>Code: P0219</b> for D80P, P80 – 1084 mm - Ø 118 mm	<i>Price:</i>
	<i>Weight: 1,06 kg</i>
<b>Code: P0239</b> for DC105S – 628 mm - Ø 118 mm	<i>Price:</i>
	<i>Weight: 0,92 kg</i>
<b>Code: P0240</b> for DC150S – 828 mm - Ø 118 mm	<i>Price:</i>
	<i>Weight: 1,16 kg</i>
<b>Code: P0482</b> for DxxPX, Pxx – 685 mm - Ø 93 mm	<i>Price:</i>
	<i>Weight: 0,80 kg</i>

**Waste gas brake - brush**



<b>Code: S0423</b> air break for boiler D15P, P15 - 400 mm - old version before 31.12. 2006	<i>Price:</i>
	<i>Weight: 2,68 kg</i>
<b>Code: S0424</b> air break for boilers D20P, P20 – 400 mm – old version	<i>Price:</i>
	<i>Weight: 2,90 kg</i>
<b>Code: P0058</b> brush air break for boilers D20P, P20 – new versinon	<i>Price:</i>
	<i>Weight: 0,24 kg</i>
<b>Code: P0064</b> brush air break for boilers D50P, P50 – new versinon	<i>Price:</i>
	<i>Weight: 0,48 kg</i>
<b>Code: P0063</b> brush air break for boilers D30P, D40P, P30, P40 – new versinon	<i>Price:</i>
	<i>Weight: 0,40 kg</i>

**Throttling flap into flue way Ø 152 mm**



<b>Code: S0226</b> for boilers D15, D20. Able to use for decreasing of chimney draught to be installed into the flue way for DC18S - DC50SE, C18S - C40S a DC18GSE - DC50GSE, DC22SX - DC40SX, ACxxS, D30, D21, DCxxRS, DCxxGSX	<i>Price:</i>
	<i>Weight: 0,96 kg</i>

### Pocket for flue gas sensors / thermometer



<b>Code: P0033</b> pocket for flue gas thermometer - with locking screw G1/2" 107 mm	<i>Price:</i>
	<i>Weight:</i> 0,10 kg
<b>Code: V0925</b> pocket for flue gas sensors - DxxPX, PXxx G1/2" - 99 mm	<i>Price:</i>
	<i>Weight:</i> 0,10 kg
<b>Code: V0524</b> pocket for flue gas sensors for flue gas duct G1/2" 85 mm	<i>Price:</i>
	<i>Weight:</i> 0,09 kg
<b>Code: V0517</b> pocket for flue gas sensors - D30P, D40P, D50P (D45P) G1/2" - 55 mm	<i>Price:</i>
	<i>Weight:</i> 0,06 kg

### Cement



Table No. 10 on page 33

### Pocket 1/2"



<b>Code: S0047</b> with 4 holes inside with a spring – for all types of boilers – serves for holding the sensors or other sensing units	<i>Price:</i>
	<i>Weight:</i> 0,06 kg

**Table No. 1 - Electrical Equipment**

Electrical Equipment for boilers	Code	Price	Weight
DC18S, DC22S, DC25S, DC32S, DC50S, DC70S, DC80, DC20GS, DC25GS, DC30SE, DC32GS, DC40GS, DC40SE, DC50SE, C18S, C20S, C30S, C40S, C50S, DC22SX, DC30SX, DC40SX, ACxxS, DC24RS-CZ, DC30RS-CZ, DC25SF, DC30SF, DC35SF, DC40SF, DC50SF, DC50GSX-CZ, DC60GSX-CZ, DC70GSX-CZ, DCxxSR(X)	S0664		0,64 kg
DC18GSE, DC22GSE, DC25GSE, DC30GSE, DC40GSE, DC50GSE, DC24RS – DE, DC30RS-DE, DC50GSX-DE, DC60GSX-DE, DC70GSX-DE, GSxx, GSXxx, DCxxGD, KCxxS	S0660		0,82 kg
DC15E, D15, D20, D21, D30, DC14R - unified design	S0643		0,62 kg
DC100, DC100TF	S0651		1,05 kg
D20P, D30P, D40P, D50P, P20, P30, P40, P50, D31P, P31 - unified design	S0645		1,02 kg
D15P, D14P, D21P, D25P, P14, P21, P25 - unified design	S0663		1,48 kg
D80P, P80	S1085		1,64 kg
DC15EP(L)	S0652		1,14 kg
DC18SP(L), DC25SP(L), DC32SP(L), CxxSP(L), KCxxSP(L)	S0655		1,06 kg
DCxxSP(X) - model 2018	S1261		2,05 kg
DCxxSP(X)L - model 2018	S1260		2,20 kg
DC75SE, DC75SF	S0649		1,08 kg
for boilers with modification for burner	S0719		0,94 kg
DCxxGSP	S0741		2,10 kg
DCxxGSPL	S0750		2,24 kg
DC105S, DC150S	S1150		1,36 kg
boilers with modification for burner - model 2017 (AC03)	S1144		1,88 kg
DxxPX, Pxxx	S1145		2,06 kg

**Table No. 2 - Firing up rod**

Boiler type	Lenght	Code	Price	Weight
DC15E, DC18S, DC20GS, DC15EP(L), DC18SP(L), DC18GSE, DC22GSE, DC22SX, C18S, C20S, AC25S, AC35S, KC25S, KC35S, DC14R, DC24RS, DC30RS, DC18GD, CxxSP(L), ACxxSP(L), KCxxSP(L), DC18GSP(L), DC25GSE - old version	620	V0465		0,16 kg
C30S, AC45S, KC45S	720	V0466		0,20 kg
KC16S, DC15GS, GS15	520	V0470		0,14 kg
DC22S, DC25S, DC25GS, DC32S, DC32GS, DC40GS, DC40SE, DC30GSE, DC40GSE, DC50GSE, DC25GD, DC30GD, DC40GD, DC50GD C40S, C50S, DC30SX, DC40SX, DC25GSP(L), DC30GSP(L), DCxxGSX, GSXxx, DC25GSE from 15.4.2012	820	V0467		0,21 kg
DC50S, DC50SE, DC80, DC70S	1020	V0468		0,26 kg
DC75SE	1320	V0469		0,58 kg
DC100, DC150S	1045	V0474		0,46 kg
DC105S	860	V0475		0,36 kg

**Table No. 3 - Dash board labels**

Boiler type	Type	Code	Price	Weight
DC18S, DC22S, DC25S, DC32S, DC50S, DC70S, DC80, DC30SE, DC40SE, DC50SE, DC75SE, DC22SX, DC30SX, DC40SX, CxxS, ACxxS	CZ/GB	S0371		0,03 kg
DC15GS, DC20GS, DC25GS, DC32GS, DC40GS, DC50GSX-CZ, DC60GSX-CZ, DC70GSX-CZ, DC24RS, DC30RS	CZ/GB	S0597		0,03 kg
DC100, DC105S, DC150S	CZ/GB	S0373		0,03 kg
DC15E	CZ/GB	S1095		0,03 kg
DC15E, D15, D20, D21, D30	CZ/GB	S0372		0,03 kg
DC14R	CZ/GB	S0524		0,03 kg
D15P, D20P, D30P, D40P, D50P, P15, P20, P30, P40, P50, D14P, D21P, D25P, D31P, P14, P21, P25, P31	CZ/GB	S0384		0,03 kg
D15P – old version	CZ/GB	S0383		0,03 kg
DC18SP(L), DC25SP(L), DC30SPX(L), DC32SP(L), CxxSP(L)	CZ/GB	S0593		0,03 kg

DC15EP(L)	CZ/GB	S0595		0,03 kg
DCxxS s ACD 01	CZ/GB	S0402		0,03 kg
DCxxGS s ACD 01	CZ/GB	S0528		0,03 kg
DCxxGD	CZ/GB	S1177		0,03 kg
DC18SF, DC25SF, DC30SF, DC35SF, DC40SF, DC50SF, DC70TF, DC75SF	SE	S0374		0,03 kg
DC100TF	SE	S0376		0,03 kg
DC18S, DC50SE, DC40SE, DC75SE, DC30SE, KCxxS	DE	S1300		0,03 kg
DC20GS, DC25GS, DC32GS, DC40GS, GSxx, GSXxx	DE	S0377		0,03 kg
DC18GSE-DC50GSE, DC30RS-DE, DC50GSX-DE, DC60GSX-DE, DC70GSX-DE, GSxx, GSXxx, DCxxGD	DE	S0378		0,03 kg
DC15E	DE	S1096		0,03 kg
D15, D20, D30	DE	S0375		0,03 kg
DC14R	DE	S0522		0,03 kg
D15P – old version	DE	S0385		0,03 kg
P15, P20, P30, P40, P50, P14, P21, P25, P31	DE	S0386		0,03 kg
DC18SP(L), DC25SP(L), DC32SP(L), DCxxGSP(L), KCxxSP(L)	DE	S0594		0,03 kg
DC15EP(L)	DE	S0596		0,03 kg
DCxxGSE with ACD 01	DE	S0529		0,03 kg
DC18S, DC20GS, DC25GS, DC32GS, DC40GS, DC40SE, DC50SE, DC75SE, DC30SE,	SIEGER	S0387		0,03 kg
FBV22-FBV50	SIEGER	S0523		0,03 kg
DC15E	SIEGER	S0388		0,03 kg
D15P, D20P, D30P, D40P, D50P, D80P, P15, P20, P30, P40, P50, P80	SIEGER	S0390		0,03 kg

## ATTENTION – specify color in the order

YELLOW (RAL 1003)	LIGHT GREY (RAL 7042)
BLUE (RAL 5015)	DARK GREY (RAL 7024)
RED (RAL 3000)	WHITE (RAL 9016)

**Table No. 4 - Dash board with prolongation - without sticker– with holes for cooling loop**

Boiler type	Wide	Deepness	Code	Price	Weight
DC18S, DC25SF, D15, C18S, C20S, DC22SX, AC25S, DC15, AC35S, KC25S, KC35S	540	480	S0311		4,20 kg
DC20GS, DC18GSE, DC18GD, DC22GSE (GD), DC14R, DC24RS, DC30RS, GS20, DC25GSE - old version	540	480	S0299		4,08 kg
DC35SF, DC40SF, DC40SE, DC30SE, C40S, DC22S, DC25S, DC32S, DC30SX, DC40SX, D20, D21, D30	540	680	S0312		5,32 kg
DC25GS, DC32GS, DC40GS, DC30GSE, DC30GD, DC40GSE, DC40GD, DC50GSE, DC50GD, GS25 - GS40, GSXxx, DC25GD DC25GSE - from 15.4.2012	504	680	S0306		5,32 kg
DC15GS, GS15	504	390	S1301		3,60 kg
DC50GSX, DC60GSX, DC70GSX	504	680	S0369		5,30 kg
KC16S	504	380	S1097		3,02 kg
C30S, AC45S, KC45S	540	580	S0462		5,00 kg
DC50SE, DC50SF, DC50S, DC80, DC70S	540	880	S0313		7,00 kg
DC75SE	540	118	S0314		7,40 kg
D15P, D20P	540	480	S0296		4,08 kg
DC100, DC150S	915	922	S0439		10,48 kg
DC105S	915	722	S1178		8,31 kg
DC15EP(L), DC18SP(L) CxxSP(L), KCxxSP(L) DC18GSP(L)	540	480	S0463		4,20 kg
DC25SP(L), DC32SP(L) DC25GSP(L), DC30GSP(L)	540	680	S0464		5,32 kg
DC18GSP(L) s ACD01	540	480	S1266		4,10 kg

DC25GSP(L), DC30GSP(L) with ACD01	540	680	S1267		5,22 kg
D30P, D40P, P30, P40	540	680	S0315		5,32 kg
D50P, P50	540	880	S0316		7,00 kg
D14P, D21P, P14, P21 - without cooling loop	540	559	S0318		3,90 kg
D25P, P25, D31P, P31 - without cooling loop	540	680	S0368		5,26 kg
DC22GSE for ACD01	540	680	S0320		4,10 kg
D14P, D21P, P14, P21 - without cooling loop - boilers with front cover (door)	540	559	S1243		3,90 kg
D25P, P25 - without cooling loop - boilers with front cover (door)	540	680	S1251		5,26 kg
D80P, P80	540	1010	S1238		6,99 kg
DC25GSE, DC30GSE for ACD01	540	680	S0329		5,10 kg
DC18GSE for ACD01	540	680	S0330		3,84 kg
DC25S for ACD01, DC32S for ACD01	540	680	S0399		4,76 kg

**Table No. 5 - Side hood**

Boiler type	Wide	High	Deepness	Code		Price	Weight
				Left side	Right side		
DC15E, C18S, D15, DC18S, DC22SX, AC25S	25	925	485	S0321	S0322		4,52 kg
D20, D21, DC22S, DC25S, DC30SX - narrow	25	925	685	S0323	S0324		6,10 kg
- wide hoods since 2015 - DC22S, DC25S, DC30SX	66	925	685	S0327	S0328		7,34 kg
DC32S, DC40SX, DC30SE	66	1020	675	S0325	S0326		7,70 kg
DC15GS, GS15	66	1120	395	S1269	S1270		4,88 kg
DC25GS, DC32GS, DC30GSE, DC30GD, DC25GD DC25GSE from 15.4.2012	66	1120	685	S0561	S0562		8,10 kg
DC25GSE - old version	66	1225	485	S0563	S0564		8,25 kg
DC20GS, DC18GSE, DC18GD, DC22GSE (GD), DC24RS, DC30RS	66	1120	485	S0565	S0566		10,05 kg
DC40GS, DC40GSE, DC40GD, DC50GSE, DC50GD	66	1225	685	S0567	S0568		9,20 kg
DC50GSX, DC60GSX	66	1360	685	S0575	S0576		9,70 kg
DC70GSX	66	1460	685	S0569	S0570		9,80 kg
DC50S, DC70S (80)	66	1015	870	S0331	S0332		7,60 kg
DC100	26	1250	900	S0333	S0334		10,36 kg
DC40SE	115	1125	670	S0364	S0365		8,95 kg
DC50SE	115	1125	870	S0335	S0336		9,30 kg
C20S, AC35S, KC35S - narrow	26	1117	482	S0337	S0338		5,58 kg
C30S, AC45S, KC45S - narrow	26	1117	582	S0339	S0340		6,10 kg
C40S, C50S, D30	26	1117	682	S0341	S0342		7,86 kg
DC75SE – front	115	1230	585	S0347	S0348		9,58 kg
DC75SE – rear	115	1230	585	S0349	S0350		9,58 kg
D20P, D15P – with hole – without coffin	40	1117	485	S0394	S0395		5,36 kg
D20P, D15P – without hole – without coffin	40	1117	485	S0396	S0397		5,58 kg
DC18SP(L), DC15EP(L), CxxSP(L), KCxxSP(L)	50	1240	485	S0476	S0477		6,70 kg
DC25SP(L)	50	1240	685	S0478	S0479		7,20 kg
C25SP(L), AC32SP(L), KC32SP(L)	50	1380	485	S1271	S1272		7,30 kg
DC18GSP(L)	66	1310	485	S1273	S1274		6,90 kg
DC32SP(L), DC25GSP(L), DC30GSP(L),	66	1240	675	S0494	S0495		6,90 kg
D30P, D40P, P30, P40 – with hole	40	1117	685	S0606	S0605		6,56 kg
D50P, P50 – with hole	40	1117	885	S0608	S0607		7,10 kg
DC14R	66	1035	485	S0585	S0586		7,50 kg
KC16S	66	925	385	S1099	S1100		4,43 kg
KC25S, DC22SX - wide hoods since 2015 - DC15E, DC18S, C18S, AC25S	66	925	485	S0587	S0588		5,60 kg

KC35S - wide hoods since 2015 - C20S, C25ST, AC35S	66	1117	482	S0557	S0558		6,90 kg
KC45S - wide hoods since 2015 - C30S, C32ST, AC45S	66	1117	582	S0559	S0560		7,80 kg
- wide hoods since 2015 - C40S, C50S	66	1117	682	S1117	S1118		8,54 kg
D14P, D21P, P14, P21 - old version	40	958	583	S0589	S0590		5,84 kg
D25P, P25 - old version	40	958	683	S0621	S0622		6,70 kg
D31P, P31 - old version	40	1200	683	S1303	S1303		7,09 kg
D80P, P80	70	1504	1100	S1179	S1180		15,16 kg
D14P, D21P, P14, P21 - boilers with front cover (door)	40	958	583	S1241			5,84 kg
D25P, P25 - boilers with front cover (door)	40	958	683	S1247			6,70 kg
D14P, D21P, P14, P21 - boilers with front cover (door)	40	958	583		S1242		5,84 kg
D25P, P25 - boilers with front cover (door)	40	958	683		S1248		6,70 kg
D15PX, D20PX, PX15, PX20	65	1320	685	S1255	S1256		11,73 kg
DC105S	45	1325	700	S1181	S1182		9,14 kg
DC150S	45	1325	900	S1183	S1184		11,44 kg

INFO - implementation of wide side hoods from serial number					
boiler type:	from serial number:	boiler type:	from serial number:	boiler type:	from serial number:
DC18S	300830	C18S	301151	DC25S - Riello	300700
DC22S	300800	C20S	302101	-	-
DC25S	300700	-	-	-	-

**Table No. 6 - Front side DC and C boilers**

Boiler type	Wide	High	Popis	Code	Price	Weight
DC15E, DC18S, DC22S, DC25S, DC22SX, DC30SX, - upper - big DC15EP(L), DC25SP(L), DC18SP(L),	575	190		S0351		1,26 kg
C18S, KC16S, AC25S, KC25S - upper - big C18SP(L), AC25SP(L), KC25SP(L)	575	190	with hole	S0352		1,24 kg
- vrchní velká C25SP(L), AC32SP(L), KC32SP(L)	575	254	with hole	S1275		1,54 kg
DC32S, DC40SX, DC15GS, DC20GS, DC25GS, DC32GS, GS15, GS20, GS25, GS32 DC50S - old version, DC18GSE, DC22GSE, DC30GSE, DC18GD, DC25GD, DC30GD DC25GSE - since 15.4.2012 - upper - big DC32SP(L), DCxxGSP(L)	655	265		S0353		1,86 kg
DC50S - new version since 2012	575	190	with hole	S0581		1,66 kg
DC14R	655	265	with hole	S0582		1,80 kg
DC24RS, DC30RS	655	470	with hole	S0583		2,96 kg
DC50GSX, DC60GSX, GSX50, GSX60				S0584		3,10 kg
DC70GSX, GSX70	655	265		S0466		1,82 kg
DC32SP(L) - upper	575	440		S0354		2,76 kg
C20S, C30S, C40S, AC35S, AC45S, KC35S, KC45S	665	425	with hole	S0355		2,78 kg
DC40GS, GS40, DC70S(80), DC40GSE, DC40GD, DC25GSE - old version	665	425		S0367		2,76 kg
DC50GSE, DC50GD	665	425	with hole	S0367		2,76 kg
DC40SE, DC50SE	665	375		S0356		3,64 kg
DC100	620	520		S0357		3,62 kg



D15, D20, D15P, D20P, D30, D30P, D40P, D50P, P15, P20, P30, P40, P50	585	380		S0358		1,90 kg
DC75SE	654	435		S0359		2,88 kg
- bottom - small DC15EP(L), DC18SP(L), DC25SP(L), DC32SP(L), DCxxGSP(L), CxxSP(L), ACxxSP(L), KCxxSP(L)	575	68		S0424		0,84 kg
D14P, D21P, D25P, P14, P21, P25	522	308		S0512		2,00 kg
D31P, P31	522	408		S0363		2,50 kg
D21	522	343		S0370		2,05 kg
DC105S, DC150S	522	635	with hole	S1190		3,97 kg
DxxPX, PXxx	544	410		S1276		2,30 kg

**Table No. 7 - Rear hood for D**

Boiler type	Wide	High	Code	Price	Weight
D15, D20	565	550	S0361		3,00 kg
D15, D20, D15P, D20P, D30, D30P, D40P, D50P, P15, P20, P30, P40, P50	585	470	S0362		2,46 kg
D30	585	470	S0360		2,60 kg
D14P, D21P, D25P, P14, P21, P25	542	510	S0513		3,00 kg
D31P	582	394	S1277		2,38 kg
D21	740	533	S0398		2,50 kg

**Table No. 8 - Flue way heating insulation cover**

Boiler type	length x wide	Code	Price	Weight
DC15E, DC24RS, DC14R	790 x 145	S0410		1,32 kg
DC30RS	840 x 197	S0571		1,78 kg
DC18S, DC22S, DC25S, C18S, KC16S, AC25S, DC22SX, DC30SX	790 x 175	S0431		1,56 kg
DC32S, DC40SX, DC30SE, DC15GS, DC20GS, DC25GS, DC32GS, GS15, GS20, GS25, GS32, DC18GSE, DC22GSE, DC30GSE, DC18GD, DC25GD, DC30GD, DC25GSE - since 15.4.2012	880 x 175	S0432		1,74 kg
DC40GS, GS40, C20S, C30S, C40S, AC(KC)35S, AC(KC)45S, DC25GSE - old version	1030 x 175	S0433		2,00 kg
DC40GSE, DC50GSE, DC40GD, DC50GD	880 x 240	S0440		2,58 kg
DC50GSX, DC60GSX	1130 x 197	S0572		2,40 kg
DC50SE, DC40SE	975 x 175	S0434		2,23 kg
DC75SE	1075 x 175	S0435		2,32 kg
DC70GSX	1408 x 270	S0573		1,72 kg
DC15EP(L), DC18SP(L), DC25SP(L), C18SP(L), KC25SP(L) – from front - left	1437 x 142	S0404		2,78 kg
DC15EP(L), DC18SP(L), DC25SP(L), C18SP(L), KC25SP(L) – from front - right	790 x 142	S0405		1,56 kg
C25SP(L), AC32SP(L), KC32SP(L) – from front - right	858 x 175	S1278		1,59 kg
C25SP(L), AC32SP(L), KC32SP(L) – from front - left	1510 x 175	S1279		2,76 kg
DC32SP(L) – from front - left	1527 x 142	S0406		2,96 kg
DC32SP(L) – from front - right	895 x 142	S0407		1,70 kg
DC100	970 x 155	S0436		1,60 kg
DC105S, DC150S - left	970 x 210	S0967		2,15 kg
DC105S, DC150S - right with holes for secondary air inlet	970 x 210	S0968		2,19 kg
DCxxGSP(L) - left (short)	1489 x 148	S0408		2,57 kg
DCxxGSP(L) - right (long)	682 x 142	S0409		1,14 kg
D80P, P80 (R + L)	332 x 189	S0547		0,67 kg

**Table No. 9 - Frame screens**

Boiler type	Description	Code	Price	Weight
- frame shield - front DC15E, DC18S, DC22S, DC22SX, DC25S, DC30SX, DC32S, DC40SX, DC50S, DC70S, DC80, DC15GS, DC20GS, DC25GS, DC32GS, DC40GS, GS15, GS20, GS25, GS32, GS40, DC15EP(L), DC18SP(L), DC25SP(L), DC30SPX(L), DC32SP(L), DCxxGSP(L), DCxxGSE, DCxxGD, DC24RS, DC30RS,	high-level shield – L	S0441		1,74 kg
- frame shield - front DC50SE	high-level thin shield – L with two noseies	S0442		3,90 kg
- frame shield - front DC75SE, DC40SE	low-level thin shield – L with two noseies	S0445		3,90 kg
- combustion chamber shield - rear DC40SE, DC50SE, DC75SE,		S0449		2,27 kg
- frame (combustion chamber) shield - front C18S, KC16S, KC25S, AC25S, C18SP(L), AC25SP(L), KC25SP(L)	high-level halfround – L shield from a special material	S0443		1,28 kg
- frame (combustion chamber) shield - front AC35S, KC35S, AC45S, KC45S		S1280		2,41 kg
- frame (combustion chamber) shield - front C25SP(L), AC32SP(L), KC32SP(L)	90 mm	S1281		1,31 kg
- combustion chamber shield - rear C25SP(L)	130 mm	S1282		1,88 kg
- front shield + rear shield = identical C20S, C25ST, C30S, C32ST, C40S, C50S	high-level shield – profiled from a special material	S0444		2,84 kg
- frame shield - front DC100, DC50GSX, DC60GSX, DC70GSX	L - shield	S0447		3,98 kg
- primary air inlet shield DC100		S1283		0,1 kg
- frame shield - front DC100, DC105S, DC150S		S1284		2,83 kg
- combustion chamber shield - side DC105S		S1285		2,74 kg
- combustion chamber shield - side DC150S		S1286		3,75 kg
- frame shield - front D15, D20, D30, D15P, D20P, D30P, D40P, D50P, D80P, P15, P20, P30, P40, P50, P80	shield with holes	S0450		1,44 kg
D21	shield with holes	S0502		1,50 kg
D14P, D21P, D25P, D31P, P14, P21, P25, P31	with holes for stainless steel shield	S0490		1,76 kg
Horní clona pro D15P, D20P, D30P, D40P, D50P, P15, P20, P30, P40, P50 D15, D20, D30, D21	halfround	S0574		0,78 kg


**Table No. 10 - Cement**

Typ	Code	Price	Weight
Boiler cement (Rudokit) – 1package (middle bag) – approx. 0,5 kg – used for sealing ceramic blocks by all ATMOS Combi CxxS boilers and for sealing the ceramic nozzles at the Atmos Generators DCxxGS boilers between nozzle and wall of the boiler	S0451		0,50 kg
Boiler cement (Rudokit) – one package 10 kg – for boiler CxxS Combi	V0341		10,00 kg
Boiler cement - white - 1 package (big bag) - approx 1 kg – used for sealing the ceramic nozzle for all gasification boilers ATMOS	S0452		1,00 kg
Boiler cement - white – full package 15 kg for boilers DCxxS ( GS, GSX,GSE,SX )	V0321		15,00 kg
Boiler cement in a tube – - Sticking to the sealing cord on the sides of the filling area for the type DCxxGS, DCxxGSE (GD), GSxx - 1 pack	V0345		0,66 kg

## 2. Wood gasification DCxxS, GS, wood burning Dxx, pellet DxxP or natural gas or LFO boilers typ EP(L), SP(L), GSP(L)



### Ceramic roof



<b>Code: DC0042</b> new version for boilers: DC18S, DC18SP(L) length – 320 mm DC15E from serial number 310488	<i>Price:</i> <i>Weight:</i> 8,22 kg
<b>Code: DC0043</b> new version for boilers: DC22S, DC25S, DC30SE, DC40SE, (DC75SE-(2ks)), DC32S, DC25SP(L), DC32SP(L), DC22SX – DC40SX – length = 500 mm	<i>Price:</i> <i>Weight:</i> 12,08 kg
<b>Code: DC0044</b> new version for boilers: DC50S, DC50SE, (DC50) - length = 700 mm	<i>Price:</i> <i>Weight:</i> 16,62 kg

### Half moon - ceramic door screen for spherical chamber



<b>Code: DC0021</b> for all types of boilers ATMOS DCxxGS / GSE / GD / GSX, GSxx, GSXxx, DCxxGSP(L), DC18S, DC100, all types ATMOS Kombi CxxS(T), ACxxS, KCxxS, DCxxR(S), DCxxSP(L), CxxSP(L), AC/KCxxSP(L)	<i>Price:</i> <i>Weight:</i> 4,50 kg
<b>Code: DC0193</b> for DC105S, DC150S	<i>Price:</i> <i>Weight:</i> 7,44 kg

### B) Rear portion of 4-piece spherical chamber



<b>Code: DC0091</b> rear portion for boilers: C18S, DC18S, DC20GS, DC25GS, DC32GS, DC40GS, (DC50S), DC30SE, DC18GSE - DC50GSE, DCxxR(S), KC16S, AC25S, KC25S, DC50GSX, DC60GSX, DCxxGD prostřední komora - DCxxSP(L), DCxxGSP(L), CxxSP(L), ACxxSP(L), KCxxSP(L)	<i>Price:</i> <i>Weight:</i> 7,48 kg
<b>Code: C0041</b> rear face of the spherical chamber DC70GSX, GSX70	<i>Price:</i> <i>Weight:</i> 10,18 kg
<b>Code: DC0168</b> rear face of the spherical chamber only for DC100 - with taller nose	<i>Price:</i> <i>Weight:</i> 10,58 kg

### A) 4-piece spherical chamber L+R



Table No. 12 on page 41

### Nozzle



Table No. 11 on page 40

The nozzle is supplied always with boiler cement and with along laid sealing cords (3 pcs of sealing cords)

### Side of combustion chamber - for GS, GSE, GD, GSP(L)





Table No. 13 on page 42

### Ceramic block - nozzle prolongation



**Code: DC0031** ceramic block for boilers  
DC50S, DC50SE, DC70S, DC80,  
DC150S

*Price:*  
*Weight:* 8,90 kg

**Code: S1287** sealing cord for the cube  
2x - 18x18x190, 1x - 12x14x190

*Price:*  
*Weight:* 0,14 kg

### A) Spherical chamber 5-pcs– Left + Right




**Code: DC0011** spherical chamber L+R *Price:*  
side - the oldest version for boiler types *Weight:* 37,00 kg  
DC25G, DC32G, DC40G, manufacture year 1992-96,  
for boilers with cast iron frame in the door (twoparts  
left + twoparts right side + ceramic half moon)

### Sibral strip - spherical chamber cealing




**Code: S0453** 1 pc - for sealing gap between *Price:*  
ceramic spherical chamber and nozzle *Weight:* 0,10 kg  
holder – for boilers DC18S, DCxxGS, DCxxSP(L), DC30SE,  
DCxxGSE, DCxxGSX, DC22SX, DCxxGD, DCxxGSP(L),  
KCxxS, KCxxSP (2 pcs necessary for boiler)

### Spherical chamber 3-pcs– L+R



DIFFERENT DIAMETER - not substituble from new boilers  
**Code: DC0061** old version for boiler *Price:*  
types DC25G(S), DC32G(S), *Weight:* 34,44 kg  
DC40G(S) – left + right side  
**Code: DC0062** old version for boilers *Price:*  
DC18 – smaller form (L+R sides can *Weight:* 19,60 kg  
be used in older boilers DC18 with ceramic roof)


### B) Prolonging of the spherical chamber 5-pcs L+R



**Code: DC0012** front ceramic parts of the chamber, right and left are the same

<i>Price:</i>
<i>Weight:</i> 4,30 kg

### Ceramic triangle part



**Code: DC0051** old version for boilers: DC25S, DC32S (DC25, DC32) triangle with marks (2)

<i>Price:</i>
<i>Weight:</i> 1,14 kg

**Code: DC0052** old version for boilers: DC50S (DC50). Old version – DC32 (the frame of the lower door is not made of one piece of sheet plate) - triangle with marks (1).

<i>Price:</i>
<i>Weight:</i> 1,22 kg


### Half moon ceramic shaped part – DCxxG



**Code: DC0071** for types DC25G(S), DC32G(S), DC40G(S) – old version (dimensionally bigger than for DC18(S))

<i>Price:</i>
<i>Weight:</i> 1,24 kg

### Half moon ceramic part – into DC70S



**Code: DC0111** half moon DC70S, DC80

<i>Price:</i>
<i>Weight:</i> 2,44 kg


### Half moon ceramic shaped part – DC18



**Code: DC0101** for types DC18(S) – old version

<i>Price:</i>
<i>Weight:</i> 1,58 kg


### Combustion chamber board for DC80 and DC70S



**Code: DC0151** consists of 2 pcs


<i>Price:</i>
<i>Weight:</i> 10,90 kg

### Combustion chamber sid DCxxGSX




**Code: DC0183** for DC50GSX, DC60GSX, DC70GSX – (consists of 4 pcs DC0181) *Price:*  
*Weight:* 10,60 kg

### Combustion chamber lining DC15E (DC18S), DC15EP(L)



**Code: DC0141** 2 pcs for one boiler (2x DC0142) - placed along the nozzle *Price:*  
*Weight:* 6,22 kg

### Bottom part of combustion chamber DC15E, DC15EP(L)




Consists – 2 ks - outer part A; 2 ks – middle part B

**Code: DC0118** A - outer part – 2 pcs (2x DC0114) *Price:*  
*Weight:* 7,90 kg

**Code: DC0115** B - middle part – 2 pcs (2x DC0116) *Price:*  
*Weight:* 8,30 kg

**Code: DC0184** complet (DC0118 + DC0115) - 4pcs *Price:*  
*Weight:* 16,20 kg

### Combustion chamber dome (arch)



**Code: D0011** small - D15, P15, P20, D15P, D20P, DC15E, DC15EPL, DC18SPL, DC18GSPL, CxxSPL, ACxxSPL, KCxxSPL *Price:*  
*Weight:* 10,96 kg

**Code: D0015** big (470 mm) - for D20, D30, DC25SPL, DC32SPL, DC25/30GSPL, D30P, D40P, P30, P40, rear for D80P, P80 *Price:*  
*Weight:* 17,28 kg

**Code: D0045** small with prolonging for D50P (D45P), P50 (D0011+D0044) *Price:*  
*Weight:* 30,14 kg

**Code: D0053** D80P, P80 - front - 420 mm *Price:*  
*Weight:* 14,45 kg

### Rear board of the combustion chamber



**Code: D0021** for boilers D15, D20, D30 D15P, D20P, D30P, D40P, D50P (D45P), P15, P20, P30, P40, P50, D21 *Price:*  
*Weight:* 10,98 kg


### Bottom of the combustion chamber – old version



**Code: D0031** for boiler D15 - consists of two pieces - old version of boilers (2x D0032) *Price:*  
*Weight:* 6,50 kg


**Code: D0033** for boilers D20, D30 - 1 ks *Price:*  
*Weight:* 8,50 kg

### Combustion space - bottom - for D80P, P80




<b>Code: D0040</b> bottom of the combustion space - complet - for D80P, P80 2x D0050 + 2x D0051 + 1x D0052	<i>Price:</i>
	<i>Weight:</i> 45,68 kg
<b>Code: D0051</b> A - bottom of the combustion space - for D80P, P80	<i>Price:</i>
	<i>Weight:</i> 6,00 kg
<b>Code: D0050</b> B - bottom of the combustion space - with nose for plate - for D80P, P80	<i>Price:</i>
	<i>Weight:</i> 8,14 kg
<b>Code: D0052</b> C - plate (side) of combustion space - D80P, P80	<i>Price:</i>
	<i>Weight:</i> 17,40 kg

### Bottom of the combustion chamber D15P, D20P, D30P, D40P, D50P – new




<b>Code: D0034</b> A - for D15P, D20P, P15, P20 - side part without channel for side plate	<i>Price:</i>
	<i>Weight:</i> 5,60 kg
<b>Code: D0035</b> B - for D15P, D20P, P15, P20 - side part with channel for side plate	<i>Price:</i>
	<i>Weight:</i> 3,80 kg
<b>Code: D0036</b> C - side plate of burning chamber D15P, D20P, P15, P20 put on side part with channel D0035	<i>Price:</i>
	<i>Weight:</i> 5,20 kg
<b>Code: D0037</b> A - for D30P, D40P, P30, P40 - side part without channel for side plate (2 pcs.)	<i>Price:</i>
	<i>Weight:</i> 2,24 kg
<b>Code: D0048</b> B - for D30P, D40P, P30, P40 - side part with channel for side plate (2 pcs.)	<i>Price:</i>
	<i>Weight:</i> 4,80 kg
<b>Code: D0043</b> A - for D50P (D45P), P50 - side part without channel for side plate (2 pcs.)	<i>Price:</i>
	<i>Weight:</i> 3,38 kg
<b>Code: D0046</b> B - for D50P (D45P), P50 - side part with channel for side plate (2 pcs.)	<i>Price:</i>
	<i>Weight:</i> 4,76 kg
<b>Code: D0047</b> C - side plate of the burning chamber for D30P, D40P, D50P (D45P), P30, P40, P50 to be put on side part with channel D0046/48	<i>Price:</i>
	<i>Weight:</i> 5,90 kg

### Bottom of the combustion chamber D15, D20, D21, D30 - new version



<b>Code: D0039</b> for boilers D15 – consists of two pieces – new version (2x D0034)	<i>Price:</i>
	<i>Weight:</i> 6,10 kg
<b>Code: D0038</b> for boilers D20, D30, D21 – consists of four pieces – new version (4x D0037)	<i>Price:</i>
	<i>Weight:</i> 10,30 kg

### Parts for grating for D15P - D50P, P15 - P50



<b>Code: C0006</b> lower grate - stationary for boilers D15, D15P, D20P, D30P, D40P, D50P (D45P)	<i>Price:</i>
	<i>Weight:</i> 3,12 kg
<b>Code: C0007</b> upper grate - moveable for boilers D15, D15P, D20P, D30P, D40P, D50P (D45P)	<i>Price:</i>
	<i>Weight:</i> 1,80 kg
<b>Code: C0002</b> grate complement for D50P (D45P), P50	<i>Price:</i>
	<i>Weight:</i> 0,48 kg
<b>Code: C0003</b> grate complet – for boilers D15, D15P, D20P – consists of (1x C0006 + 1x C0007)	<i>Price:</i>
	<i>Weight:</i> 5,00 kg
<b>Code: V0654</b> prolonging of lower grate - stationary - for type D21, D20, D30 D30P, D40P, P30, P40,	<i>Price:</i>
	<i>Weight:</i> 1,54 kg
<b>Code: C0005</b> grate complet – for boilers D20, D21, D30, D30P, D40P, P30, P40 - consists of (1x C0006, C0007 and 1x V0654)	<i>Price:</i>
	<i>Weight:</i> 6,54 kg
<b>Code: C0004</b> grate complet - for bilers D50P (D45P), P50 (consists of 2x C0006, 2x C0007, C0002)	<i>Price:</i>
	<i>Weight:</i> 8,10 kg
<b>Code: V0510</b> tow bar D15, D15P, D20P, P15, P20	<i>Price:</i>
	<i>Weight:</i> 0,12 kg
<b>Code: V0511</b> tow bar D20, D30, D30P, D40P, P30, P40	<i>Price:</i>
	<i>Weight:</i> 0,26 kg
<b>Code: V0513</b> tow bar D50P (D45P), P50	<i>Price:</i>
	<i>Weight:</i> 0,38 kg
<b>Code: V0527</b> tow bar D21	<i>Price:</i>
	<i>Weight:</i> 0,28 kg



**Types and number of sealing cords for sealing ceramics – depend on boiler type**

Boiler type	Name	Pcs	Dimension	Code	Price	Weight
AC25S, AC35S, DC14R, DC24RS, DC30RS, C18S, C20S, C25ST, C30S, C32ST, C40S, C50S	Insulating cord - furnace grate pipe	1 1	18x18x275 22x22x275	S0940		0,16 kg
D15, D20, D21, D30, D15P, D20P, D30P, D40P, D50P (D45P), P15, P20, P30, P40, P50	Insulating cord - combustion chamber - rear board	2 2 2	14x14x280 18x18x280 8x8x190	S0941		0,38 kg
DC15E, DC15EP(L)	Insulating cord - Nozzle	2 1 2	12x14x385 12x14x190 12x12x190	S0942		0,37 kg
DC18S, DC22SX, DC18SP(L)	Insulating cord - Nozzle	2 1	12x14x385 12x14x190	S0943		0,29 kg
DC22S, DC25S, DC30SX, DC32S, DC40SX, DC25SP(L), DC32SP(L)	Insulating cord - Nozzle	2 1	12x14x590 12x14x190	S0944		0,28 kg
DC50S	Insulating cord - Nozzle	2 2 1 1	12x14x590 18x18x190 12x14x190 10x10x190	S0945		0,39 kg
DC70S	Insulating cord - Nozzle	2 3 1	12x14x590 18x18x190 12x14x190	S0946		0,42 kg
DC40SE	Insulating cord - Nozzle	2 1	12x14x590 12x14x190	S0947		0,26 kg
DC75SE	Insulating cord - Nozzle	2 2	14x14x1090 14x14x190	S0948		0,38 kg
DC105S	Insulating cord - Nozzle	2 1	14x16x590 12x14x190	S0969		0,31 kg
DC100, DC150S	Insulating cord - Nozzle	2 1 1	18x18x780 18x18x190 14x14x190	S0949		0,40 kg
DC20GS, DC18GSE, DC18GD, DC22GSE (GD), GS20	Insulating cord - combustion chamber	2 2 2 1	12x14x385 12x12x385 10x10x285 12x14x190	S0950		0,37 kg
DC25GS, DC32GS, GS25, GS32, DC30GSE, DC30GD, DC25GD DC25GSE - since 15.4.2012 DC25GSP(L), DC32GP(L)	Insulating cord - combustion chamber	2 2 2 1	12x14x590 12x12x590 10x10x285 12x14x190	S0951		0,42 kg
DC25GSE - old version	Insulating cord - combustion chamber	2 2 1 2	12x14x385 18x18x385 10x10x190 10x10x430	S0952		0,40 kg
DC40GS, GS40, DC40GSE, DC40GD, DC50GSE, DC50GD	Insulating cord - com- bustion chamber	4 2 1	12x14x590 10x10x430 12x14x190	S0953		0,45 kg
DC50GSX, DC60GSX, DC70GSX, GSX50, GSX60, GSX70	Insulating cord - Nozzle	2 3	12x14x590 12x14x190	S0954		0,51 kg
DC50S, DC50SE, DC70S, DC80, DC150S	Cube sealing cord - nozzle prolongation	2 1	18x18x190 12x14x190	S1287		0,14 kg
D15PX, D20PX, PX15, PX20	Sealing for combustion chamber screen	1	14x14x300	S1215		0,04 kg



Table No. 11 - Ceramic nozzle


Boiler type	A	B	C	D	E	F	Mark	Code	Price	Weight	
DC15E, DC15EP(L)	180	40	390	190	140	186		DC0120		11,80 kg	
DC15GS, GS15	120	34	298	200	110	152		DC0123		9,14 kg	
DC18S, DC22SX, DC20GS, GS20, DC18GSE, DC22GSE, DC18GD DC25GSE - old version DC18SP(L), DC18GSP(L)	140	34	390	190	110	175		DC0121		12,60 kg	
DC18	180	35 (34)	390	190	80	230		DC0122		12,10 kg	
DC25G, DC22, DC25, DC22S, DC25S, DC30SX, DC30SF, DC25SP(L)	200	34	590	190	110	232	△	DC0125		16,60 kg	
DC25GS, GS25, DC30SE, DC30GSE, DC30GD DC32GS, GS32, DC35SF, DC30GSP(L)	200	34	590	200	110	232	△△	DC0180		16,90 kg	
DC32G(S), DC32, DC32S, DC32SP(L), DC40SX, DC35 Swedish (DC40G)	240	34	590	200	110	285	○○○	DC0131		17,00 kg	
DC40G, DC40GS, GS40 DC40GSE, DC50GSE DC40GD, DC50GD DC50GSX, GSX50	285	34	590	200	100	315	○○	DC0132		16,90 kg	
DC25GSE since 15.4.2012 DC25GD DC25GSP(L)	140	34	590	200	110	175	○	DC0126		16,90 kg	
DC40SE, DC60GSX, GSX60, DC70GSX, GSX70 DC50S for boilers since 1.1.2010	280	40	588	200	116	312	□□□	DC0140		17,80 kg	
DC100 – complet	230 + 240	38	392x2	200	85	61		DC0135		21,20 kg	
DC105S	320	50	583	200	110	352		DC0200		14,26 kg	
DC150S	360	50	582	200	110	392		DC0192		14,46 kg	
Cube DC50S, DC80, DC70S, DC50SE, DC150S			200	200				DC0031		8,90 kg	
Nozzle DC50, DC50S for boilers till 31.12.2009	300	35	590 +cube	200			□	DC0133		17,90 kg	
Nozzle DC80, DC70S	310	35	590 +cube	200	90	370	□	DC0134		17,20 kg	
Nozzle DC50SE, DC75SE	300	50	582	200	90	332	□△	DC0130		16,30 kg	
Cube DC75SE			500	200			□△	DC0129		15,30 kg	
Nozzle + ucbe DC75SE	DC0130 + DC0129								DC0179		31,60 kg




Cement and sealing cords of insulation along nozzle (different types on boiler type) – supplied with nozzle (3 pcs)

**Table No. 12 - 4-piece spherical chamber L+R**

Boiler type	Depth of spherical chamber	Code spherical chamber complete – left + right side + rear face	Price	Weight	Code spherical chamber only left + right side	Price	Weight
DC15GS, GS15, (KC16S)	210 low profile	C0048		16,34 kg	C0049		9,66 kg
		consist of: C0075 + C0076 + DC0091			consist of: C0075 + C0076		
DC18S, DC20GS, DC18GSE, DC18GD, DC22GSE, GS20, DC25GSE - old version  middle chamber for boilers DC18SP(L)	310	DC0081		23,14 kg	DC0085		16,42 kg
		consist of: DC0095 + DC0096 + DC0091			consist of: DC0095 + DC0096		
DC25GS, DC25GD DC30GSE, DC30GD, DC50GSX, GS25, GSX50, DC25GD DC25GSE since 15.4.2012  middle chamber for boilers DC25SP(L), DC32SP(L), DC25GSP(L), DC30GSP(L)	510	DC0082		43,70 kg	DC0086		36,64 kg
		consist of: DC0093 + DC0094 + DC0091			consist of: DC0093 + DC0094		
DC32GS, DC30SE, DC60GSX, GS32, GSX60	510	DC0082		43,70 kg	DC0086		36,64 kg
		consist of: DC0093 + DC0094 + DC0091			consist of: DC0093 + DC0094		
DC40GS, GS40, DC40GSE, DC40GD, DC50GSE, DC50GD	510	DC0082		43,70 kg	DC0086		36,64 kg
		consist of: DC0093 + DC0094 + DC0091			consist of: DC0093 + DC0094		
DC50SE – old version (including prolongation)	510 + 200	DC0087		56,92 kg	DC0088		49,88 kg
		consist of: DC0093 + DC0094 + 2x DC0097 + DC0091			consist of: DC0093 + DC0094 + 2x DC0097		
Prolonging of the spherical chamber for DC50SE (DC50S) – 200 mm – old version					DC0089		13,22 kg
					2x DC0097		
<b>CAUTION</b> – the spherical chamber for boilers DC100, DC70GSX, GSX70 is shown on pages 47. Table No.16							
<b>CAUTION</b> – the spherical chamber for burning pellets for boilers DCxxSP, CxxSP, AC/KCxxSP is shown on pages 47. Table No.16							

Burning chamber ceramic for boilers D15PX, D20PX, PX15, PX20	Type	Pieces per boiler	Code	Price	Weight
	A	4	DC0202		4,06kg
	B	4	DC0205		3,00 kg
	C - left	1	DC0203		1,64 kg
	C - right	1	DC0204		1,64 kg
	D - D15XP/PX15	1	DC0207		9,02 kg
	D - D20XP/PX20	1	DC0206		7,46 kg

Burning chamber ceramic for boilers DC150S	Type	Pieces per boiler	Code	Price	Weight
	A	6	DC0191		2,78 kg
	B	1	DC0190		14,40 kg
	C	1	DC0189		13,78 kg
	D	1	DC0188		14,44 kg
	E - left	1	DC0187		7,36 kg
	E - right	1	DC0186		7,36 kg
	F	4	DC0185		4,68 kg


Burning chamber ceramic for boilers DC105S	Type	Pieces per boiler	Code	Price	Weight
	A	2	DC0191		2,78 kg
	G	2	DC0199		3,46 kg
	D	1	DC0188		14,44 kg
	H	1	DC0198		17,80 kg
	F	2	DC0185		4,68 kg
	I - left	1	DC0196		7,74 kg
	I - right	1	DC0197		7,74 kg

Table No. 13 - Side parts of the gasification chamber – for boilers DCxxGS, GSxx, DCxxGSE, DCxxGD, DCxxGSP(L)

Boiler type	Lenght	Amount of holes in the part	Amount of pieces	Code	Price	Weight
DC18GSE DC18GD DC22GSE, (GD) - since 1.1.2017 (from s. n. 332868) DC20GS - since 1.1.2017 GS20 - since 1.1.2017	392	3 + 2	2	DC0176 consist of: 2x DC0175		13,90 kg
DC22GSE, (GD) - till 31.12.2016 DC20GS - till 31.12.2016 GS20 - till 31.12.2016	392	3	2	DC0161 consist of: 2x DC0166		13,50 kg
DC25GSE - old version	392	4	2	DC0177 consist of: 2x DC0178		24,20 kg
DC25GSE, - since 15.4.2012 (new version) DC25GD DC25GSP(L) DC25GS, GS25 - since 1.1.2017	292	2 + 2	4	DC0174 consist of: 4x DC0173		27,00 kg
DC30GSE DC30GD DC25GS, GS25 - till 31.12.2016 DC25GS, DC32GS GS25, GS32 DC30GSP(L)	292	3	4	DC0162 consist of: 4x DC0165		25,00 kg
DC40GSE, DC50GSE DC40GD, DC50GD DC40GS GS40	292	4	4	DC0163 consist of: 4x DC0167		37,20 kg

### 3. Gasification boilers for coal and wood CxxS(T), lignite briquets AC/KCxxS and wooden briquets DCxxRS



#### A) Spherical ceramic chamber 4-pcs Combi L+R



Table No. 16 on page 47


#### Half moon - ceramic door screen for spherical chamber



**Code: DC0021** for all boilers type  
ATMOS Combi CxxS(T), ACxxS,  
KCxxS, CxxSP(L), ACxxSP(L), KCxxSP(L)

**Price:**  
Weight: 4,50 kg

#### Rear face of the 4pcs spherical chamber – Kombi



**Code: C0041** rear face of the spherical chamber C20(S), C30(S), C40(S), C50S C25ST, C32ST, AC35S, AC45S, KC35S, KC45S, DC70GSX into bottom chamber for burning pellets - DC15EP, DCxxSP, CxxSP, ACxxSP, KCxxSP, DCxxGSP

**Price:**  
Weight: 10,18 kg

**Code: DC0091** rear face of the spherical chamber C18S, KC16S, DC15GS, GS15, AC25S, KC25S, middle chamber - DCxxSP(L), DCxxGSP(L), CxxSP(L), KCxxSP(L)

**Price:**  
Weight: 7,48 kg


**Code: DC0168** rear face of the spherical chamber only for DC100 - with taller nose

**Price:**  
Weight: 10,58 kg


#### Grate ceramic block - CxxS(T), ACxxS, KCxxS



Table No. 15 on page 46




**Grate - New**




<b>Code: C0028</b> A) type - for all boilers ATMOS Combi – thick 24 mm – standard - except C40S, C50S - new version	<i>Price:</i> <i>Weight:</i> 1,54 kg
<b>Code: C0029</b> A) type - for all boilers ATMOS Combi – thin 20 mm – as an extra option - except C40S, C50S - new version	<i>Price:</i> <i>Weight:</i> 1,20 kg
<b>Code: C0027</b> B) type - first and last one, for all boilers ATMOS Kombi - grate with fitting - except C40S, C50S - new version	<i>Price:</i> <i>Weight:</i> 1,42 kg

**Grate - New - with chromium (Cr)**



<b>Code: C0008</b> A) type - for all boilers ACxxS, KCxxS, C18S, C25ST, C32ST, C40S, C50S – <b>thick</b> 24 mm – with Cr	<i>Price:</i> <i>Weight:</i> 1,30 kg
<b>Code: C0009</b> A) type - for all boilers ACxxS, KCxxS, C18S, C25ST, C32ST, C40S, C50S – <b>thin</b> 20 mm – as an extra option – with Cr	<i>Price:</i> <i>Weight:</i> 1,12 kg
<b>Code: C0083</b> AO) round type - for boilers C18S - since 2016, C25ST, C32ST – <b>thick</b> 24 mm – with Cr since 8/2016	<i>Price:</i> <i>Weight:</i> 1,26 kg
<b>Code: C0084</b> AO) round type - for boilers C18S - since 2016, C25ST, C32ST – <b>thin</b> 20 mm – as an extra option – with Cr since 8/2016	<i>Price:</i> <i>Weight:</i> 1,06 kg
<b>Code: C0010</b> B) type - for all boilers ACxxS, KCxxS, C18S, C25ST, C32ST, – grate with fitting – <b>first and last</b> one – with Cr	<i>Price:</i> <i>Weight:</i> 1,42 kg

**Grate → standard (middle) – A) / first – B) / last one – C) OLD VERSION**



<b>Code: C0016</b> A) type - for all boilers ATMOS Combi – thick 24 mm – standard - except C40S, C50S - old version	<i>Price:</i> <i>Weight:</i> 1,54 kg
<b>Code: C0019</b> A) type - for all boilers ATMOS Combi – thin 20 mm – as an extra option - except C40S, C50S - old version	<i>Price:</i> <i>Weight:</i> 1,20 kg
<b>Code: C0017</b> B) type - first, for all boilers ATMOS Combi except C40S, C50S - old version	<i>Price:</i> <i>Weight:</i> 1,44 kg
<b>Code: C0018</b> C) type - last one, for all boilers ATMOS Kombi - except C40S, C50S - old version	<i>Price:</i> <i>Weight:</i> 1,44 kg

**Cast iron grate – DCxxR (S)**



DC14R	4x - C0066	
DC24RS, DC30RS	3x - C0066	
<b>Code: C0066</b> for boilers DC14R, DC24RS, DC30RS		<i>Price:</i> <i>Weight:</i> 1,54 kg

### Grate pipe




Table No. 14 on page 46

### Grate bar with handle




<b>Code: S0227</b> grate bar with handle for CxxS - 200 mm	<i>Price:</i>
	<i>Weight: 0,35 kg</i>
<b>Code: S0228</b> grate bar with handle for DCxxRS - 180 mm	<i>Price:</i>
	<i>Weight: 0,31 kg</i>

### Grate bar sealing cord




<b>Code: S0940</b> 1x - 18x18x275	<i>Price:</i>
1x - 22x22x275	<i>Weight: 0,16 kg</i>

### Combustion chamber ceramic parts – DCxxR(S)



<b>Code: DC0019</b> c,d,) ceramic block for DC14R (front and rear side) – 1 piece	<i>Price:</i>
	<i>Weight: 5,86 kg</i>
<b>Code: DC0154</b> b) ceramic side of the grate DC14R - 1ks	<i>Price:</i>
	<i>Weight: 5,80 kg</i>
<b>Code: DC0144</b> a) insertion of the burning chamber – halfmoon – 1 pcs - DC14R	<i>Price:</i>
	<i>Weight: 3,32 kg</i>
<b>Code: DC0019</b> c) ceramic block for DC24RS. DC30RS (rear one) – 1 piece	<i>Price:</i>
	<i>Weight: 5,86 kg</i>
<b>Code: DC0020</b> d) ceramic block for DC24RS, DC30RS (front) –1 piece	<i>Price:</i>
	<i>Weight: 7,60 kg</i>
<b>Code: DC0156</b> b) ceramic side of the grate - left – 1pc	<i>Price:</i>
	<i>Weight: 5,80 kg</i>
<b>Code: DC0157</b> b) ceramic side of the grate - right – 1pc - DC24RS, DC30RS	<i>Price:</i>
	<i>Weight: 5,80 kg</i>
<b>Code: DC0146</b> a) insertion of burning chamber - halfmoon - 1 pc - DC24RS, DC30RS	<i>Price:</i>
	<i>Weight: 3,50 kg</i>
<b>Code: DC0155</b> b) ceramic side of the grate - (left+right) – 2pcs - 2x DC0154 - DC14R	<i>Price:</i>
	<i>Weight: 11,60 kg</i>
<b>Code: DC0145</b> a) insertion of burning chamber - halfmoon - 2 pcs - 2x DC0144 - DC14R	<i>Price:</i>
	<i>Weight: 6,64 kg</i>



#### Grates - boiler types

Boilers type	Volume in boiler	B	A - 24 mm	A - 20 mm	AO	
KC16S	3	2x - C0010	1x - C0008	-	-	
C18, C18S version till 8/2016	7	2x - C0027	5x - C0028	-	-	
C18S, C18SP(L) till 5/2017	5	2x - C0010	1x - C0008	-	2x - C0083	
C18S, C18SP(L), AC25SP(L) AC25S, KC25S, KC25SP(L)	5	2x - C0010	3x - C0008	-	-	
KC35S	6	2x - C0010	4x - C0008	-	-	
AC32SP(L), KC32SP(L)	6	2x - C0010	3x - C0008	1x - C0009	-	
C25ST, C25SP(L)	6	2x - C0010	2x - C0008	-	2x - C0083	
C20, C20S	9	2x - C0027	6x - C0028	1x - C0029	-	
AC35S	9	2x - C0010	6x - C0008	1x - C0009	-	
C30, C30S	10	2x - C0027	7x - C0028	1x - C0029	-	
AC45S, KC45S	10	2x - C0010	7x - C0008	1x - C0009	-	
C32ST	8	2x - C0010	3x - C0008	-	3x - C0083	
C40, C40S, C50S	11	2x - C0010	8x - C0008	1x - C0009	-	

Tab. č. 14 - Grate pipe

Boiler type	Amount of grates	Lenght	Code	Price	Weight
KC16S	3	390	C0077		3,16 kg
C18, C18S version till 8/2016	7	490	C0011		4,44 kg
C18S, C18SP(L), C25SP(L), AC25SP(L), AC25S, KC25S, KC25SP(L)	5	490	C0011		4,44 kg
KC35S, AC32SP(L), KC32SP(L)	6	490	C0011		4,44 kg
C25ST	6	490	C0011		4,44 kg
C20, C20S, AC35S	9	490	C0011		4,44 kg
C30, C30S, AC45S, KC45S	10	590	C0013		5,16 kg
C32ST	8	590	C0013		4,44 kg
C40, C40S	11	690	C0014		5,86 kg
C50S	11	650	C0015		5,50 kg
DC14R	4	490	C0067		4,58 kg
DC24RS, DC30RS	3	490	C0068		5,54 kg

Table No. 15 - Grate ceramic block

Boiler type	Grate ceramic block wide							
	In front side of the boiler				In rear side of the boiler			
	Lenght	Code	Price	Weight	Lenght	Code	Price	Weight
C18, KC16S, C18S old version since 8/2016 (7 grates)	108	C0021		5,56 kg	108	C0021		5,56 kg
C20, C20S, AC35S	85	C0022		7,92 kg	85	C0022		7,92 kg
C30, C30S, C25ST, C25SP(L) KC35S, AC45S, KC45S, AC32SP(L), KC32SP(L)	120	C0023		11,32 kg	120	C0023		11,32 kg
C32ST	144	C0030		12,56 kg	144	C0030		12,56 kg
C40, C40S, C50S	200	C0024		16,72 kg	120	C0023		11,32 kg
C80S	120	C0023		11,32 kg	120	C0023		11,32 kg
AC25S, KC25S, C18S new version since 8/2016 (5 grates) C18SP(L), AC25SP(L), KC25SP(L)	132	C0026		6,36 kg	132	C0026		6,36 kg

**Table No. 16 - Spherical ceramic chamber 4-pcs Combi Left+Right**

Boiler type	Lenght of spherical chamber	Spherical chamber Code left side + right side + rear face	Price	Weight	Spherical chamber Code only for left side + right side	Price	Weight
KC16S, (DC15GS, GS15)	210 mm low profile	C0048		16,34 kg	C0049		9,66 kg
		consist of: C0075 + C0076 + DC0091			consist of: C0075 + C0076		
KC25S, KCxxSP(L)	310 mm low profile	C0042		21,26 kg	C0043		14,60 kg
		consist of: C0069 + C0070 + DC0091			consist of: C0069 + C0070		
KC35S	310 mm	C0044		25,42 kg	C0045		16,22 kg
		consist of: C0071 + C0072 + C0041			consist of: C0071 + C0072		
KC45S	410 mm	C0046		31,72 kg	C0047		22,56 kg
		consist of: C0073 + C0074 + C0041			consist of: C0073 + C0074		
C18, C18S AC25S DC14R, DC24RS, DC30RS, ACxxSP(L)	310 mm low profile	C0031		21,32 kg	C0036		14,76 kg
		consist of: C0053 + C0054 + DC0091			consist of: C0053 + C0054		
C20, C20S, C25ST AC35S  into bottom chamber for burning pellets - DC15EP, DC18SP, CxxSP, ACxxSP, DC18GSP, KCxxSP	310 mm	C0032		25,78 kg	C0037		16,46 kg
		consist of: C0056 + C0057 + C0041			consist of: C0056 + C0057		
into bottom chamber for burning pellets - DC25SP, DC32SP, DC25GSP, DC30GSP	310 mm + 200 mm	DC0171		30,38 kg	DC0172		20,56 kg
		consist of: C0056 + C0057 + 2x DC170 + C0041			consist of: C0056 + C0057 + 2x DC170		
Prolonging of spherical ceramic chamber 200 mm for boilers DC25SP, DC32SP, DC25GSP, DC30GSP – separate (L + R side)					DC0169		4,60 kg
					2x DC0170		
C30, C30S, C32ST AC45S	410 mm	C0033		32,36 kg	C0038		23,66 kg
		consist of: C0059 + C0060 + C0041			consist of: C0059 + C0060		
C40, C40S, C50S, DC70GSX, GSX70	510 mm	C0034		37,76 kg	C0039		28,44 kg
		consist of: C0062 + C0063 + C0041			consist of: C0062 + C0063		
C80S	510 mm	C0034		37,76 kg	C0039		28,44 kg
		consist of: C0062 + C0063 + C0041			consist of: C0062 + C0063		
DC100 - kompletní	510 mm + 180 mm	C0035 - včetně prodloužení		52,56 kg	C0040 - inc. prolonging		42,18 kg
		consist of: C0062 + C0063 + 2x DC0099 + DC0168			consist of: C0062 + C0063 + 2x DC0099		
Prolonging of spherical ceramic chamber (180) Left and Right sides – for boilers DC100					C0051		13,78 kg
					2x DC0099		

**Notice:** By boilers DC25SP, DC32SP, DC25GSP, DC30GSP spherical ceramic chamber in bottom chamber for burning pellets consists of standard spherical chamber C0032 + ceramic prolonging DC0169



## 4. Accessories




### Thermostat for putting on pipe



**Code: P0011** thermostat, for controlling pumps

*Price:*  
*Weight:* 0,16 kg

### Dual thermostat - IMIT



**Code: P0442** 542714 - thermostat T (0 - 90°C) / STB (90 - 110°C) IMIT in to the basin

*Price:*  
*Weight:* 0,30 kg

### Dual thermostat - stem - Honeywell



**Code: P0441** T/STB dual thermostat - stem - safety (40 - 110°C) + operation (30 - 90°C) - Honeywell

*Price:*  
*Weight:* 0,30 kg

### Dual thermostat - IMIT



**Code: P0443** 542708 - thermostat T (0 - 90°C) / STB (90 - 110°C) IMIT with 0,5m capillary

*Price:*  
*Weight:* 0,30 kg

### Thermometer



<b>Code: P0051</b> thermomet with connecting point	<i>Price:</i>
	<i>Weight:</i> 0,12 kg

### Thermometer for putting on pipe



<b>Code: P0340</b> thermometer for putting on pipe D63 / 0 - 120°C	<i>Price:</i>
	<i>Weight:</i> 0,20 kg

### Manometer RA80-3/8" – 4 bar



<b>Code: S0084</b> Manometer for heating circuit - RA80-3/8" – 4 bar	<i>Price:</i>
	<i>Weight:</i> 0,12 kg

<b>Code: P0341</b> Manometer for heating circuit – D100 – 1/2" – 4 bar	<i>Price:</i>
	<i>Weight:</i> 0,24 kg

### Thermometer for buffer tank



<b>Code: P0076</b> thermometer for buffer tanks - lenght 150 mm	<i>Price:</i>
	<i>Weight:</i> 0,20 kg

### Waste gas thermometer



<b>Code: P0031</b> waste gas thermometer with basin – complete	<i>Price:</i>
	<i>Weight:</i> 0,30 kg

<b>Code: P0033</b> pocket for flue gas thermometer - with locking screw G1/2" 107 mm	<i>Price:</i>
	<i>Weight:</i> 0,10 kg

<b>Code: P0036</b> waste gas thermometer 0 - 450 °C	<i>Price:</i>
	<i>Weight:</i> 0,25 kg

### Basins for buffer tanks



<b>Code: P0078</b> basin for one thermometer or one sensor - lenght 200 mm	<i>Price:</i>
	<i>Weight:</i> 0,08 kg

<b>Code: P0079</b> basin for three sensors – lenght 230 mm	<i>Price:</i>
	<i>Weight:</i> 0,07 kg

### Flue way with cleaning lid – thickness 5 mm




<b>Code: P0041</b> for all boilers with flue way socket diameter 152 mm (DC18S - DC50S (SE), CxxS, DCxxGSE (GD), DCxxGSP(L), DCxxSX, DCxxGXS, GSXxx, DxxP, Pxx - délka 580 mm	<i>Price:</i>
	<i>Weight:</i> 12,22 kg

### Enamelled flue way



<b>Code: K0101</b> flue way - diameter 152 mm/1000 mm	<i>Price:</i>
	<i>Weight:</i> 5,02 kg
<b>Code: K0102</b> flue way - diameter 152 mm/500 mm	<i>Price:</i>
	<i>Weight:</i> 2,48 kg
<b>Code: K0103</b> flue way - diameter 152 mm/250 mm	<i>Price:</i>
	<i>Weight:</i> 1,26 kg
<b>Code: K0100</b> knee - diameter 152 mm/90°	<i>Price:</i>
	<i>Weight:</i> 1,66 kg
<b>Code: K0106</b> flue way - diameter 152 mm/1000 mm with cleaning hole	<i>Price:</i>
	<i>Weight:</i> 5,20 kg
<b>Code: K0107</b> flue way - diameter 152 mm/500 mm with cleaning hole	<i>Price:</i>
	<i>Weight:</i> 2,62 kg
<b>Code: K0108</b> flue way - diameter 152 mm/250 mm with cleaning hole	<i>Price:</i>
	<i>Weight:</i> 1,36 kg
<b>Code: K0104</b> knee - diameter 152 mm/45° with cleaning hole	<i>Price:</i>
	<i>Weight:</i> 1,84 kg
<b>Code: K0105</b> knee - diameter 152 mm/90° with cleaning hole	<i>Price:</i>
	<i>Weight:</i> 1,78 kg

### Flue way with cleaning lid



<b>Code: P0042</b> for all boilers with flue way socket diameter 200 mm (DC100)	<i>Price:</i>
	<i>Weight:</i> 7,60 kg
<b>Code: P0037</b> For all boilers with flue way socket diameter 180 mm (DC70S, DC75SE)	<i>Price:</i>
	<i>Weight:</i> 7,10 kg

For the straight connection for chimney (without knees) - 5 mm

### Draght reducer for chimney



<b>Code: S0195</b> for reducing of drought in chimney, Ø 150 – 180 mm	<i>Price:</i>
	<i>Weight:</i> 0,90 kg

### Cleaning set – complete with brush



<b>Code: P0046</b> for ATMOS Combi and boilers with spherical combustion chamber (DCxxGS, DC15E, DC14R, DC24RS) - thin	<i>Price:</i>
	<i>Weight: 1,04 kg</i>
<b>Code: P0131</b> for ATMOS DCxxS (with ceramic roof) D15, D20 – wide type	<i>Price:</i>
	<i>Weight: 1,08 kg</i>
<b>Code: P0132</b> for ATMOS DC75SE	<i>Price:</i>
	<i>Weight: 1,36 kg</i>
<b>Code: P0054</b> for ATMOS DC100	<i>Price:</i>
	<i>Weight: 1,46 kg</i>
<b>Code: P0057</b> DC30RS, DCxxGSX D15P, D20P, D30P, D40P, D50P, D80P P15, P20, P30, P40, P50, P80	<i>Price:</i>
	<i>Weight: 1,80 kg</i>
<b>Code: P0070</b> D14P, D21P, D25P, D31P P14, P21, P25, P31	<i>Price:</i>
	<i>Weight: 0,98 kg</i>
<b>Code: P0138</b> DCxxGSE (BVG) (GD), DCxxGSP(L)	<i>Price:</i>
	<i>Weight: 1,20 kg</i>

### Ashtray



<b>Code: P0043</b> small - 400 mm - C18S, C20S, KC16S, AC25S, KC25S, AC35S, KC35S, DC18S, DCxxRS, DC15GS, GS15, DC20GS, GS20, DC18SP(L), CxxSP(L), AC/KCxxSP(L), DC18GSP(L), DC18GSE, DC22GSE, DC25GSE - old version	<i>Price:</i>
	<i>Weight: 1,60 kg</i>
<b>Code: P0044</b> big - 550 mm – C30S, C40S, AC45S, KC45S, DC25GS, DC32GS, DC40GS, DC30SE, DC100, DC30GSE, DC40GSE, DC50GSE, DC25GSP(L), DC30GSP(L) DC25GSE - since 15.4.2012	<i>Price:</i>
	<i>Weight: 2,18 kg</i>
<b>Code: P0052</b> big – DC15E, DxxPX, Pxxx	<i>Price:</i>
	<i>Weight: 2,30 kg</i>
<b>Code: P0060</b> big – boilers with ceramic roof part + DC105S, DC150S	<i>Price:</i>
	<i>Weight: 2,18 kg</i>

### Steel brushes



<b>Code: P0047</b> 35x70 mm - or all boilers: DC18S – DC75SE, C18S – C40S, DCxxGSE, DCxxGD, ACxxS, KCxxS, DCxxSX	<i>Price:</i>
	<i>Weight: 1,10 kg</i>
<b>Code: P0048</b> Ø 125 mm - for DC100, D15P, D20P, D30P, D40P, D50P, D80P, P15, P20, P30, P40, P50, P80, D30, DC30RS	<i>Price:</i>
	<i>Weight: 1,16 kg</i>
<b>Code: P0077</b> Ø 96 mm – for D14P, D21P, D25P, P14, P21, P25, D31P, P31	<i>Price:</i>
	<i>Weight: 1,14 kg</i>
<b>Code: P0059</b> Ø 65 mm – for DCxxGSE DCxxGD, DCxxGSP(L), CxxST, C50S,	<i>Price:</i>
	<i>Weight: 1,10 kg</i>

### Ashtray – for boilers – Dxx, DxxP, Pxx



<b>Code: P0045</b> for boilers D15, D15P, D20P, P15, P20 – old version small short	<i>Price:</i>
	<i>Weight: 2,20 kg</i>
<b>Code: S0492</b> for boilers D20 – old version small long	<i>Price:</i>
	<i>Weight: 2,56 kg</i>
<b>Code: P0065</b> for boilers D15P, D20P, P15, P20, D15 – new big short (by types D15P, D20P, P15, P20 from serial number 120000, u typu D15 od 1.1. 2007)	<i>Price:</i>
	<i>Weight: 2,64 kg</i>
<b>Code: P0066</b> for boilers D20, D30, D30P, D40P, P30, P40, D21 – new big long (od 1.1 2007)	<i>Price:</i>
	<i>Weight: 2,92 kg</i>
<b>Code: P0068</b> for boilers D50P, P50	<i>Price:</i>
	<i>Weight: 3,40 kg</i>
<b>Code: P0097</b> for boilers D14P, D21P, P14, P21	<i>Price:</i>
	<i>Weight: 3,32 kg</i>
<b>Code: P0080</b> for boilers D25P, P25, D31P, P31	<i>Price:</i>
	<i>Weight: 3,62 kg</i>
<b>Code: P0050</b> for boilers D80P, P80	<i>Price:</i>
	<i>Weight: 5,90 kg</i>
<b>Code: S0158</b> sealing tube - black - diameter 6 mm - self adhesive - (1 m)	<i>Price:</i>
	<i>Weight: 0,02 kg</i>

### Three-way mixer



<b>Code: P0312</b> VRG 131 - DN25 - Kvs10 - ESBE - brass - screwing	<i>Price:</i>
	<i>Weight: 0,70 kg</i>
<b>Code: P0333</b> VRG 131 - DN32 - Kvs16 - ESBE - brass - screwing	<i>Price:</i>
	<i>Weight: 1,03 kg</i>
<b>Code: P0349</b> VRG 131 - DN40 - Kvs25 - ESBE - brass - screwing	<i>Price:</i>
	<i>Weight: 2,18 kg</i>
<b>Code: P0344</b> 3G32 – ESBE – cast iron - screwing	<i>Price:</i>
	<i>Weight: 2,18 kg</i>

### Four-way mixer



<b>Code: P0342</b> VRG 141 - DN32 Kvs16 - ESBE	<i>Price:</i>
	<i>Weight: 1,11 kg</i>
<b>Code: P0345</b> VRG 141 - DN40 Kvs25 - ESBE	<i>Price:</i>
	<i>Weight: 2,00 kg</i>

### Actuator



<b>Code: P0415</b> ARA 661 - 230 V - 120 s - 6 Nm - ESBE	<i>Price:</i>
	<i>Weight: 0,50 kg</i>

### Thermoregulating valve 60/65/70/72 °C



Recommended sizing of valves	
15 kW — 30 kW	- DN25
30 kW — 45 kW	- DN32
45 kW — 99 kW	- DN40, - DN50
<b>Code: P0021</b> VTC511 25 - 70 °C - DN25 - Kvs9 - ESBE – cast iron	<i>Price:</i> <i>Weight: 0,86 kg</i>
<b>Code: P0022</b> VTC511 32 - 60/70 °C - DN32 - Kvs14 - ESBE - cast iron	<i>Price:</i> <i>Weight: 1,06 kg</i>
<b>Code: P0030</b> VTC512 40/60/70 °C - DN40 - Kvs17 - ESBE - cast iron	<i>Price:</i> <i>Weight: 1,38 kg</i>
<b>Code: P0024</b> spare thermostat cartridge - VTC500_511_512 / 60 °C - ESBE	<i>Price:</i> <i>Weight: 0,20 kg</i>
<b>Code: P0026</b> spare thermostat cartridge - VTC500_511_512 / 65 °C - ESBE	<i>Price:</i> <i>Weight: 0,20 kg</i>
<b>Code: P0062</b> spare thermostat cartridge - VTC500_511_512 / 70 °C - ESBE	<i>Price:</i> <i>Weight: 0,20 kg</i>
<b>Code: P0029</b> TSV 3 DN25 – 65/72 °C – Regulus – brass - G 1"	<i>Price:</i> <i>Weight: 0,80 kg</i>
<b>Code: P0220</b> TSV 5 DN32 – 65/72 °C – Regulus – brass - G 5/4"	<i>Price:</i> <i>Weight: 0,92 kg</i>
<b>Code: P0067</b> TSV 6 DN40 – 65/72 °C – Regulus – brass - G 6/4"	<i>Price:</i> <i>Weight: 1,58 kg</i>
<b>Code: P0018</b> TSV 8 DN50 – 65/72 °C – Regulus – brass - G 2"	<i>Price:</i> <i>Weight: 2,08 kg</i>

### Thermostatic mixing valves for heating DHW and for underfloor heating




<b>Code: P0346</b> ESBE VTA 322-1"- Kvs1.6 35 - 60 °C	<i>Price:</i> <i>Weight: 0,56 kg</i>
<b>Code: P0347</b> ESBE VTA 522-1"- Kvs3.2 20 - 43 °C	<i>Price:</i> <i>Weight: 0,86 kg</i>
<b>Code: P0348</b> ESBE VTA 522-1"- Kvs3.2 50 - 75 °C	<i>Price:</i> <i>Weight: 0,86 kg</i>

### Laddomat 21



<b>Code: P0101</b> using for up to 50 kW	<i>Price:</i>
	<i>Weight:</i> 9,48 kg
<b>Spare parts</b>	
<b>Code: P0103</b> spare cartridge 78°C (1456)	<i>Price:</i>
	<i>Weight:</i> 0,20 kg
<b>Code: P0104</b> spare cartridge 72°C (8719)	<i>Price:</i>
	<i>Weight:</i> 0,20 kg
<b>Code: P0105</b> pump WILO RS25/6 - 3	<i>Price:</i>
	<i>Weight:</i> 1,64 kg
<b>Code: P0228</b> high efficiency pump WILO Yonos PARA MS/ 7,5 - RKC W M	<i>Price:</i>
	<i>Weight:</i> 1,16 kg
<b>Code: P0106</b> screwing of the closing valve (5/4")	<i>Price:</i>
	<i>Weight:</i> 0,40 kg
<b>Code: P0102</b> sealing under fitting	<i>Price:</i>
	<i>Weight:</i> 0,01 kg
<b>Code: P0107</b> thermometer	<i>Price:</i>
	<i>Weight:</i> 0,25 kg
<b>Code: P0109</b> O-ring for thermostat cartridge	<i>Price:</i>
	<i>Weight:</i> 0,02 kg
<b>Code: P0100</b> spare cartridge 63°C (5839)	<i>Price:</i>
	<i>Weight:</i> 0,20 kg
<b>Code: P0108</b> spare cartridge 83°C (1467)	<i>Price:</i>
	<i>Weight:</i> 0,20 kg
<b>Code: P0110</b> spare cartridge 87°C (8222)	<i>Price:</i>
	<i>Weight:</i> 0,20 kg
<b>Code: P0209</b> tube for locking the back flap	<i>Price:</i>
	<i>Weight:</i> 0,01 kg

### Changing reduction Laddomat 21→Laddomat 22



Width of the Laddomat 21 and Laddomat 22 is the same, different is only height which solve this reduction.

<b>Code: P0241</b> installation reduction from Laddomat 21 to Laddomat 22 without necessary of plumbing changes (no pipe adjustment)	<i>Price:</i>
	<i>Weight:</i> 0,50 kg

### Laddomat 22



<b>Code: P0222</b> Laddomat 22 (designed from 15 up to 100 kW)	<i>Price:</i>
<b>Code: P0227</b> Laddomat 22 with high efficiency pump (from 15 up to 100 kW)	<i>Price:</i>
	<i>Weight:</i> 8,82 kg
<b>Spare parts</b>	
<b>Code: P0103</b> spare cartridge 78 °C (1456)	<i>Price:</i>
	<i>Weight:</i> 0,20 kg
<b>Code: P0104</b> spare cartridge 72 °C (8719)	<i>Price:</i>
	<i>Weight:</i> 0,20 kg
<b>Code: P0225</b> spare pump RS25/7-3-P	<i>Price:</i>
	<i>Weight:</i> 1,80 kg
<b>Code: P0228</b> high efficiency pump WILO Yonos PARA MS/ 7,5 - RKC W M	<i>Price:</i>
	<i>Weight:</i> 1,16 kg
<b>Code: P0223</b> spare thermometer	<i>Price:</i>
	<i>Weight:</i> 0,25 kg
<b>Code: P0224</b> spare screwing with the closing valve (5/4")	<i>Price:</i>
	<i>Weight:</i> 0,72 kg
<b>Code: P0109</b> spare O-ring for thermostat cartridge	<i>Price:</i>
	<i>Weight:</i> 0,02 kg
<b>Code: P0100</b> spare cartridge 63 °C (5839)	<i>Price:</i>
	<i>Weight:</i> 0,20 kg
<b>Code: P0108</b> spare cartridge 83 °C (1467)	<i>Price:</i>
	<i>Weight:</i> 0,20 kg
<b>Code: P0110</b> spare cartridge 87 °C (8222)	<i>Price:</i>
	<i>Weight:</i> 0,20 kg
<b>Code: P0226</b> blocking clip (spring) for locking the back flap	<i>Price:</i>
	<i>Weight:</i> 0,01 kg
<b>Code: P0231</b> new version of check valve	<i>Price:</i>
	<i>Weight:</i> 0,14 kg
<b>Code: P0229</b> regulation kit (closing bypass) with pocket	<i>Price:</i>
	<i>Weight:</i> 0,10 kg

### High efficiency pump WILO Yonos PICO



<b>Code: P0034</b> Yonos PICO 25/1 - 4, typ RKA with digital display - without cable - universal type	<i>Price:</i> <i>Weight: 2,20 kg</i>
<b>Code: P0035</b> Yonos PICO 25/1 - 6, typ RKA with digital display - without cable - universal type	<i>Price:</i> <i>Weight: 2,24 kg</i>

### Stopvalve with a switch



<b>Code: P0384</b> Z-SF25-2M1-1" - closed without electric income	<i>Price:</i> <i>Weight: 1,14 kg</i>
<b>Code: P0385</b> O-SF25-2M1-1" - opened without electric income	<i>Price:</i> <i>Weight: 1,16 kg</i>

### High efficiency pump WILO Stratos PICO



<b>Code: P0038</b> Stratos PICO 25/1 - 4, with graphic display - without cable - universal type	<i>Price:</i> <i>Weight: 2,32 kg</i>
<b>Code: P0039</b> Stratos PICO 25/1 - 6, with graphic display - without cable - universal type	<i>Price:</i> <i>Weight: 2,34 kg</i>

### Thermostatic valve for cooling loop



<b>Code: P0073</b> Honeywell TS 131 – 3/4" ZA 110°C	<i>Price:</i> <i>Weight: 0,93kg</i>
<b>Code: P0081</b> Honeywell TS 131 – 3/4" ZA 95°C	<i>Price:</i> <i>Weight: 0,76 kg</i>
<b>Code: P0082</b> WATTS STS 20 – 3/4" 97°C	<i>Price:</i> <i>Weight: 0,80 kg</i>
<b>Code: P0089</b> Danfoss BVTS – 3/4"A 95°C	<i>Price:</i> <i>Weight: 0,90 kg</i>
<b>Code: P0090</b> Danfoss BVTS – 3/4"A 108°C	<i>Price:</i> <i>Weight: 0,70 kg</i>

### Electric heating spiral



<b>Code: P0125</b> TJ-M48x2 – 4,5 kW	<i>Price:</i>
	<i>Weight:</i> 2,10 kg
<b>Code: P0126</b> TJ-M48x2 – 6 kW	<i>Price:</i>
	<i>Weight:</i> 2,30 kg

### Ashtray for cleaning tube plate of pellets boilers DxxP




<b>Code: S0548</b> serves for trouble less cleaning of pellets boilers D15P, D20P, D30P, D40P, D50P, P15, P20, P30, P40, P50	<i>Price:</i>
	<i>Weight:</i> 4,72 kg
<b>Code: S1086</b> serves for trouble less cleaning of pellets boilers D80P, P80	<i>Price:</i>
	<i>Weight:</i> 4,20 kg

### Filling valve G1/2




<b>Code: P0211</b> filling valve for boilers	<i>Price:</i>
	<i>Weight:</i> 0,12 kg

### Sealing for ashtray - self adhesive sealing tube



<b>Code: S0158</b> sealing tube - black - diameter 6 mm - self adhesive - (1 m) for boilers Dxx, DxxP, Pxx	<i>Price:</i>
	<i>Weight:</i> 0,02 kg

### Cleaning fire hook - big



<b>Code: V0343</b> cleaning fire hook for cleaning burning chamber of the burner A25 or A45 - big	<i>Price:</i>
	<i>Weight:</i> 0,26 kg




### Eqvithermal controller ACD01



**Code: P0404** eqvithermal controller ACD01 *Price:*  
*Weight: 0,78 kg*

it is equithermal controll element for all boilers ATMOS burning solid fules, which is able to controll heating in two heating circuit, hot domestic water heating, solar heating by solar collectors, optima charging and discharging of accumulation tanks, authomatic switching between two boilers, (e.g. wood boiler and natural gas boiler) and commplet operation of the boiler, extraction ventilator when there is need in heating system.

### Connection terminal board SCS 12



**Code: P0405** connection terminal board *Price:*  
for eqvithermal controller ACD01 *Weight: 0,36 kg*

### Indoor unit SDW10



**Code: P0406** Indoor unit for equithermal *Price:*  
controller without screen *Weight: 0,25 kg*

with a SDW 10 unit you can monitor the room temperature, remotely set the temperature value and change the operation mode of the heating circuit. The settings are only valid for the corresponding heating circuit.

### Indoor unit SDW20 / SDW30



**Code: P0407** indoor unit SDW20 with *Price:*  
display - for controller version 3.0 a 3.3 *Weight: 0,30 kg*

**Code: P0412** indoor unit SDW30 with *Price:*  
display - for controller version 3.5 *Weight: 0,30 kg*

with a digital wall unit you can also remotely control the central unit (e.g. from the living room) to set operation modes, time programs, etc. You can make settings for all the existing heating circuits.

### GSM module-controller AB01 ATMOS



**Code: P0430** GSM module-controller *Price:*  
AB01 ATMOS *Weight: 1,60 kg*

it is a special multifunction unit, which is use for conntrolling and communication with different units in house or in weekend house over mobile phone (GSM). The main use is for remote controll of automatic heating systems with pellets, natural gas and oil boilers. It is special developed for controlling of four-status equithermal regulátor ATMOS ACD 01 or Honeywell type SMILE. It is also able to inform about outside temperature, interior temperature, heating system temperature and communication with other units and appliance. Modul is also equipped with program for optimal controll pellets boiler with acumulation tanks and with program for controll two or three boilers in cascade.

### Electronic controler AC19



**Code: P0449** AC19 controler is designed to control boilers DCxxSR (GSR) or to control pneumatic pellet feeding system APS 250 / 500

<i>Price:</i>
<i>Weight:</i> 0,54 kg

### Module AD03



**Code: P0436** to control boiler exhaust fan and pump in boiler circuit (solar)

<i>Price:</i>
<i>Weight:</i> 0,20 kg

### Module AD01



**Code: S0077** elektronic module AD01 for automatic ash removal timing

<i>Price:</i>
<i>Weight:</i> 0,18 kg

### Module AD04



**Code: P0446** burner module for special functions

<i>Price:</i>
<i>Weight:</i> 0,10 kg


### Module AD02



**Code: P0432** to control boiler exhaust fan

<i>Price:</i>
<i>Weight:</i> 0,14 kg

### Module AD08




**Code: P0450** for special functions of DCxxGSP(L) boilers

<i>Price:</i>
<i>Weight:</i> 0,24 kg

## 5. Pellet tanks

### Pellet tank 250 l




The smallest tank suitable for boilers with output up to 25 kW for smaller boiler-rooms where we can not use bigger silo types. It contains 163 kg of pellets which means approximately 730 kWh.

<b>Code: H0204 volume 250 l - red</b>	<i>Price:</i>
for conveyors DRA50 - 1.7 , 2.5, 4, 5 m DA1500/2000/2500/3000/4000	<i>Weight:</i> 30,00 kg

<b>Code: H0214 volume 250 l - blue</b>	<i>Price:</i>
for conveyors DRA50 - 1.7 , 2.5, 4, 5 m DA1500/2000/2500/3000/4000	<i>Weight:</i> 30,00 kg

### Pellet tank 1000 l




The biggest size tank suitable for boilers with output up to 80 kW. It contains 650 kg of pellets which means approximately 2925 kWh.

<b>Code: H0047 volume 1000 l - red</b>	<i>Price:</i>
for conveyors DRA50 - 1.7 , 2.5, 4, 5 m DA1500/2000/2500/3000/4000	<i>Weight:</i> 68,00 kg

<b>Code: H0046 volume 1000 l - blue</b>	<i>Price:</i>
for conveyors DRA50 - 1.7 , 2.5, 4, 5 m DA1500/2000/2500/3000/4000	<i>Weight:</i> 68,00 kg

### Pellet tank 500 l



The middle size tank suitable for boilers with output up to 35 kW. It contains 325 kg of pellets which means approximately 1463 kWh.

<b>Code: H0201 volume 500 l - red</b>	<i>Price:</i>
for conveyors DRA50 - 1.7 , 2.5, 4, 5 m DA1500/2000/2500/3000/4000	<i>Weight:</i> 48,00 kg


<b>Code: H0202 volume 500 l - blue</b>	<i>Price:</i>
for conveyors DRA50 - 1.7 , 2.5, 4, 5 m DA1500/2000/2500/3000/4000	<i>Weight:</i> 48,00 kg

### Madlo



<b>Code: S0230</b> A) handle for pellet tanks and ash trays	<i>Price:</i>
	<i>Weight:</i> 0,04 kg

### Compact pellet tanks - Set AZPD / AZPU



It is a special set of pellet silo of volume 240 litres and a pellet conveyor DRA25. It is designed for small and crowded boiler rooms. It allows placing the pellet tank tightly close to the boiler and needs less space in the boiler room.

The 240 litre silo contains 156 kg of pellets which provides energy of about 700 kWh.

Set AZPD is intended for DxxP pellet boilers and DCxxSP boilers

<b>Code: H0283</b> Set AZPD 240 R (red) with conveyor DRA25 - 1,3 m (gearbox 25 W)	<i>Price:</i>
	<i>Weight:</i> 54,00 kg


<b>Code: H0284</b> Set AZPD 240 B (blue) with conveyor DRA25 - 1,3 m (gearbox 25 W)	<i>Price:</i>
	<i>Weight:</i> 54,00 kg

Sada AZPU is intended for gasifying boilers with modification for pellet burner

<b>Code: H0280</b> Set AZPU 240 C (red) with conveyor DRA25 - 1,7 m (gearbox 25 W)	<i>Price:</i>
	<i>Weight:</i> 56,00 kg

<b>Code: H0281</b> Set AZPU 240 M (blue) with conveyor DRA25 - 1,7 m (gearbox 25 W)	<i>Price:</i>
	<i>Weight:</i> 56,00 kg

### Compact pellet tanks - Set AZPD 260 - Design



Set AZPD is intended for DxxP pellet boilers and DCxxSP boilers. It is a special set of pellet silo of volume 260 litres and a pellet conveyor DRA25. It is designed for small and crowded boiler rooms. It allows placing the pellet tank tightly close to the boiler and needs less space in the boiler room.

The 260 litre silo contains 169 kg of pellets which provides energy of about 760 kWh.

<b>Code: H0298</b> Set AZPD 260 R - Design (red) with conveyor DRA25 - 1,3 m (gearbox 25 W)	<i>Price:</i>
	<i>Weight:</i> 54,00 kg

<b>Code: H0299</b> Set AZPD 260 B - Design (blue) with conveyor DRA25 - 1,3 m (gearbox 25 W)	<i>Price:</i>
	<i>Weight:</i> 54,00 kg

### Conveyors for compact pellet tanks AZPD/U



<b>Code: H0287</b> conveyor with shaft DRA25 - 1,3 m (gearbox 25 W)	<i>Price:</i>
	<i>Weight:</i> 9,54 kg

<b>Code: H0286</b> conveyor with shaft DRA25 - 1,7 m (gearbox 25 W)	<i>Price:</i>
	<i>Weight:</i> 10,47 kg

#### Spare auger with shaft for conveyor DRA25

<b>Code: H0036</b> spare auger for conveyor DRA25 - 1,3 m	<i>Price:</i>
	<i>Weight:</i> 2,09 kg

<b>Code: H0025</b> spare auger for conveyor DRA25 - 1,7 m	<i>Price:</i>
	<i>Weight:</i> 2,56 kg

#### Spare tube of conveyor DRA25

<b>Code: H0289</b> spare tube of conveyor DRA25 - 1,3 m	<i>Price:</i>
	<i>Weight:</i> 4,23 kg

<b>Code: H0288</b> spare tube of conveyor DRA25 - 1,7 m	<i>Price:</i>
	<i>Weight:</i> 5,16 kg

#### Spare gear box of the conveyor DRA25

<b>Code: H0107</b> gearbox of the conveyor 25W for conveyors DRA25 - 1.3 a 1.7 m	<i>Price:</i>
	<i>Weight:</i> 2,72 kg

#### Spare bearing for conveyor

<b>Code: H0198</b> complete set - bearing + pocket - 2 pcs	<i>Price:</i>
	<i>Weight:</i> 0,22 kg


#### Parts for connectin of the conveyor gearbox

<b>Code: V0147</b> flange for DRA25 conveyor - gearbox (25 W)	<i>Price:</i>
	<i>Weight:</i> 0,22 kg

<b>Code: V0529</b> locking pivot	<i>Price:</i>
	<i>Weight:</i> 0,03 kg

<b>Code: V0140</b> locking brace for conveyor - DRA	<i>Price:</i>
	<i>Weight:</i> 0,03 kg

**Pellet tank for boilers D15-20PX, PX15-20**



<b>Code: H0300</b> pellet tank for boilers D15-20PX, PX15-20	<i>Price:</i>
	<i>Weight:</i> 31,80 kg
<b>Code: S1216</b> insulation under the tank - Sibral	<i>Price:</i>
	<i>Weight:</i> 0,64 kg
<b>Code: S1290</b> Removable protective grid - 2 pcs	<i>Price:</i>
	<i>Weight:</i> 3,85 kg
<b>Code: S1291</b> grid holder - 4 parts	<i>Price:</i>
	<i>Weight:</i> 2,20 kg

**Conveyors for boilers D15PX, D20PX, PX15, PX20**




<b>Code: H0309</b> conveyor DRA25 for boilers D15PX, D20PX - (gearbox 25 W)	<i>Price:</i>
	<i>Weight:</i> 6,70 kg
<b>Spare auger with shaft for conveyor DRA25</b>	
<b>Code: H0011</b> spare auger for conveyor DRA25 - D15PX, D20PX, PX15, PX20	<i>Price:</i>
	<i>Weight:</i> 1,05 kg
<b>Spare tube of conveyor DRA25</b>	
<b>Code: H0294</b> spare tube of conveyor DRA25 - D15PX, D20PX, PX15, PX20	<i>Price:</i>
	<i>Weight:</i> 2,36 kg
<b>Spare gear box of the conveyor DRA25</b>	
<b>Code: H0107</b> gearbox of the conveyor 25W for conveyors DRA25 - DxxPX, PXxx	<i>Price:</i>
	<i>Weight:</i> 2,72 kg
<b>Spare bearing for conveyor</b>	
<b>Code: H0198</b> complete set - bearing + pocket - 2 pcs	<i>Price:</i>
	<i>Weight:</i> 0,22 kg
<b>Parts for connectin of the conveyor gearbox</b>	
<b>Code: V0147</b> flange for DRA25 conveyor - gearbox (25 W)	<i>Price:</i>
	<i>Weight:</i> 0,22 kg
<b>Code: V0529</b> locking pivot	<i>Price:</i>
	<i>Weight:</i> 0,03 kg
<b>Code: V0140</b> locking brace for conveyor - DRA	<i>Price:</i>
	<i>Weight:</i> 0,03 kg

**Sibral gasket for conveyor D15-20PX, PX15-20**



<b>Code: S1237</b> Sibral gasket between conveyor and tank - 4 mm	<i>Price:</i>
	<i>Weight:</i> 0,02 kg

## 6. Accumulation tanks - DH / DZ



### Description:

Volume 500, 600, 750, 800 and 1000 l

1. sleeve piece
2. upper outlet
3. sleeve for thermometer
4. sleeve for thermometer
5. sleeve for electric heating element
6. lower outlet
7. sleeve for bleeding valve

### New accumulation tanks type DH

#### Dimensions of tanks type DH

Type	Dimension (mm)							Diameter (mm)							
	H	A	B	C	D	E	F	Ø D	1	2	3	4	5	6	7
AN 750	1750	140	95	110	130	90	366	790	5/4"	5/4"	1/2"	1/2"	M48x2	5/4"	1"
AN 800	1910	175	101	110	130	90	374	790	5/4"	5/4"	1/2"	1/2"	M48x2	5/4"	1"
AN 1000	2210	140	95	110	130	90	366	790	5/4"	5/4"	1/2"	1/2"	M48x2	5/4"	1"

#### Uninsulated tanks type DH

Type	Code	Price	Weight
AN 750	P0170		120,00 kg
AN 800	P0199		116,00 kg
AN 1000	P0171		132,00 kg

#### Insulated tanks type DH

Type	Code tank inc. insulation	Price	Weight	Code of sep. insulation	Price	Weight
AN 750	P0176		142,00 kg	P0173		22,00 kg
AN 800	P0201		138,00 kg	P0200		22,00 kg
AN 1000	P0177		161,00 kg	P0174		25,00 kg

**Uninsulated tanks with inner boiler for DHW 200 l – type DH**

Type	Code	Price	Weight
AN 500/2	P0178		
AN 750/2	P0179		
AN 800/2	P0202		160,00
AN 1000/2	P0180		

**Insulated tanks with inner boiler for DHW 200 l – type DH**

Type	Code tank inc. insulation	Price	Weight	Code of sep. insulation	Price	Weight
AN 500/2	P0184		kg	P0181		kg
AN 750/2	P0185		kg	P0182		kg
AN 800/2	P0204		185,00 kg	P0203		25,00 kg
AN 1000/2	P0186		kg	P0183		kg

**Uninsulated tanks with inner boiler for DHW 140 l and with coil for connecting solar – type DH**

Type	Code	Price	Weight
AN 500/3	P0187		
AN 750/3	P0188		
AN 800/3 - 2,3m <sup>2</sup>	P0205		170,00 kg
AN 1000/3	P0189		

**Insulated tanks with inner boiler for DHW 140 l and with coil for connecting solar – type DH**

Type	Code tank inc. insulation	Price	Weight	Code of sep. insulation	Price	Weight
AN 500/3	P0193		kg	P0190		kg
AN 750/3	P0194		kg	P0191		kg
AN 800/3 - 2,3m <sup>2</sup>	P0207		196,00 kg	P0206		25,00 kg
AN 1000/3	P0195		kg	P0192		kg

**Acumulation tanks type DZ**
**Dimensions of tanks type DZ**

Type	Dimension (mm)							Diameter (mm)							
	H	A	B	C	D	E	F	Ø D	1	2	3	4	5	6	7
AN 500	1970	127	131	110	130	90	326	600	5/4"	5/4"	1/2"	1/2"	M48x2	5/4"	1/2"
AN 600	1611	169	131	110	130	90	341	750	5/4"	5/4"	1/2"	1/2"	M48x2	5/4"	1/2"
AN 750	1974	154	131	110	130	90	329	750	5/4"	5/4"	1/2"	1/2"	M48x2	5/4"	1/2"
AN 800	2010	175	101	110	130	90	374	790	5/4"	5/4"	1/2"	1/2"	M48x2	5/4"	1"
AN 1000	2065	175	108	110	130	90	342	850	5/4"	5/4"	1/2"	1/2"	M48x2	5/4"	1/2"

**Uninsulated tanks type DZ**

Type	Code	Price	Weight
AN 500	P0139		91,00 kg
AN 600	P0236		82,00 kg
AN 750	P0140		120,00 kg
AN 800	P0199		116,00 kg
AN 1000	P0141		136,00 kg

**Insulated tanks type DZ**

Type	Code	Price	Weight
AN 500	P0142		114,00 kg
AN 600	P0238		100,00 kg
AN 750	P0143		144,00 kg
AN 800	P0201		138,00 kg
AN 1000	P0144		161,00 kg

**Uninsulated tanks with inner boiler for DHW 200 l – type DZ**

Type	Code	Price	Weight
AN 500/2	P0145		133,00 kg
AN 750/2	P0146		168,00 kg
AN 800/2	P0202		160,00 kg
AN 1000/2	P0147		181,00 kg

**Insulated tanks with inner boiler for DHW 200 l – type DZ**

Type	Code	Price	Weight
AN 500/2	P0148		156,00 kg
AN 750/2	P0149		198,00 kg
AN 800/2	P0204		185,00 kg
AN 1000/2	P0150		206,00 kg

**Uninsulated tanks with inner boiler for DHW 140 l and with coil for connecting solar – type DZ**

Type	Code	Price	Weight
AN 500/3 - 1,7 m <sup>2</sup>	P0160		151,00 kg
AN 750/3 - 2,3 m <sup>2</sup>	P0161		185,00 kg
AN 800/3 - 2,3 m <sup>2</sup>	P0205		170,00 kg
AN 1000/3 - 3,3 m <sup>2</sup>	P0162		217,00 kg

**Insulated tanks with inner boiler for DHW 140 l and with coil for connecting solar – type DZ**

Type	Code	Price	Weight
AN 500/3 - 1,7 m <sup>2</sup>	P0163		174,00 kg
AN 750/3 - 2,3 m <sup>2</sup>	P0164		215,00 kg
AN 800/3 - 2,3 m <sup>2</sup>	P0207		196,00 kg
AN 1000/3 - 3,3 m <sup>2</sup>	P0165		242,00 kg

**Tank type DZ** – product of company DZ Dražice - CZ

**Tank type DH** – product of company HUCH or Dražice – DE/CZ



## 7. ATMOS A25 pellet burner



### Pellet burner - ATMOS A25



<b>Code: H0014</b> burner – red - (4 - 24 kW)	<i>Price:</i>
	<i>Weight: 17,66 kg</i>
<b>Kód: H0044</b> burner – red - (4 - 24 kW) - for boilers DxxPX, PXxx	<i>Price:</i>
	<i>Weight: 17,70 kg</i>
<b>Kód: H0048</b> burner – red - (4 - 24 kW) - for boilers DCxxSP, CxxSP - model 2018	<i>Price:</i>
	<i>Weight: 19,70 kg</i>
<b>Kód: H0042</b> burner – blue - (4 - 24 kW) - for boilers DCxxGSP	<i>Price:</i>
	<i>Weight: 19,70 kg</i>
<b>Code: H0238</b> fuse for ignitaton spiral – type F3.15A/1500A/5x20 mm – into the burner	<i>Price:</i>
	<i>Weight: 0,01 kg</i>
<b>Code: H0239</b> fuse for ventilator or conveyor spiral – type F0.8A/1500A/5x20 mm	<i>Price:</i>
	<i>Weight: 0,01 kg</i>
<b>Code: H0251</b> fuse for conveyor – type F1.0A/1500A/5x20 mm	<i>Price:</i>
	<i>Weight: 0,01 kg</i>

### Electronic unit of the burner



<b>Code: H0222</b> spare electronic unit of the burner - AC07 (ACO7X - since 2012) with a fixation plate	<i>Price:</i>
	<i>Weight: 0,70 kg</i>
<b>Code: H0337</b> additional module AC07X - C - (R5, R6) to control pneumatic cleaning system of burner or other applications - DxxPX, PXxx	<i>Price:</i>
	<i>Weight: 0,10 kg</i>

### Conveyors for burner ATMOS A25




<b>Code: H0151</b> pellet conveyor DA1500 - 1,5 m (gearbox 25 W)	<i>Price:</i>
	<i>Weight: 11,50 kg</i>
<b>Code: H0207</b> pellet conveyor DA2000 - 2 m (gearbox 25 W)	<i>Price:</i>
	<i>Weight: 13,00 kg</i>
<b>Code: H0208</b> pellet conveyor DA2500 - 2,5 m (gearbox 25 W)	<i>Price:</i>
	<i>Weight: 14,00 kg</i>
<b>Code: H0209</b> pellet conveyor DA3000 - 3 m (gearbox 40 W)	<i>Price:</i>
	<i>Weight: 15,50 kg</i>
<b>Code: H0212</b> pellet conveyor DA4000 - 4 m (gearbox 40 W)	<i>Price:</i>
	<i>Weight: 18,50 kg</i>

### Gearbox of the conveyor DAxxxx



<b>Code: H0107</b> gearbox of the conveyor 25W for conveyors DA1500, DA2000, DA2500 diameter of the shaft - 10 mm	<i>Price:</i>
	<i>Weight: 2,72 kg</i>
<b>Code: H0159</b> gearbox of the conveyor 40W for conveyors DA3000 and DA4000	<i>Price:</i>
	<i>Weight: 4,50 kg</i>
<b>Code: H0113</b> gearbox capacitor for conveyors DA a DRA	<i>Price:</i>
	<i>Weight: 0,06 kg</i>

### Spare spiral for conveyor DAxxxx



<b>Code: H0254</b> spiral for conveyor DA1500	<i>Price:</i>
	<i>Weight: 1,08 kg</i>
<b>Code: H0255</b> spiral for conveyor DA2000	<i>Price:</i>
	<i>Weight: 1,42 kg</i>
<b>Code: H0256</b> spiral for conveyor DA2500	<i>Price:</i>
	<i>Weight: 1,76 kg</i>
<b>Code: H0263</b> spiral for conveyor DA3000	<i>Price:</i>
	<i>Weight: 2,16 kg</i>
<b>Code: H0264</b> spiral for conveyor DA4000	<i>Price:</i>
	<i>Weight: 2,84 kg</i>

### Elements for connection spiral of the conveyor type DAxxxx



<b>Code: H0257</b> complete set – element for connection spiral to the gearbox of engine 25 W + spare special screw (hook), nut and washer + grub screw (2 pcs)	<i>Price:</i>
	<i>Weight: 0,25 kg</i>
<b>Code: H0258</b> separate spare element - 1 pc - gearbox 25 W	<i>Price:</i>
	<i>Weight: 0,22 kg</i>
<b>Code: H0279</b> separate spare element - 1 ks - gearbox 40 W	<i>Price:</i>
	<i>Weight: 0,20 kg</i>
<b>Code: H0259</b> special screw (hook), nut and washer – 1pc	<i>Price:</i>
	<i>Weight: 0,02 kg</i>
<b>Code: S1001</b> grub screw M5 – 1pc	<i>Price:</i>
	<i>Weight: 0,01 kg</i>

### Leg and flange for conveyors - type DA




<b>Code: S0992</b> flange – separate for conveyors DA1500, DA2000 a DA2500	<i>Price:</i>
	<i>Weight: 1,60 kg</i>
<b>Code: S0962</b> flange – separate for conveyors DA3000 a DA4000	<i>Price:</i>
	<i>Weight: 1,62 kg</i>
<b>Code: H0414</b> leg for conveyors DA2000 - DA4000	<i>Price:</i>
	<i>Weight: 2,30 kg</i>
<b>Code: H0415</b> leg for conveyor DA1500	<i>Price:</i>
	<i>Weight: 2,10 kg</i>

### Transparent tube for conveyor DAxxxx




<b>Code: H0261</b> transparent tube 1 m – without recess	<i>Price:</i>
	<i>Weight: 1,14 kg</i>
<b>Code: H0253</b> transparent tube 1 m – with recess	<i>Price:</i>
	<i>Weight: 1,20 kg</i>
<b>Code: H0266</b> transparent tube 1,5 m – without recess	<i>Price:</i>
	<i>Weight: 1,62 kg</i>
<b>Code: H0252</b> transparent tube 1,5 m – with recess	<i>Price:</i>
	<i>Weight: 1,68 kg</i>
<b>Code: H0273</b> transparent tube 2 m – without recess	<i>Price:</i>
	<i>Weight: 2,20 kg</i>
<b>Code: H0240</b> transparent tube 2 m – with recess	<i>Price:</i>
	<i>Weight: 2,26 kg</i>
<b>Code: H0241</b> transparent tube 2,5 m – with recess	<i>Price:</i>
	<i>Weight: 2,84 kg</i>
<b>Code: V0120</b> connection for tubes - H0261 and H253 with 6 screws	<i>Price:</i>
	<i>Weight: 0,80 kg</i>
<b>Code: V0133</b> connection - for conveyor 4 m - perforated - with 6 screws	<i>Price:</i>
	<i>Weight: 2,63 kg</i>

### Incoming feeding pipe




<b>Code: H0066</b> spare pipe between burner and pellet conveyor - lenght 1 m and Ø 65 mm - transparent	<i>Price:</i>
	<i>Weight: 0,68 kg</i>

### Top cover of the burner mouth




<b>Code: H0220</b> top cover of the burner mouth	<i>Price:</i>
	<i>Weight: 0,87 kg</i>

### Combustion chamber (pot) of the burner



<b>Code: H0228</b> combustion chamber (pot) of the burner from serial number 160	<i>Price:</i>
	<i>Weight: 0,84 kg</i>
<b>Code: H0053</b> combustion chamber (pot) of the burner to serial number 160	<i>Price:</i>
	<i>Weight: 0,80 kg</i>

### Inner holder of the ignition spiral




<b>Code: H0227</b> inner holder of the ignition spiral	<i>Price:</i>
	<i>Weight: 0,11 kg</i>

### Holder - plate with openings for the ignition spirals



<b>Code: H0225</b> holder - plate with openings for the ignition spirals	<i>Price:</i>
	<i>Weight: 0,85 kg</i>

### Ignition spiral cover



<b>Code: H0226</b> ignition spiral cover	<i>Price:</i>
	<i>Weight: 0,08 kg</i>


### Pellet supply pipe



<b>Code: H0223</b> pellet supply pipe	<i>Price:</i>
	<i>Weight: 0,60 kg</i>

<b>Code: H0297</b> pellet supply pipe for boilers - DxxPX, PXxx - straight	<i>Price:</i>
	<i>Weight: 0,50 kg</i>

### Fan with a speed sensor and with air flap




<b>Code: H0058</b> fan with a speed sensor and with air flap	<i>Price:</i>
	<i>Weight: 1,12 kg</i>

### Gasket under the flange of the pellet supply pipe



<b>Code: S0170</b> gasket under the flange of the pellet supply pipe - sibril paper	<i>Price:</i>
	<i>Weight: 0,01 kg</i>

### Gasket under the fan - A25



<b>Code: S0156</b> gasket under the flange of the burner fan - A25 - 72 x 79 mm	<i>Price:</i>
	<i>Weight: 0,01 kg</i>

### End switch stop



<b>Code: H0237</b> end switch stop	<i>Price:</i>
	<i>Weight: 0,06 kg</i>

### Air flap of the fan




<b>Code: H0230</b> air flap of the fan	<i>Price:</i>
	<i>Weight: 0,10 kg</i>

### Ignition spiral



<b>Code: H0229</b> spare ignition spiral 500W	<i>Price:</i>
	<i>Weight: 0,18 kg</i>

### Holder of the electronic unit




<b>Code: H0221</b> holder of the electronic unit	<i>Price:</i>
	<i>Weight: 0,70 kg</i>

### Safety thermostat cover



<b>Code: H0224</b> safety thermostat cover	<i>Price:</i>
	<i>Weight: 0,05 kg</i>

### Burner cover - A25 - hood with a window for display



<b>Code: H0219</b> burner cover - hood with a window for the display	<i>Price:</i>
	<i>Weight: 1,50 kg</i>
<b>Code: H0274</b> burner cover - red - hood with a window for the display - model (AC07X)	<i>Price:</i>
	<i>Weight: 1,50 kg</i>
<b>Code: H0292</b> burner cover - blue - hood with a window for the display - model (AC07X)	<i>Price:</i>
	<i>Weight: 1,50 kg</i>

### Safety thermostat on pellet supply pipe 55 °C / 95 °C



<b>Code: H0059</b> safety thermostat to burner supply pipe 95 °C	<i>Price:</i>
	<i>Weight: 0,02 kg</i>
<b>Code: H0098</b> safety thermostat to burner supply pipe 55 °C - for DxxPX, PXxx	<i>Price:</i>
	<i>Weight: 0,02 kg</i>

### Display self-sticking label




<b>Code: H0236</b> display self-sticking label	<i>Price:</i>
	<i>Weight: 0,01 kg</i>

### Electric wiring of the burner




<b>Code: H0216</b> electric wiring of the burner, incl. bushings and connectors - AC07	<i>Price:</i>
	<i>Weight:</i> 1,00 kg
<b>Code: H0216</b> electric wiring of the burner, incl. bushings and connectors - AC07X	<i>Price:</i>
	<i>Weight:</i> 1,10 kg

### AC07 electronic unit connector (1 - 16) PIN – bottom



<b>Code: H0234</b> electronic unit connector (1 - 16) - bottom	<i>Price:</i>
	<i>Weight:</i> 0,03 kg

### AC07 and AC07X electronic unit connector



<b>Code: H0235</b> electronic unit connector (1 - 8) - top for unit AC07	<i>Price:</i>
	<i>Weight:</i> 0,01 kg
<b>Code: H0260</b> electronic unit connector (1 - 12) - top for unit AC07X	<i>Price:</i>
	<i>Weight:</i> 0,01 kg

### Photocell



<b>Code: H0231</b> spare photocell	<i>Price:</i>
	<i>Weight:</i> 0,05 kg
<b>Code: H0232</b> photocell holder	<i>Price:</i>
	<i>Weight:</i> 0,02 kg
<b>Code: H0055</b> photocell with holdre - complete	<i>Price:</i>
	<i>Weight:</i> 0,07 kg
<b>Code: S0155</b> gasket for photocell	<i>Price:</i>
	<i>Weight:</i> 0,01 kg

### The connecting cable for the fan speed sensing




<b>Code: H0109</b> the connecting cable for the fan speed sensing	<i>Price:</i>
	<i>Weight:</i> 0,05 kg

### End switch of the burner



<b>Code: H0210</b> end switch of the burner – FR501	<i>Price:</i>
	<i>Weight:</i> 0,08 kg

**Burner connector with lid - supply - power**



**Code: S0902** connector (NAC 52S.B)  
female with cabel – 5-pin

*Price:*  
*Weight: 0,44 kg*


**Burner connector with bushing - power**



**Code: S0989** connector - male – 6-pin  
- for control unit (AC07X)

*Price:*  
*Weight: 0,02 kg*

**Burner connector with bushing - power**



**Code: S0914** connector (NAC 51.B) – male  
with bushing – 5-pin

*Price:*  
*Weight: 0,02 kg*

**Entrance connector with lid - for sensors**



**Code: S0988** 6-pin connector - male  
- for sensors TSV, TK, TV and TS  
- for control unit AC07X

*Price:*  
*Weight: 0,02 kg*

**Burner connector with lid - supply - power**




**Code: S0991** connector - female for cabel  
6-pin - for control unit (AC07X)

*Price:*  
*Weight: 0,02 kg*

**Code: S0739** connecting cable between  
boiler and burner - 2,5 m - complete  
with connectors type S0985 and S0991

*Price:*  
*Weight: 0,52 kg*

**Burner connector with bushing - for sensors**



**Code: S0987** 6-pin connector with  
bushing - female - for sensors TSV,  
TK, TV and TS - for control unit AC07X

*Price:*  
*Weight: 0,02 kg*


### Socket for the external conveyor



**Code: H0211** socket for the external conveyor

*Price:*  
*Weight:* 0,05 kg

### Set for reduction of pipes diameter Ø 65 / Ø 75 mm



**Code: S0993** set for reduction of pipes diameter for A25 / A45 - Ø 65 / Ø 75 mm

*Price:*  
*Weight:* 0,65 kg

### Cleaning fire hook - small



**Code: V0346** fire hook for cleaning burning chamber of the burner A25 or A45 - small

*Price:*  
*Weight:* 0,12 kg

### Closing lid



**Code: S0509** intended for closing the air entrance when burning wood in boiler types DC15EP, DC18SP, DC25SP, DC32SP – for burners ATMOS A25 and IWABO VILLA S1

*Price:*  
*Weight:* 0,20 kg



Special parts for A25 pellet burner  
 - in a version for DCxxGSP boiler  
 - in a version for DCxxSP, CxxSP boilers - Model 2018



**Complete air flap for closing of pellet burner when burning wood**




<b>Code: H0420</b> complete air flap for closing of pellet burner when burning wood in boilers DCxxGSP, DCxxSP, CxxSP - Model 2018	Price:
	Weight: 1,60 kg

**Shaft sealing for air flap**



<b>Code: S1053</b> shaft sealing for air flap	Price:
	Weight: 0,01 kg

**Actuator for burner flap**



<b>Code: P0074</b> actuator for closing A25 burner flap - for boilers GSP, SP - 2018	Price:
	Weight: 0,56 kg

**Air flap sealing**



<b>Code: S1051</b> air flap inner sealing between burner and intermediate flange	Price:
	Weight: 0,01 kg

### Sealing between flap and burner



**Code: S1052** sealing between flap and burner

*Price:*  
*Weight:* 0,01 kg


### AD04 module



**Code: P0446** burner module for special functions

*Price:*  
*Weight:* 0,10 kg

### R3 and R4 connector for burner



**Code: S1090** A) female connector with bushing in to burner for R3 and R4 support outputs of ventilator - for burner

*Price:*  
*Weight:* 0,01 kg

**Code: S1091** B) male connector for cable

*Price:*  
*Weight:* 0,01 kg

### Electric wiring of the burner A25 - GSP, SP - 2018



**Code: H0233** electric wiring of the burner, incl. bushings and connectors - AC07X (GSP)

*Price:*  
*Weight:* 1,10 kg


### R3 and R4 connecting cable for boilers DCxxGSP



**Code: S1084** additional connecting cable with 2-pin connectors (S1091 and S1093) R3 and R4 between boiler and burner

*Price:*  
*Weight:* 0,16 kg

### Burner cover - A25 - hood with a window for display



**Code: H0421** A25 burner cover - blue DCxxGSP

*Price:*  
*Weight:* 2,09 kg


**Code: H0423** A25 burner cover - red DCxxSP, CxxSP - Model 2018

*Price:*  
*Weight:* 2,09 kg

# Parts for pneumatic cleaning of the ATMOS A25 pellet burner



**Holder - plate with openings for the ignition spirals - for pneumatic cleaning**



**Code: H0277** holder - plate with openings for the ignition spirals - for burner with pneumatic cleaning

*Price:*  
*Weight: 1,00 kg*


**Pneumatic cleaning duct**



**Code: H0533** pneumatic cleaning duct with locking nut and washer

*Price:*  
*Weight: 1,32 kg*

**Combustion chamber (pot) of the burner - for pneumatic cleaning**



**Code: H0276** spare combustion chamber (pot) of the burner with pneumatic cleaning

*Price:*  
*Weight: 0,92 kg*

**Electromagnetic valve of the pneumatic cleaning**



**Code: S1036** complete fittings (3/4") with control electro valve

*Price:*  
*Weight: 1,14 kg*

### Connecting air hose fot pneumatic cleaning



**Code: S0767** connecting air hose between burner and compressor - 1 m (Ø 28 mm) *Price:*  
*Weight:* 1,10 kg


**Code: S0768** connecting air hose between burner and compressor - 1,5 m (Ø 28 mm) *Price:*  
*Weight:* 1,36 kg

### Connector for the compressor



**Code: S0647** conector for the compressor (male) *Price:*  
*Weight:* 0,02 kg

### Burner body lid with gasket



**Code: S0996** cover (lid) hole of burner body for pneumatic celanin *Price:*  
*Weight:* 0,10 kg

**Code: S1031** gasket under cover (lid) *Price:*  
*Weight:* 0,01 kg

### Supply cable for compressor



**Code: S0747** connecting cable with 3-pin connector (female) between compressor, boiler and socket on the wall *Price:*  
*Weight:* 0,52 kg

### Compressor for pneumatic cleaning



**Code: H0305** compressor (H2/6) for burner pneumatic cleaning - A25 and A45 *Price:*  
*Weight:* 19,00 kg

### Closing mechanism - slide valve



For gasification boilers with an in-built burner in the upper doors and pneumatic burner cleaner

**Code: H0535** for boilers: DC18S, DC22S, DC25S, DC30SX, C18S, C20S, C25ST, C30S, C32ST, C40S, AC25S, AC35S, KC25S, KC35S, DC30RS *Price:*  
*Weight:* 0,34 kg

**Code: H0537** for boilers: DC30SE, DC32S, DC40SX, DC50S *Price:*  
*Weight:* 0,36 kg

## 8. ATMOS A45 pellet burner



### Pellet burner - ATMOS A45



<b>Code: H0015</b> burner - red - (8,5 - 49 kW)	<i>Price:</i>
	<i>Weight: 23,00 kg</i>
<b>Code: H0238</b> fuse for ignitaton spiral – type F3.15A/1500A/5x20 mm – into the burner	<i>Price:</i>
	<i>Weight: 0,01 kg</i>
<b>Code: H0239</b> fuse for ventilator or conveyor spiral – type F0.8A/1500A/5x20 mm	<i>Price:</i>
	<i>Weight: 0,01 kg</i>
<b>Code: H0251</b> fuse for conveyor – type F1.0A/1500A/5x20 mm	<i>Price:</i>
	<i>Weight: 0,01 kg</i>

### Conveyors for burner ATMOS A45



<b>Code: H0039</b> conveyor for burner with shaft DRA50 - 1,7 m (gearbox 40 W)	<i>Price:</i>
	<i>Weight: 17,00 kg</i>
<b>Code: H0037</b> conveyor for burner with shaft DRA50 - 2,5 m (gearbox 40 W)	<i>Price:</i>
	<i>Weight: 23,00 kg</i>
<b>Code: H0004</b> conveyor for burner with shaft DRA50 - 4 m (gearbox 40 W)	<i>Price:</i>
	<i>Weight: 36,80 kg</i>
<b>Code: H0005</b> conveyor for burner with shaft DRA50 - 5 m (gearbox 40 W)	<i>Price:</i>
	<i>Weight: 40,00 kg</i>

### Electronic unit of the burner




<b>Code: H0222</b> spare electronic unit of the burner - AC07 (ACO7X - since 2012) with a fixation plate	<i>Price:</i>
	<i>Weight: 0,70 kg</i>

### Gear box of the conveyor DRA50



<b>Code: H0107</b> gearbox of the conveyor 25W - DRA50 - 1,7 a 2,5 m	<i>Price:</i>
	<i>Weight: 2,72 kg</i>
<b>Code: H0159</b> gearbox of the conveyor 40W - DRA50 - 1,7 a 2,5 m	<i>Price:</i>
	<i>Weight: 4,50 kg</i>
<b>Code: H0113</b> gearbox capacitor for conveyors DA a DRA	<i>Price:</i>
	<i>Weight: 0,06 kg</i>

### Incoming feeding pipe



<b>Code: H0175</b> spare pipe between burner and pellet conveyor - lenght 1 m and Ø 75 mm - transparent	Price:
	Weight: 0,78 kg


### Leg and collar for conveyors - type DRA



<b>Code: H0416</b> collar – separate for conveyors DRA	Price:
	Weight: 0,20 kg

<b>Code: H0415</b> leg for conveyor type DRA - for conveyors DRA1,7 m, DRA2,5 m, DRA4 m, DRA5 m and DA1500	Price:
	Weight: 2,10 kg

### Spare auger with shaft for conveyor DRA50



<b>Code: H0007</b> spare auger for conveyor 1,7 m	Price:
	Weight: 4,41 kg

<b>Code: H0008</b> spare auger for conveyor 2,5 m	Price:
	Weight: 6,26 kg

<b>Code: H0009</b> spare auger for conveyor 4 m	Price:
	Weight: 8,45 kg

<b>Code: H0010</b> spare auger for conveyor 5 m	Price:
	Weight: 10,28 kg

### Spare bearing for conveyor




<b>Code: V0104</b> bearing	Price:
	Weight: 0,12 kg

<b>Code: V0105</b> pocket - 2 pcs	Price:
	Weight: 0,10 kg

<b>Code: H0198</b> complete set - bearing + pocket - 2 pcs	Price:
	Weight: 0,22 kg

### Spare tube of conveyor DRA50



<b>Code: H0267</b> spare tube of conveyor DRA50 - 1,7 m	Price:
	Weight: 5,87 kg

<b>Code: H0268</b> spare tube of conveyor DRA50 - 2,5 m	Price:
	Weight: 8,19 kg


<b>Code: H0269</b> spare tube of conveyor DRA50 - 4 m - part A)	Price:
	Weight: 6,65 kg

<b>Code: H0270</b> spare tube of conveyor DRA50 - 4 m - part B)	Price:
	Weight: 6,22 kg

<b>Code: H0271</b> spare tube of conveyor DRA50 - 5 m - part A)	Price:
	Weight: 8,09 kg


<b>Code: H0272</b> spare tube of conveyor DRA50 - 5 m - part B)	Price:
	Weight: 7,66 kg

### Parts for connectin of the conveyor gearbox




<b>Code: V0139</b> flange for conveyor gearbox - DRA	<i>Price:</i>
	<i>Weight: 0,28 kg</i>
<b>Code: V0529</b> locking pivot	<i>Price:</i>
	<i>Weight: 0,03 kg</i>
<b>Code: V0140</b> locking brace for conveyer - DRA	<i>Price:</i>
	<i>Weight: 0,03 kg</i>

### Top cover of the burner mouth




<b>Code: H0404</b> top cover of the burner mouth - A45	<i>Price:</i>
	<i>Weight: 1,48 kg</i>

### Combustion chamber (pot) of the burner



<b>Code: H0410</b> spare combustion chamber (pot) of the burner - A45	<i>Price:</i>
	<i>Weight: 2,00 kg</i>

### Inner holder of the ignition spiral




<b>Code: H0409</b> inner holder of the ignition spiral	<i>Price:</i>
	<i>Weight: 0,14 kg</i>

### Holder - plate with openings for the ignition spirals



<b>Code: H0407</b> holder - plate with openings for the ignition spirals - A45	<i>Price:</i>
	<i>Weight: 1,26 kg</i>

### Ignition spiral cover



<b>Code: H0408</b> ignition spiral cover	<i>Price:</i>
	<i>Weight: 0,10 kg</i>

### Pellet supply pipe




**Code: H0406** pellet supply pipe

*Price:*

*Weight: 0,72 kg*

### Fan with a speed sensor and with air flap



**Code: H0041** spare fan with a speed sensor  
and with air flap

*Price:*

*Weight: 2,04 kg*

### Gasket under the flange of the pellet supply pipe




**Code: S0181** gasket under the flange of the  
pellet supply pipe - sibril paper

*Price:*

*Weight: 0,01 kg*

### Gasket under the fan - A45



**Code: S0157** gasket under the flange of the  
burner fan - A45 - 84 x 94 mm

*Price:*

*Weight: 0,01 kg*

### End switch stop



**Code: H0412** end switch stop

*Price:*

*Weight: 0,07 kg*

### Air flap of the fan



**Code: H0441** air flap of the fan

*Price:*

*Weight: 0,16 kg*




### Ignition spiral



**Code: H0229** spare ignition spiral 500W  
*Price:*  
*Weight:* 0,18 kg

### Holder of the electronic unit




**Code: H0405** holder of the electronic unit  
*Price:*  
*Weight:* 0,54 kg

### Safety thermostat cover



**Code: H0224** safety thermostat cover  
*Price:*  
*Weight:* 0,05 kg

### Burner cover - A45 - hood with a window for display



**Code: H0403** burner cover - hood with a window for the display  
*Price:*  
*Weight:* 1,76 kg

**Code: H0413** burner cover - red - hood with a window for the display - model (AC07X)  
*Price:*  
*Weight:* 1,76 kg

**Code: H0422** burner cover - blue - hood with a window for the display - model (AC07X)  
*Price:*  
*Weight:* 1,76 kg

### Safety thermostat 95°C




**Code: H0059** safety thermostat to burner supply pipe (two possible types) - can be changed  
*Price:*  
*Weight:* 0,02 kg

### Display self-sticking label



**Code: H0236** display self-sticking label  
*Price:*  
*Weight:* 0,01 kg


### Electric wiring of the burner



**Code: H0216** electric wiring of the burner, incl. bushings and connectors - AC07 *Price:*  
*Weight:* 1,00 kg


**Code: H0216** electric wiring of the burner, incl. bushings and connectors - AC07X *Price:*  
*Weight:* 1,10 kg

### AC01 electronic unit connector (1 - 16) PIN – bottom



**Code: H0234** AC01 electronic unit connector (1 - 16) PIN – bottom *Price:*  
*Weight:* 0,03 kg

### AC07 and AC07X electronic unit connector



**Code: H0235** electronic unit connector (1 - 8) - top for unit AC07 *Price:*  
*Weight:* 0,01 kg

**Code: H0260** electronic unit connector (1 - 12) - top for unit AC07X *Price:*  
*Weight:* 0,01 kg

### Photocell



**Code: H0231** spare photocell *Price:*  
*Weight:* 0,05 kg

**Code: H0232** photocell holder *Price:*  
*Weight:* 0,02 kg

**Code: H0055** photocell with holdre - complete *Price:*  
*Weight:* 0,07 kg

**Code: S0155** gasket for photocell *Price:*  
*Weight:* 0,01 kg

### The connecting cable for the fan speed sensing



**Code: H0109** the connecting cable for the fan speed sensing *Price:*  
*Weight:* 0,05 kg

### End switch of the burner



**Code: H0210** end switch of the burner – FR501 *Price:*  
*Weight:* 0,08 kg

**Burner connector with lid - supply - power**




<b>Code: S0902</b> connector (NAC 52S.B) female with cabel – 5-pin	<i>Price:</i> <i>Weight: 0,44 kg</i>
---	---

**Burner connector with bushing - power**



<b>Code: S0989</b> connector - male – 6-pin - for control unit (AC07X)	<i>Price:</i> <i>Weight: 0,02 kg</i>
---	---

**Burner connector with bushing - power**



<b>Code: S0914</b> connector (NAC 51.B) – male with bushing – 5-pin	<i>Price:</i> <i>Weight: 0,02 kg</i>
--	---

**Entrance connector with lid - for sensors**




<b>Code: S0988</b> 6-pin connector - male - for sensors TSV, TK, TV and TS - for control unit AC07X	<i>Price:</i> <i>Weight: 0,02 kg</i>
---	---

**Burner connector with lid - supply - power**



<b>Code: S0991</b> connector - female for cabel 6-pin - for control unit (AC07X)	<i>Price:</i> <i>Weight: 0,02 kg</i>
<b>Code: S0739</b> connecting cable between boiler and burner - 2,5 m - complete with connectors type S0985 and S0991	<i>Price:</i> <i>Weight: 0,52 kg</i>

**Burner connector with bushing - for sensors**



<b>Code: S0987</b> 6-pin connector with bushing - female - for sensors TSV, TK, TV and TS - for control unit AC07X	<i>Price:</i> <i>Weight: 0,02 kg</i>
--	---


### Socket for the external conveyor



**Code: H0211** socket for the external conveyor

*Price:*  
*Weight:* 0,05 kg

### Set for reduction of pipes diameter Ø 65 / Ø 75 mm



**Code: S0993** set for reduction of pipes diameter for A25 / A45 - Ø 65 / Ø 75 mm

*Price:*  
*Weight:* 0,65 kg

### Cleaning fire hook - small



**Code: V0346** fire hook for cleaning burning chamber of the burner A25 or A45 - small

*Price:*  
*Weight:* 0,12 kg

### Roof for conveyor DA a DRA




**Code: H0275** it is roof for conveyor in pellet silo with pellet level more than 2 m

*Price:*  
*Weight:* 3,60 kg

# Parts for pneumatic cleaning of the ATMOS A45 pellet burner



## Holder - plate with openings for the ignition spirals - for pneumatic cleaning



**Code: H0417** holder - plate with openings for the ignition spirals - for burner with pneumatic cleaning

*Price:*  
*Weight: 1,16 kg*

## Pneumatic cleaning duct



**Code: H0533** pneumatic cleaning duct with locking nut and washer

*Price:*  
*Weight: 1,74 kg*

## Combustion chamber (pot) of the burner - for pneumatic cleaning



**Code: H0418** spare combustion chamber (pot) of the burner with pneumatic cleaning

*Price:*  
*Weight: 1,92 kg*

## Electromagnetic valve of the pneumatic cleaning



**Code: S1036** complete fittings (3/4") with control electro valve

*Price:*  
*Weight: 1,14 kg*

### Connecting air hose for pneumatic cleaning



**Code: S0767** connecting air hose between burner and compressor - 1 m (Ø 28 mm) *Price:*  
*Weight:* 1,10 kg


**Code: S0768** connecting air hose between burner and compressor - 1,5 m (Ø 28 mm) *Price:*  
*Weight:* 1,36 kg

### Connector for the compressor



**Code: S0647** connector for the compressor (male) *Price:*  
*Weight:* 0,02 kg

### Burner body lid with gasket



**Code: S0996** cover (lid) hole of burner body for pneumatic cleaning *Price:*  
*Weight:* 0,10 kg

**Code: S1031** gasket under cover (lid) *Price:*  
*Weight:* 0,01 kg

### Compressor for pneumatic cleaning



**Code: H0305** compressor (H2/6) for burner pneumatic cleaning - A25 and A45 *Price:*  
*Weight:* 19,00 kg

### Supply cable for compressor



**Code: S0747** connecting cable with 3-pin connector (female) between compressor, boiler and socket on the wall *Price:*  
*Weight:* 0,52 kg

### Closing mechanism - slide valve



For gasification boilers with an in-built burner in the upper doors and pneumatic burner cleaner

**Code: H0535** for boilers: DC18S, DC22S, DC25S, DC30SX, C18S, C20S, C25ST, C30S, C32ST, C40S, AC25S, AC35S, KC25S, KC35S, DC30RS *Price:*  
*Weight:* 0,34 kg

**Code: H0537** for boilers: DC30SE, DC32S, DC40SX, DC50S *Price:*  
*Weight:* 0,36 kg

## 9. ATMOS A85 pellet burner with pneumatic cleaning



### ATMOS A85 pellet burner



<b>Code: H0033</b> burner - red - (24 - 80 kW)	<i>Price:</i>
	<i>Weight: 46,00 kg</i>
<b>Code: H0238</b> fuse for ignitaton spiral – type F3.15A/1500A/5x20 mm – into the burner	<i>Price:</i>
	<i>Weight: 0,01 kg</i>
<b>Code: H0239</b> fuse for ventilator or conveyor spiral – type F0.8A/1500A/5x20 mm	<i>Price:</i>
	<i>Weight: 0,01 kg</i>
<b>Code: H0251</b> fuse for conveyor – type F1.0A/1500A/5x20 mm	<i>Price:</i>
	<i>Weight: 0,01 kg</i>

### Conveyors for ATMOS A85 burner



<b>Code: H0039</b> conveyor for burner with shaft DRA50 - 1,7 m (gearbox 40 W)	<i>Price:</i>
	<i>Weight: 17,00 kg</i>
<b>Code: H0037</b> conveyor for burner with shaft DRA50 - 2,5 m (gearbox 40 W)	<i>Price:</i>
	<i>Weight: 23,00 kg</i>
<b>Code: H0004</b> conveyor for burner with shaft DRA50 - 4 m (gearbox 40 W)	<i>Price:</i>
	<i>Weight: 36,80 kg</i>
<b>Code: H0005</b> conveyor for burner with shaft DRA50 - 5 m (gearbox 40 W)	<i>Price:</i>
	<i>Weight: 40,00 kg</i>

### Electronic unit of the burner




<b>Code: H0222</b> spare electronic unit of the burner - AC07 (ACO7X - since 2012) with a fixation plate	<i>Price:</i>
	<i>Weight: 0,70 kg</i>

### Gear box of the conveyor DRA50



<b>Code: H0107</b> gearbox of the conveyor 25W - DRA50 - 1,7 a 2,5 m	<i>Price:</i>
	<i>Weight: 2,72 kg</i>
<b>Code: H0159</b> gearbox of the conveyor 40W - DRA50 - 1,7 a 2,5 m	<i>Price:</i>
	<i>Weight: 4,50 kg</i>
<b>Code: H0113</b> gearbox capacitor for conveyors DA a DRA	<i>Price:</i>
	<i>Weight: 0,06 kg</i>

### Incoming feeding pipe




<b>Code: H0175</b> spare pipe between burner and pellet conveyor - lenght 1 m and Ø 75 mm - transparent	Price:
	Weight: 0,78 kg

### Leg and collar for conveyors - type DRA



<b>Code: H0416</b> collar – separate for conveyors DRA	Price:
	Weight: 0,20 kg
<b>Code: H0415</b> leg for conveyor type DRA - for conveyors DRA1,7 m, DRA2,5 m, DRA4 m, DRA5 m and DA1500	Price:
	Weight: 2,10 kg

### Spare auger with shaft for conveyor DRA50




<b>Code: H0007</b> spare auger for conveyor 1,7 m	Price:
	Weight: 4,41 kg
<b>Code: H0008</b> spare auger for conveyor 2,5 m	Price:
	Weight: 6,26 kg
<b>Code: H0009</b> spare auger for conveyor 4 m	Price:
	Weight: 8,45 kg
<b>Code: H0010</b> spare auger for conveyor 5 m	Price:
	Weight: 10,28 kg

### Spare bearing for conveyor



<b>Code: V0104</b> bearing	Price:
	Weight: 0,12 kg
<b>Code: V0105</b> pocket - 2 pcs	Price:
	Weight: 0,10 kg
<b>Code: H0198</b> complete set - bearing + pocket - 2 pcs	Price:
	Weight: 0,22 kg


### Spare tube of conveyor DRA50



<b>Code: H0267</b> spare tube of conveyor DRA50 - 1,7 m	Price:
	Weight: 5,87 kg
<b>Code: H0268</b> spare tube of conveyor DRA50 - 2,5 m	Price:
	Weight: 8,19 kg
<b>Code: H0269</b> spare tube of conveyor DRA50 - 4 m - part A)	Price:
	Weight: 6,65 kg
<b>Code: H0270</b> spare tube of conveyor DRA50 - 4 m - part B)	Price:
	Weight: 6,22 kg
<b>Code: H0271</b> spare tube of conveyor DRA50 - 5 m - part A)	Price:
	Weight: 8,09 kg
<b>Code: H0272</b> spare tube of conveyor DRA50 - 5 m - part B)	Price:
	Weight: 7,66 kg




### Parts for connectin of the conveyor gearbox




<b>Code: V0139</b> flange for conveyor gearbox - DRA	<i>Price:</i> <i>Weight:</i> 0,28 kg
<b>Code: V0529</b> locking pivot	<i>Price:</i> <i>Weight:</i> 0,03 kg
<b>Code: V0140</b> locking brace for conveyer - DRA	<i>Price:</i> <i>Weight:</i> 0,03 kg

### Top cover of the burner mouth




<b>Code: H0430</b> top cover of the burner mouth - A85	<i>Price:</i> <i>Weight:</i> 2,59 kg
---	---

### Combustion chamber (pot) of the burner




<b>Code: H0431</b> spare combustion chamber (pot) of the burner - A85	<i>Price:</i> <i>Weight:</i> 5,25 kg
--	---

### Inner holder of the ignition spiral




<b>Code: H0432</b> inner holder of the ignition spiral	<i>Price:</i> <i>Weight:</i> 0,18 kg
---	---

### Holder - plate with openings for the ignition spirals



<b>Code: H0433</b> holder - plate with openings for the ignition spirals - A85	<i>Price:</i> <i>Weight:</i> 2,25 kg
---	---

### Ignition spiral cover



<b>Code: H0434</b> ignition spiral cover	<i>Price:</i> <i>Weight:</i> 0,14 kg
--	---

### Pellet supply pipe



**Code: H0406** pellet supply pipe

*Price:*

*Weight: 0,72 kg*

### Fan with a speed sensor and with air flap



**Code: H0043** spare fan with a speed sensor and with air flap

*Price:*

*Weight: 2,08 kg*

**Code: S0173** spare starting capacitor for burner fan - 2 $\mu$ F

*Price:*

*Weight: 0,06 kg*

### Gasket under flange of pellet supply pipe - A45/85



**Code: S0181** gasket under the flange of the pellet supply pipe - sibral paper

*Price:*

*Weight: 0,01 kg*

### Capacitor for burner fan



**Code: S0173** starting capacitor for burner fan - 2 $\mu$ F

*Price:*

*Weight: 0,06 kg*

### Air flap of the fan




**Code: H0435** air flap of the fan

*Price:*

*Weight: 0,21 kg*

### Gasket under the fan - A85



**Code: S1058** gasket under the flange of the burner fan - A85 - 93 x 95 mm

*Price:*

*Weight: 0,01 kg*

### Ignition spiral




**Code: H0229** spare ignition spiral 500W

*Price:*

*Weight: 0,18 kg*

### Holder of the electronic unit



**Code: H0405** holder of the electronic unit

*Price:*

*Weight: 0,54 kg*

### Safety thermostat cover




**Code: H0224** safety thermostat cover

*Price:*

*Weight: 0,05 kg*

### Burner cover - A85 - hood with a window for display



**Code: H0436** burner cover - hood with a window for display - model 2012 (AC07X)

*Price:*

*Weight: 2,60 kg*

### Safety thermostat 95°C



**Code: H0059** safety thermostat to burner supply pipe (two possible types) - can be changed

*Price:*

*Weight: 0,02 kg*

### Display self-sticking label



**Code: H0236** display self-sticking label

*Price:*

*Weight: 0,01 kg*

### Electric wiring of the burner A85



**Code: H0265** electric wiring of the burner, incl. bushings and connectors - AC07X


<i>Price:</i>
<i>Weight:</i> 1,10 kg

### Photocell



<b>Code: H0231</b> spare photocell	<i>Price:</i>
	<i>Weight:</i> 0,05 kg
<b>Code: H0232</b> photocell holder	<i>Price:</i>
	<i>Weight:</i> 0,02 kg
<b>Code: H0055</b> photocell with holdre - complete	<i>Price:</i>
	<i>Weight:</i> 0,07 kg
<b>Code: S0155</b> gasket for photocell	<i>Price:</i>
	<i>Weight:</i> 0,01 kg

### AC01 electronic unit connector (1 - 16) PIN – bottom



**Code: H0234** AC01 electronic unit connector (1 - 16) PIN – bottom

<i>Price:</i>
<i>Weight:</i> 0,03 kg


### The connecting cable for the fan speed sensing



**Code: H0109** the connecting cable for the fan speed sensing for burner

<i>Price:</i>
<i>Weight:</i> 0,05 kg

### AC07X electronic unit connector



**Code: H0260** electronic unit connector (1 - 12) - top for unit AC07X

<i>Price:</i>
<i>Weight:</i> 0,01 kg

### End switch stop



**Code: H0437** end switch stop for A85 pellet burner

<i>Price:</i>
<i>Weight:</i> 0,07 kg

**End switch of the burner**



<b>Code: H0210</b> end switch of the burner – FR501	<i>Price:</i>
	<i>Weight:</i> 0,08 kg

**Entrance connector with lid - for sensors**




<b>Code: S0988</b> 6-pin connector - male - for sensors TSV, TK, TV and TS - for control unit AC07X	<i>Price:</i>
	<i>Weight:</i> 0,02 kg

**Burner connector with lid - supply - power**



<b>Code: S0991</b> connector - female for cabel 6-pin - for control unit (AC07X)	<i>Price:</i>
	<i>Weight:</i> 0,02 kg
<b>Code: S0739</b> connecting cable between boiler and burner - 2,5 m - complete with connectors type S0985 and S0991	<i>Price:</i>
	<i>Weight:</i> 0,52 kg

**Burner connector with bushing - for sensors**




<b>Code: S0987</b> 6-pin connector with bushing - female - for sensors TSV, TK, TV and TS - for control unit AC07X	<i>Price:</i>
	<i>Weight:</i> 0,02 kg

**Burner connector with bushing - power**



<b>Code: S0989</b> connector - male – 6-pin - for control unit (AC07X)	<i>Price:</i>
	<i>Weight:</i> 0,02 kg

**Speed sensing connector - A85**



<b>Code: S0662</b> 3-pin connector - without cable - connecting cable for the exhaust fan speed sensing (UCJ4C82B) - boiler D80P, P80	<i>Price:</i>
	<i>Weight:</i> 0,02 kg
<b>Code: S1094</b> 3-pin connector - separate - without cable	<i>Price:</i>
	<i>Weight:</i> 0,01 kg

### Socket for the external conveyor



**Code: H0211** socket for the external conveyor

*Price:*  
*Weight: 0,05 kg*

### Cleaning fire hook - small



**Code: V0346** fire hook for cleaning burning chamber of burner A25/A45/A85 - small

*Price:*  
*Weight: 0,12 kg*


### Module AD04



**Code: P0446** burner module for special functions

*Price:*  
*Weight: 0,10 kg*

### Dilatation cover for burner chamber



**Code: H0438** dilatation cover for burner mouth (chamber) A85

*Price:*  
*Weight: 0,21 kg*

### Roof for conveyor DA a DRA



**Code: H0275** it is roof for conveyor in pellet silo with pellet level more than 2 m

*Price:*  
*Weight: 3,60 kg*

### Shield for secondary air inlet



**Code: H0439** shield for secondary air inlet for burner A85

*Price:*  
*Weight: 0,02 kg*

### Pneumatic cleaning duct



**Code: H0440** pneumatic cleaning duct with locking nut and washer

<i>Price:</i>
<i>Weight:</i> 5,49 kg

### Electromagnetic valve of the pneumatic cleaning



**Code: S1078** complete fittings (3/4") with control electro valve - A85

<i>Price:</i>
<i>Weight:</i> 1,48 kg

### Supply cable for compressor



**Code: S0747** connecting cable with 3-pin connector (female) between compressor, boiler and socket on the wall

<i>Price:</i>
<i>Weight:</i> 0,52 kg

### Connecting air hose for pneumatic cleaning



**Code: S0767** connecting air hose between burner and compressor - 1 m (Ø 28 mm)

<i>Price:</i>
<i>Weight:</i> 1,10 kg

**Code: S0768** connecting air hose between burner and compressor - 1,5 m (Ø 28 mm)

<i>Price:</i>
<i>Weight:</i> 1,36 kg

### Connector for the compressor



**Code: S0647** conector for the compressor (male)

<i>Price:</i>
<i>Weight:</i> 0,02 kg

### Compressor for pneumatic cleaning - A85



**Code: H0308** compressor (H2/24) for burner pneumatic cleaning - A85

<i>Price:</i>
<i>Weight:</i> 19,00 kg

## 10. IWABO pellet burner




### Pellet burner - IWABO




<b>Code: H0012</b> red color burner -(6 - 22 kW)	<i>Price:</i>
	<i>Weight:</i> 17,00 kg
<b>Code: H0013</b> grey color burner -(6 - 22 kW)	<i>Price:</i>
	<i>Weight:</i> 17,00 kg
<b>Code: H0022</b> pellet conveyor 1,5 m	<i>Price:</i>
	<i>Weight:</i> 10,00 kg
<b>Code: H0032</b> pellet conveyor 2,5 m	<i>Price:</i>
	<i>Weight:</i> 14,00 kg
<b>Code: H0060</b> fuse 6,3 A – into burner	<i>Price:</i>
	<i>Weight:</i> 0,01 kg
<b>Code: H0061</b> fuse 2 A – into burner	<i>Price:</i>
	<i>Weight:</i> 0,01 kg

### Electronic unit PCB board IWABO




<b>Code: H0051</b> electronic unit PCB board – old version till prod no.7899	<i>Price:</i>
	<i>Weight:</i> 0,20 kg
<b>Code: H0064</b> electronic unit PCB – new from no. 7900 to prod. no. 15809	<i>Price:</i>
	<i>Weight:</i> 0,28 kg
<b>Code: H0070</b> electronic unit PCB from prod no. 15810	<i>Price:</i>
	<i>Weight:</i> 0,28 kg
<b>Code: H0242</b> set for change to the electronic unit ATMOS AC07X (AC07)	<i>Price:</i>
	<i>Weight:</i> 1,74 kg

### Photocell



<b>Code: H0055</b> spare photocell - complete (H0231 + H0232)	<i>Price:</i>
	<i>Weight:</i> 0,07 kg

### Incoming feeding pipe



<b>Code: H0066</b> spare pipe between burner and pellet conveyor - lenght 1 m and Ø 65 mm - transparent	<i>Price:</i>
	<i>Weight:</i> 0,68 kg




### Heating spiral




<b>Code: H0052</b> heating spiral	<i>Price:</i>
	<i>Weight: 0,16 kg</i>
<b>Code: H0108</b> connection wires for ignition spiral IWABO	<i>Price:</i>
	<i>Weight: 0,04 kg</i>

### Blow fan




<b>Code: H0058</b> blower fan with speed sensor for burners with production number from 15810 - compensation for fan H0056	<i>Price:</i>
	<i>Weight: 1,12 kg</i>

### Combustion chamber (pot) of the burner



<b>Code: H0053</b> spare combustion chamber (pot) of the burner	<i>Price:</i>
	<i>Weight: 0,80 kg</i>

### Heating spiral cover



<b>Code: H0062</b> heating spiral cover	<i>Price:</i>
	<i>Weight: 0,78 kg</i>

### Safety thermostat 95°C



<b>Code: H0059</b> safety thermostat to burner supply pipe (two possible types) - can be changed	<i>Price:</i>
	<i>Weight: 0,02 kg</i>

### Gear box of the conveyor- old version



<b>Code: H0063</b> spare gear box 1,5 a 2,5 m - old	<i>Price:</i>
	<i>Weight: 2,10 kg</i>
<b>Code: H0105</b> spare gear box from production of the burner - 46985 - old version	<i>Price:</i>
	<i>Weight: 1,98 kg</i>

### Gear box of the conveyor– new version



**Code: H0107** gear boax of the conveyor  
 lenght 1,5 and 2,5 m - new version from  
 2006 - axle diameter 10 mm

<i>Price:</i>
<i>Weight:</i> 2,72 kg


### L – part



**Code: S0454** for boilers D15P, D20P,  
 DC15EP, DC18SP, DC25SP, DC32SP  
 with pellet burner IWABO, as an backstop for end switch

<i>Price:</i>
<i>Weight:</i> 0,14 kg

### End-switch of the burner



**Code: H0065** end-switch of the burner

<i>Price:</i>
<i>Weight:</i> 0,34 kg

### Gear box housing



**Code: S0508** for standard delivered gear box  
 with impeller - old version - metal version

<i>Price:</i>
<i>Weight:</i> kg

**Code: S0510** for new version of gear box –  
 plastic version

<i>Price:</i>
<i>Weight:</i> kg


### Closing lid



**Code: S0509** intended for closing the air  
 entrance when burning wood in boiler  
 types DC15EP, DC18SP, DC25SP, DC32SP – for burners  
 ATMOS A25 and IWABO VILLA S1

<i>Price:</i>
<i>Weight:</i> 0,20 kg

### Relay with varistor



**Code: H0057** spare part for replacing all  
 old relays (blue, white etc.) – for old  
 versions of the PCB boards of IWABO burners

<i>Price:</i>
<i>Weight:</i> 0,02 kg

# 11. ERATO GP20 pellet burner



**Pellet burner - ERATO GP20**



<b>Code: H0016</b> red burner output- (6-25 kW) — delivered with 2 m pellet conveyor; — included in the burner price	<i>Price:</i>
	<i>Weight:</i> 20,00 kg

**Power converter**



<b>Code: H0028</b> new type power converter unit - interchangeable with the old version	<i>Price:</i>
	<i>Weight:</i> 0,28 kg


**Electronic unit of the burner**



<b>Code: H0027</b> new version of the electronic unit - interchangeable with the old version	<i>Price:</i>
	<i>Weight:</i> 0,24 kg


<b>Code: H0262</b> set for change to the electronic unit ATMOS AC07X (AC07)	<i>Price:</i>
	<i>Weight:</i> 1,20 kg

**Set for change to the electronic unit ATMOS AC07X**



<b>Code: H0262</b> set for change to the electronic unit ATMOS AC07X (AC07)	<i>Price:</i>
	<i>Weight:</i> 1,20 kg

### Heating spirale



**Code: H0020** spare heating spirale

*Price:*

*Weight:* 0,28 kg

### Photocell with a rubber ring - old




**Code: H0026** spare photocell - old

*Price:*

*Weight:* 0,15 kg

### Heating spiral cover



**Code: H0024** heating spiral cover

*Price:*

*Weight:* 0,78 kg

### Photocell - new



**Code: H0231** spare photocell

*Price:*

*Weight:* 0,05 kg

**Code: H0232** photocell holder

*Price:*


*Weight:* 0,02 kg

**Code: H0055** photocell with holdre - complete

*Price:*

*Weight:* 0,07 kg

### Combustion chamber (pot) of the burner



**Code: H0054** spare combustion (pot) of the burner

*Price:*

*Weight:* 0,78 kg

### Burner blower fan



**Code: H0031** spare burner blower fan

*Price:*


*Weight:* 1,44 kg

**Safety temperature thermostat – on the feeding pipe**



<b>Code: H0038</b> safety thermostat – on the feeding pipe – (2 types) – interchangeable with type H0059 – necessary to bent the connectors up!!!	<i>Price:</i>
	<i>Weight: 0,03 kg</i>

**Incoming feeding pipe**



<b>Code: H0066</b> spare pipe between burner and pellet conveyor – length 1m - transparent	<i>Price:</i>
	<i>Weight: 0,68 kg</i>

**End-switch of the burner**



<b>Code: H0030</b> end-switch of the burner	<i>Price:</i>
	<i>Weight: 0,34 kg</i>

**Pilot light**




<b>Code: H0190</b> spare pilot light – green	<i>Price:</i>
	<i>Weight: 0,01 kg</i>
<b>Code: H0191</b> spare pilot lighta – red	<i>Price:</i>
	<i>Weight: 0,01 kg</i>
<b>Code: H0192</b> spare pilot light – orange	<i>Price:</i>
	<i>Weight: 0,01 kg</i>

**Gear box for conveyor – old version**



<b>Code: H0029</b> gear box for conveyor 1,5 - 2 m	<i>Price:</i>
	<i>Weight: 1,46 kg</i>

**Connectors**



<b>Code: H0193</b> A) connector - socket - female	<i>Price:</i>
	<i>Weight: 0,01 kg</i>
<b>Code: H0194</b> B) connector - plug - male	<i>Price:</i>
	<i>Weight: 0,02 kg</i>

## 12. ATMOS A50 pellet burner



### Pellet burner - ATMOS A50



<b>Code: H0034</b> pellet burner - (13 - 48 kW)	<i>Price:</i>
	<i>Weight: 35,00 kg</i>
<b>Code: H0025</b> pellet conveyor without shaft DA50 - 1,7m	<i>Price:</i>
	<i>Weight: 16,50 kg</i>
<b>Code: H0039</b> pellet conveyor with shaft DRA50 - 1,7m	<i>Price:</i>
	<i>Weight: 17,00 kg</i>
<b>Code: H0037</b> pellet conveyor with shaft DRA50 - 2,5m	<i>Price:</i>
	<i>Weight: 23,00 kg</i>
<b>Code: H0188</b> spare bearing for conveyors DA50, DRA50	<i>Price:</i>
	<i>Weight: 0,22 kg</i>

### Elektronik unit PCB board



<b>Code: H0131</b> new elektronik unit PCB board	<i>Price:</i>
	<i>Weight: 1,58 kg</i>

### Photocell



<b>Code: H0130</b> spare photocell	<i>Price:</i>
	<i>Weight: 0,02 kg</i>

### Incoming feeding pipe



<b>Code: H0196</b> spare pipe between burner and pellet conveyor - lenght 1 m and Ø 73 mm - untransparent	<i>Price:</i>
	<i>Weight: 0,68 kg</i>

**Pot – combustion chamber**



**A1)**



**A2)**



**B)**

<b>Code: H0149</b> A) combustion chamber - upper part	<i>Price:</i>
	<i>Weight:</i> 4,24 kg
<b>Code: H0149</b> A) combustion chamber - upper part - ATMOS	<i>Price:</i>
	<i>Weight:</i> 4,86 kg
<b>Code: H0150</b> B) combustion chamber - lower part	<i>Price:</i>
	<i>Weight:</i> 3,80 kg

**Spare internal pushing auger - bottom**



<b>Code: H0200</b> spare internal pushing auger	<i>Price:</i>
	<i>Weight:</i> 1,84 kg

**Ignition spiral**



<b>Code: H0128</b> spare ignition spiral	<i>Price:</i>
	<i>Weight:</i> 0,20 kg

**Primary air blower fan – without crosshatch**




<b>Code: H0126</b> primary air blower fan – without crosshatch	<i>Price:</i>
	<i>Weight:</i> 1,50 kg

**Secondary air blower fan – with crosshatch**



<b>Code: H0125</b> secondary air blower fan – with crosshatch	<i>Price:</i>
	<i>Weight:</i> 1,38 kg

### Optical sensor for measuring of pellet level



**Code: H0129** optical sensor for pellet level  
– 2pcs

<i>Price:</i>
<i>Weight:</i> 0,02 kg


### Datal cabel for sensors



**Code: H0144** datal cabel for sensorsy

<i>Price:</i>
<i>Weight:</i> 0,10 kg


### Waste gas sensor



**Code: H0141** saste gas sensor

<i>Price:</i>
<i>Weight:</i> 0,08 kg

### Adapter from connector to connector Faston



**Code: H0145** adapter from connector to connector Faston

<i>Price:</i>
<i>Weight:</i> 0,03 kg

### Incoming cable into burner



**Code: H0143** incoming cable into burner

<i>Price:</i>
<i>Weight:</i> 0,45 kg

### Jumper for extra safety thermostat




**Code: H0146** jumper for extra safety thermostat (brown/white wire)

<i>Price:</i>
<i>Weight:</i> 0,07 kg



### Extension cable for for waste gas sensor



<b>Code: H0147</b> extension cable for waste gas sensor with lenght – 1,8 m	<i>Price:</i>
	<i>Weight: 0,25 kg</i>
<b>Code: H0148</b> extension cable for waste gas sensor with lenght – 1 m	<i>Price:</i>
	<i>Weight: 0,20 kg</i>

### Cog wheels




<b>Code: H0133</b> cg wheel with 12 cogs – inner auger – turnstile	<i>Price:</i>
	<i>Weight: 0,30 kg</i>
<b>Code: H0134</b> cog wheel with 17 cogs – for motor gera box	<i>Price:</i>
	<i>Weight: 0,35 kg</i>
<b>Code: H0135</b> cog wheel with 18 cogs – main auger of the combustion chamber	<i>Price:</i>
	<i>Weight: 0,35 kg</i>
<b>Code: H0136</b> cog wheel with 24 cogs – upper filling auger	<i>Price:</i>
	<i>Weight: 0,40 kg</i>

### Slide bearing




<b>Code: H0138</b> set of slide bearing (6 pcs) – 3 types	<i>Price:</i>
	<i>Weight: 0,09 kg</i>

### Chain with clip



<b>Code: H0137</b> chain with clip	<i>Price:</i>
	<i>Weight: 0,32 kg</i>

### Inner blades of the turnstile



<b>Code: H0132</b> inner blades of the turnstile – shaft with blades	<i>Price:</i>
	<i>Weight: 0,18 kg</i>

### Gear Box



<b>Code: H0127</b> spare gear box with electric capacitor	<i>Price:</i>
	<i>Weight: 3,54 kg</i>
<b>Code: H0152</b> spare electric capacitor 2 $\mu$ F for gear box	<i>Price:</i>
	<i>Weight: 0,02 kg</i>

### Gear box for pellet conveyor type DA



**Code: H0186** gear box for pellet conveyor DA length 1,7m and for 2,5m. Diameter of the shaft - 10 mm  
 Attention – if changing the red one by the grey one you have to change the running direction in the motor of the gear box after the electric diagram of the motor.

<i>Price:</i>
<i>Weight: 3,50 kg</i>

### Incoming module AC05



**Code: S0076** incoming module AC05 set for controlling the burner from the boiler regulating thermostat

<i>Price:</i>
<i>Weight: 0,07 kg</i>


### Spare gear box for conveyor DA – 40W



**Code: H0159** spare gear box for pellets conveyor DA50 1,7m a 2,5m with input 40W. Diameter of the shaft - 12 mm.

<i>Price:</i>
<i>Weight: 4,50 kg</i>

### Flange gasket



**Code: S0130** Flange gasket for burner A50

<i>Price:</i>
<i>Weight: 0,10 kg</i>

### Module DPA70 for prolonging of running of the suction fan




**Code: H0184** spare module DPA70 for prolonging of running of the suction fan - 5 pin  
**Code: H0185** spare module DPA70 for prolonging of running of the suction fan - 4 pin

<i>Price:</i>
<i>Weight: 0,40 kg</i>
<i>Price:</i>
<i>Weight: 0,40 kg</i>

## 13. Automatic ash removal for DxxP boilers




### Parts for fitting automatic ash removal



<b>Code: S0577</b> ash cleaner/remover – without ash pan for boilers D14P, D21P, P14, P21	<i>Price:</i>
	<i>Weight:</i> 11,06 kg
<b>Code: S0578</b> ash cleaner/remover – without ash pan for boiler D25P, P25	<i>Price:</i>
	<i>Weight:</i> 11,62 kg
<b>Code: S0535</b> ash cleaner/remover – without ash pan for boilers D15P, D20P, P15, P20	<i>Price:</i>
	<i>Weight:</i> 13,34 kg
<b>Code: S0536</b> ash cleaner/remover – without ash pan for boiler D30P, D40P, P30, P40	<i>Price:</i>
	<i>Weight:</i> 17,54 kg
<b>Code: S0537</b> ash cleaner/remover – without ash pan for boiler D50P, P50	<i>Price:</i>
	<i>Weight:</i> 17,88 kg
<b>Code: S1080</b> ash cleaner/remover – without ash pan for boiler D80P, P80	<i>Price:</i>
	<i>Weight:</i> 17,50 kg
<b>Code: S0125</b> position 6. sealing of the gear box flange	<i>Price:</i>
	<i>Weight:</i> 0,01 kg
<b>Code: S0126</b> position 3. gear box sealing	<i>Price:</i>
	<i>Weight:</i> 0,01 kg
<b>Code: H0107</b> position 1. gear box 25W	<i>Price:</i>
	<i>Weight:</i> 2,72 kg
<b>Code: H0115</b> position 1. gear box 15W	<i>Price:</i>
	<i>Weight:</i> 2,50 kg
<b>Code: S0077</b> elektronik module AD01 for automatic ash removal timing	<i>Price:</i>
	<i>Weight:</i> 0,18 kg
<b>Code: S0538</b> position 4. auger shaft – length 530 mm for boilers D15P, D20P, P15, P20	<i>Price:</i>
	<i>Weight:</i> 1,36 kg
<b>Code: S0539</b> position 4. auger shaft – length 730 mm for boilers D30P, D40P, P30, P40	<i>Price:</i>
	<i>Weight:</i> 1,94 kg
<b>Code: S0540</b> position 4. auger shaft – length 930 mm for boilers D50P, P50	<i>Price:</i>
	<i>Weight:</i> 2,36 kg

### Parts for fitting ashtray flange



<b>Code: S0127</b> position 2 sealing of the automatic ash removal flange	<i>Price:</i>
	<i>Weight:</i> 0,03 kg
<b>Code: S0411</b> position 6 - plastic nut for sealing the hole after grate pull	<i>Price:</i>
	<i>Weight:</i> 0,06 kg
<b>Additional ashtrays for boilers D14P, D21P, D25P, D31P, D15P, D20P, D30P, D40P, D50P, P14 - P25, P15 - P50</b>	
<b>Code: S1229</b> ash-pan volume 18 Lt. - skew	<i>Price:</i>
	<i>Weight:</i> 5,48 kg
<b>Code: S0542</b> ash-pan volume 28 Lt. (450x250x250)	<i>Price:</i>
	<i>Weight:</i> 7,70 kg
<b>Code: S0544</b> ash-pan volume 68 Lt. (450x300x500)	<i>Price:</i>
	<i>Weight:</i> 11,90 kg
<b>Code: S0546</b> ash-pan volume 135 Lt. (600x450x500)	<i>Price:</i>
	<i>Weight:</i> 18,46 kg
<b>Additional ashtrays for boilers D80P, P80</b>	
<b>Code: S1068</b> ash-pan volume 68 l (450x300x500) - Ø auger 80 mm	<i>Price:</i>
	<i>Weight:</i> 11,90 kg
<b>Code: S1069</b> ash-pan volume 135 l (600x450x500) - Ø auger 80 mm	<i>Price:</i>
	<i>Weight:</i> 18,46 kg
<b>Code: S0280</b> sealing sticking tape for ash-pan volume 28 and 68 Lt.	<i>Price:</i>
	<i>Weight:</i> 0,06 kg
<b>Code: S0288</b> sealing sticking tape for ash-pan volume 135 Lt.	<i>Price:</i>
	<i>Weight:</i> 0,03 kg
<b>Code: S0549</b> O - ring - sealing flange ashtray	<i>Price:</i>
	<i>Weight:</i> 0,02 kg

# 14. Pneumatic pellet feeding APS 250 (S) (SPX) / APS 500



## Pneumatic pellet feeding ATMOS APS




<b>Code: H0550</b> pneumatic pellet feeding ATMOS APS 250 - red	<i>Price:</i>
	<i>Weight: 81,00 kg</i>
<b>Code: H0551</b> pneumatic pellet feeding ATMOS APS 250 - ble	<i>Price:</i>
	<i>Weight: 81,00 kg</i>
<b>Code: H0313</b> pneumatic pellet feeding ATMOS APS 250 S - sperate (set withot tank) - red	<i>Price:</i>
	<i>Weight: 57,00 kg</i>
<b>Code: H0314</b> pneumatic pellet feeding ATMOS APS 250 S - sperate (set withot tank) - blue	<i>Price:</i>
	<i>Weight: 57,00 kg</i>
<b>Code: H0315</b> pneumatic pellet feeding ATMOS APS 500 - for two boilers (conveyors and burners) - red	<i>Price:</i>
	<i>Weight: 110,00 kg</i>
<b>Code: H0316</b> pneumatic pellet feeding ATMOS APS 500 - for two boilers (conveyors and burners) - blue	<i>Price:</i>
	<i>Weight: 110,00 kg</i>

## Suction fan motor (turbine) - separate



<b>Code: S1136</b> suction fan motor (turbine) - separate	<i>Price:</i>
	<i>Weight: 3,60 kg</i>

## Buffer tank for APS 250 / APS 500




<b>Code: H0557</b> spare buffer tank for APS 250 - red	<i>Price:</i>
	<i>Weight: 30,00 kg</i>
<b>Code: H0558</b> spare buffer tank for APS 250 - blue	<i>Price:</i>
	<i>Weight: 30,00 kg</i>
<b>Code: H0559</b> spare buffer tank for APS 500 - red	<i>Price:</i>
	<i>Weight: 45,00 kg</i>
<b>Code: H0560</b> spare buffer tank for APS 500 - blue	<i>Price:</i>
	<i>Weight: 45,00 kg</i>

## Hood for pneumatic pellet feeding



<b>Code: H0561</b> spare pneumatic pellet feeding - red	<i>Price:</i>
	<i>Weight: 10,50 kg</i>
<b>Code: H0562</b> spare pneumatic pellet feeding - blue	<i>Price:</i>
	<i>Weight: 10,50 kg</i>


### Control unit AC21



**Code: P0460** control unit AC21 for pneumatic pellet feeding APS

*Price:*  
*Weight:* 0,46 kg

### Self-sticking label for control panel



**Code: S1188** self-sticking label for pneumatic pellet feeding APS

*Price:*  
*Weight:* 0,01 kg

### Electronic controller AC19



**Code: P0449** AC19 controller is designed to control pneumatic pellet feeding APS 250/500

*Price:*  
*Weight:* 0,54 kg

### Level sensor



**Code: S1135** level sensor for pneumatic pellet feeding APS

*Price:*  
*Weight:* 1,50 kg

**Code: S1133** propeller level sensor for pneumatic pellet feeding

*Price:*  
*Weight:* 0,26 kg

**Code: S1288** propeller level sensor for APS 250 SPX - shorter

*Price:*  
*Weight:* 0,14 kg

### Electric wiring



**Code: S0720** spare electric wiring for pneumatic pellet feeding APS

*Price:*  
*Weight:* 0,88 kg

### Filter



**Code: S1115** spare filter for pneumatic pellet feeding APS

*Price:*  
*Weight:* 0,01 kg


### Handel



**Code: S1079** B) handle for pneumatic feeding system APS

*Price:*  
*Weight:* 0,04 kg

### Connector to control night mode - red



**Code: S1102** A) female connector with bushing into the boiler side hood for control of night mode - red - 3 pin

*Price:*  
*Weight:* 0,01 kg

**Code: S1103** B) male connector for cable - 3 pin

*Price:*  
*Weight:* 0,01 kg


### Grommet



**Code: S1191** spare grommet

*Price:*  
*Weight:* 0,01 kg


### Frame for APS 250 S - for different pellet tanks



**Code: S1189** frame for APS 250 S - for different pellet tanks

*Price:*  
*Weight:* 1,68 kg

### Connectors for electricity income



**Code: S0641** A) male connector with bushing

*Price:*  
*Weight:* 0,01 kg


**Code: S0640** B) female connector for cable

*Price:*  
*Weight:* 0,01 kg

**Code: S0715** incoming cable 2,5 m with connector type B) (S0640)

*Price:*  
*Weight:* 0,15 kg

### Divided lid for pellet tanks - for APS 250 S



**Code: H0552** lid for tank 1000 l - red for pneumatic feeding APS 250 S

*Price:*  
*Weight:* 14,76 kg

**Code: H0553** lid for tank 500 l - red for pneumatic feeding APS 250 S

*Price:*  
*Weight:* 6,96 kg

**Code: H0554** lid for tank 1000 l - blue for pneumatic feeding APS 250 S

*Price:*  
*Weight:* 14,76 kg

**Code: H0555** lid for tank 500 l - blue for pneumatic feeding APS 250 S

*Price:*  
*Weight:* 6,96 kg

## 15. LFO and Natural gas burners

### LFO or natural gas burner



<b>Code: H0018</b> LFO burner – Riello 40G3RK	<i>Price:</i>
	<i>Weight:</i> 11,34 kg
<b>Code: H0017</b> natural gas burner – Riello 40GS+MDB055	<i>Price:</i>
	<i>Weight:</i> 12,62 kg
<b>Code: H0019</b> connecting cable for LFO burner – not delivered with burner	<i>Price:</i>
	<i>Weight:</i> 0,06 kg

#### Spare parts + accessories:

Title	Code	Price	Weight
<b>Spare parts for natural gas burner Riello 40G S 3 code 3755116 – 3755117 type 551 T1</b>			
Automatic unit 525 SE/5	H0073		0,48 kg
Air manostat	H0074		0,24 kg
Ignition coil	H0075		0,05 kg
Ionized electrode	H0076		0,03 kg
Elektromotor (same for G+C38RK)	H0077		2,70 kg
<b>Spare parts for oil burner Riello 40G 3 RK code 3743412 type 434 T1</b>			
Automatika 531 SE	H0078		0,44 kg
Light resistor	H0079		0,02 kg
Capacitor 4 µF	H0080		0,08 kg
Tenon	H0081		0,01 kg
Pump	H0082		1,09 kg
Pump sealing	H0083		0,03 kg
Pump filter	H0084		0,01 kg
Ventil	H0085		0,03 kg
Coil	H0086		0,06 kg
Electrode	H0087		0,18 kg
Heating resistor	H0088		0,03 kg
<b>Accessories</b>			
Oil filter / automatic air-bleeding valve – TOC80	H0089		0,01 kg
Connector 8	H0090		0,09 kg
Conector 10	H0091		0,02 kg
Nozzle Delavan - 40/60/W – (15kW)	H0092		0,02 kg
Nozzle Delavan – 0,50/60/W – (20kW)	H0093		0,02 kg
Nozzle Delavan – 0,60/60/W – (25kW)	H0094		0,03 kg
Nozzle Delavan – 0,65/60/W – (30kW)	H0095		0,03 kg
Nozzle Delavan – 0,75/60/B – (35kW)	H0096		0,03 kg
ProTek valve	H0097		0,07 kg

## 16. Textile pellet silos ATZ



### Textile silo ATZ - complete




<b>Code: H0505</b> textile silo ATZ 5 with accessories - 3,9 - 4,6 m <sup>3</sup>	<i>Price:</i>
	<i>Weight:</i> 239,00 kg
<b>Code: H0506</b> textile silo ATZ 6 with accessories - 4,8 - 5,6 m <sup>3</sup>	<i>Price:</i>
	<i>Weight:</i> 242,00 kg
<b>Code: H0507</b> textile silo ATZ 7 with accessories - 5,8 - 6,8 m <sup>3</sup>	<i>Price:</i>
	<i>Weight:</i> 250,00 kg

### Textile sack for ATZ - separate




<b>Code: S0758</b> spare sack for textile silo ATZ 5	<i>Price:</i>
	<i>Weight:</i> 9,70 kg
<b>Code: S0759</b> spare sack for textile silo ATZ 6	<i>Price:</i>
	<i>Weight:</i> 10,80 kg
<b>Code: S0760</b> spare sack for textile silo ATZ 7	<i>Price:</i>
	<i>Weight:</i> 12,00 kg

### Multi-purpose container for textile silos ATZ



<b>Code: H0510</b> it is equipped with a pneumatic suction probe and replaceable adapter allowing direct scooping of pellets by the auger conveyor	<i>Price:</i>
	<i>Weight:</i> 26,60 kg
<b>Code: S1029</b> gasket for flange of changeable parts (probes) 152x240x4	<i>Cena:</i> 62,80
	<i>Váha:</i> 0,11 kg

### Internal equipment for multi-purpose container



<b>Code: H0515</b> spare pneumatic suction probe	<i>Price:</i>
	<i>Weight:</i> 3,10 kg
<b>Code: H0516</b> spare reduction allowing direct scooping of pellets by the conveyor	<i>Price:</i>
	<i>Weight:</i> 2,20 kg



**Structure for ATZ without filler neck  
(including connecting materials)**




<b>Code: V0005</b> spare structure for textile silo ATZ 5 - 3,9 - 4,6 m <sup>3</sup>	<i>Price:</i>
	<i>Weight:</i> 149,80 kg
<b>Code: V0006</b> spare structure for textile silo ATZ 6 - 4,8 - 5,6 m <sup>3</sup>	<i>Price:</i>
	<i>Weight:</i> 154,10 kg
<b>Code: V0007</b> spare structure for textile silo ATZ 7 - 5,8 - 6,8 m <sup>3</sup>	<i>Price:</i>
	<i>Weight:</i> 158,40 kg

**Textile silo leg**



<b>Code: S0628</b> spare leg for textile silos ATZ	<i>Price:</i>
	<i>Weight:</i> 11,50 kg

**Upper beam for textile silo**



<b>Code: S0792</b> spare upper beam - lenght 1905	<i>Price:</i>
	<i>Weight:</i> 13,90 kg
<b>Code: S0749</b> spare upper beam - lenght 2305	<i>Price:</i>
	<i>Weight:</i> 15,90 kg

**Filler neck cap for textile silos ATZ**



<b>Code: H0517</b> complete filler neck for textile silos ATZ including STORZ A110	<i>Price:</i>
	<i>Weight:</i> 6,50 kg
<b>Code: S1196</b> filler neck collar (holder) - separate	<i>Price:</i>
	<i>Weight:</i> 3,90 kg
<b>Code: S0762</b> filler neck STORZ A110	<i>Price:</i>
	<i>Weight:</i> 1,20 kg
<b>Code: S0764</b> filler cap - separate lid STORZ A110	<i>Price:</i>
	<i>Weight:</i> 1,20 kg
<b>Code: H0306</b> spare fixing band	<i>Price:</i>
	<i>Weight:</i> 0,06 kg

**Lower beam for textile silo**



<b>Code: S0629</b> spare lower beam - lenght 1810	<i>Price:</i>
	<i>Weight:</i> 9,80 kg
<b>Code: S0630</b> spare lower beam - lenght 2210	<i>Price:</i>
	<i>Weight:</i> 12,10 kg

**Textile sack upper hook**



<b>Code: H0518</b> spare upper hook for textile silo	<i>Price:</i>
	<i>Weight:</i> 1,00 kg